

FEELWORLD FW568

FEELWORLD FW568 6-inch DSLR Camera Field Monitor Instruction Manual

Model: FW568 | Brand: FEELWORLD

1. INTRODUCTION

This manual provides detailed instructions for the proper setup, operation, and maintenance of your FEELWORLD FW568 6-inch DSLR Camera Field Monitor. The FW568 is designed to enhance your video production workflow with its Full HD 1920x1080 IPS display, 4K HDMI input/output, and advanced monitoring tools.

2. PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- 1x FEELWORLD FW568 Monitor
- 1x Micro HDMI Cable
- 1x Sunshade
- 1x Tilt Arm
- 1x Type-C to USB Adapter
- 1x User Manual

Note: Battery and power adapter are not included.

MULTILINGUAL SUPPORT



English



German



Portuguese



French



Spanish



Dutch



FW568



Micro HDMI Cable



Tilt Arm



Sunshade



Type-C to USB



User manual

Note: Not Include Battery

Figure 2.1: Included accessories for the FEELWORLD FW568 monitor. This includes the monitor, micro HDMI cable, sunshade, tilt arm, Type-C to USB adapter, and user manual. Batteries and power adapter are sold separately.

Video 2.1: An unboxing video of the FEELWORLD FW568 Camera Monitor, demonstrating the contents of the package and initial impressions of the device and its accessories.

3. PRODUCT OVERVIEW

3.1. Physical Features

The FW568 monitor features a compact and lightweight design, weighing only 175g. Its robust construction ensures durability for both on-set and field use.

LIGHT-WEIGHT DESIGN FLEXIBLE INSTALL

Small size, light weight, good heat dissipation, flexible mounting



Figure 3.1: The FEELWORLD FW568 monitor showcasing its lightweight design, weighing only 175g, making it suitable for various camera setups including gimbals and handheld use.

3.2. Ports and Controls

The monitor is equipped with essential ports for connectivity and power:

- **HDMI Input/Output:** Supports 4K UHD signals (3840x2160p at 30/29.97/25/24/23.98Hz, 4096x2160p at 24Hz).
- **DC IN 12V:** For external power supply.
- **DC OUT 8.4V:** Can power compatible cameras.
- **3.5mm Ear Phone Slot:** For audio monitoring.
- **Type-C (5V) Input:** For power.

4K HDMI INPUT & LOOP-OUT

W568 has 4K HDMI in and loop-out, allowing it to not only display live signals, but also send them out to other monitors simultaneously.



Figure 3.2: Detailed view of the FEELWORLD FW568 monitor's ports, including HDMI In, HDMI Out, DC In 12V, DC Out 8.4V, 3.5mm Ear Phone Slot, and DC In 5V (Type-C).

4. SETUP

4.1. Mounting the Monitor

The included tilt arm allows for flexible mounting options on your camera's hot shoe or cold shoe mount. Securely attach the tilt arm to the monitor and then to your camera.

4.2. Connecting to a Camera

Use the provided Micro HDMI Cable to connect your DSLR camera or camcorder to the monitor's HDMI IN port. Ensure a secure connection for stable video signal transmission.

4.3. Powering the Monitor

The FW568 monitor supports multiple power sources:

- **NP-F Battery:** Insert a compatible NP-F series battery into the battery plate on the rear of the monitor.

- **DC 12V Power Adapter:** Connect an external DC 12V power adapter to the DC IN 12V port.
- **USB-C (5V) Power:** Connect a 5V USB-C power source to the Type-C port.

The monitor's DC OUT 8.4V port can also be used to power your camera, extending its runtime.

REAL-TIME CAMERA POWER SUPPLY SYSTEM

With the battery users can power both the monitor and their camera, extend the camera runtimes, thanks to the monitor's 8.4Volt power output.



Figure 4.1: The FEELWORLD FW568 monitor connected to a camera, demonstrating its ability to power the camera via its 8.4V DC output, extending shooting times.

Video 4.1: A demonstration of the FEELWORLD FW568 V3 6-inch FHD On Camera Monitor, highlighting its features and connectivity options, including the 360° tilt arm and multiple power sources.

5. OPERATING INSTRUCTIONS

5.1. Basic Operation

Press the power button to turn the monitor on or off. Use the menu buttons located on the top of the monitor to navigate through settings and functions.

5.2. Advanced Monitoring Tools

The FW568 offers a comprehensive suite of video assist functions:

- **Waveform:** Displays the luminance and chrominance levels of your video signal.
- **LUTs (Look Up Tables):** Supports up to 32 custom 3D LUTs for real-time color grading preview.
- **Video Peaking Focus Assist:** Highlights in-focus areas for precise focusing.
- **False Color:** Helps set proper exposure by displaying different exposure levels in distinct colors.
- **Zebra Exposure:** Indicates overexposed areas with zebra stripes.
- **Histogram:** Graphical representation of the tonal distribution of your image.
- **Anamorphic Mode:** De-squeezes anamorphic footage.
- **Nine Grid:** Assists with composition.
- **Embedded Audio:** Displays audio levels.
- **Center Marker, Ratio Marker, Scan Mode, Aspect Ratio, Image Flip, Image Freeze, P2P:** Additional tools for various shooting scenarios.



Figure 5.1: The FEELWORLD FW568 monitor displaying waveform, vectorscope, and histogram, essential tools for precise image analysis and exposure control.

SUPPORTS CUSTOM 3DLUT

FEELWORLD FW568V3 Supports 32 LUTs via USB port,
Preview movielook-in-field shots



Before Loading



After Loading

Figure 5.2: The FEELWORLD FW568 monitor demonstrating the application of custom 3D LUTs for real-time preview of filming looks, showing 'Before Loading' and 'After Loading' states.

ACCURATE FOCUS AND EXPOSE



Vectorscope



Brightness Histogram



YUV Parade



Y Parade



3D LUT



Waveform



Vector Scope



Histogram



Peaking Filter



Anamorphic Mode



False Colors



Exposure



Zoom-in





Image Flip



Embedded Audio



Nine Grid

Figure 5.3: A visual representation of the various video assist functions available on the FEELWORLD FW568, including Vectorscope, Brightness Histogram, YUV Parade, Y Parade, 3D LUT, Waveform, Vector Scope, Histogram, Peaking Filter, Anamorphic Mode, False Colors, Exposure, Zoom-in, Image Flip, Embedded Audio, and Nine Grid.

Video 5.1: A short demonstration showcasing the clear image quality of the FEELWORLD FW568 monitor, even when used in alternative applications like a car monitor.

6. MAINTENANCE

To ensure the longevity and optimal performance of your FEELWORLD FW568 monitor, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the monitor screen and body. For stubborn smudges, lightly dampen the cloth with a screen-safe cleaning solution. Avoid harsh chemicals.
- **Storage:** When not in use, store the monitor in a cool, dry place away from direct sunlight and extreme temperatures. Use the provided carrying case or a protective pouch to prevent scratches and dust accumulation.
- **Handling:** Avoid dropping the monitor or subjecting it to strong impacts. Handle cables carefully to prevent damage to ports.

7. TROUBLESHOOTING

If you encounter issues with your FW568 monitor, refer to the following common problems and solutions:

- **No Signal:**
 - Ensure the HDMI cable is securely connected to both the camera and the monitor.
 - Verify that the camera's HDMI output is enabled and set to a compatible resolution.
 - Check if the correct input source is selected on the monitor.
- **Monitor Not Powering On:**
 - Confirm that the battery is fully charged and correctly inserted.
 - If using a DC adapter, ensure it is properly connected and providing the correct voltage (12V).
 - If using USB-C, ensure the power source is sufficient (5V).
- **Image Quality Issues (Flickering, Distorted):**
 - Try a different HDMI cable.
 - Adjust the display settings on the monitor (brightness, contrast, sharpness).
 - Ensure your camera's video output settings are stable.

8. SPECIFICATIONS

Screen Size	6 inch
Resolution	1920x1080 (Full HD)
Display Type	IPS
Contrast Ratio	1000:1
Brightness	450nit (typical)
Color Calibration	Rec.709
HDMI Support	4K UHD 3840x2160p (30/29.97/25/24/23.98Hz), 4096x2160p (24Hz)
Power Input	DC 12V, USB-C 5V
Power Output	DC 8.4V
Dimensions	5.83 x 0.73 x 3.23 inches
Item Weight	1.21 pounds (approx. 175g for monitor only)
Manufacturer	FEELWORLD

TRUST WHAT YOU SEE

With REC.709 color calibration, accurate color reproduction, enjoy sharper and more detailed image.


6 Inch	1920X1080 Pixels	1000:1 Contrast Ratio	400PPI Pixel Density
------------------	----------------------------	---------------------------------	--------------------------------



Figure 8.1: Key display specifications of the FEELWORLD FW568 monitor, including 6-inch size, 1920x1080 pixels, 1000:1 contrast ratio, and 400PPI pixel density, with REC.709 color calibration for accurate color reproduction.

9. WARRANTY AND SUPPORT

FEELWORLD products typically come with a 1-year warranty. For specific warranty details, technical support, or service inquiries, please refer to the official FEELWORLD website or contact their customer service directly. Keep your purchase receipt as proof of purchase for warranty claims.

7" Full HD On-camera Monitor Support 4K HDMI Input/Output  User Manual	FEELWORLD T7 7-inch 4K HDMI On-camera Field Monitor User Manual User manual for the FEELWORLD T7 7-inch Full HD IPS on-camera field monitor. Features 4K HDMI input/output, 1920x1200 resolution, and advanced video assist functions for photography and broadcasting.
5.5" Touchscreen Monitor F970 Install and Power Kit  User Manual	FEELWORLD F970 5.5" Touchscreen Monitor User Manual Comprehensive user manual for the FEELWORLD F970 5.5-inch Full HD touchscreen monitor, covering product overview, features, button and port instructions, power supply, installation, menu operations, technical parameters, and troubleshooting.
7" Daylight Viewable Field Monitor F970 Install and Power Kit  User Manual	FEELWORLD 7" Daylight Viewable Field Monitor User Manual - F970 Install and Power Kit Comprehensive user manual for the FEELWORLD 7-inch daylight viewable field monitor, detailing its features, operation, installation of the F970 power kit, menu functions, technical specifications, and troubleshooting.
7" Full HD On-camera Monitor Support 4K HDMI Input/Output  User Manual	Feelworld T7 PLUS 7" Full HD On-camera Monitor User Manual User manual for the Feelworld T7 PLUS 7" Full HD On-camera Monitor, detailing its features, operation, and technical specifications. Learn about its 4K HDMI input/output, advanced functions like 3D LUT, Histogram, and Focus Assist, and how to use its various settings.
5.5" Touchscreen Monitor F970 Install and Power Kit  User Manual	FEELWORLD F5Pro 5.5" Touchscreen Monitor with F970 Power Kit - User Manual User manual for the FEELWORLD F5Pro 5.5" Full HD Touchscreen Monitor. Details product overview, features, F970 kit installation, power options, menu operations, technical specifications, and troubleshooting for professional video monitoring.
FEELWORLD FT6 FR6 5.5" Wireless Monitor Kit HDMI/3D LUT/HDR  User Manual	FEELWORLD FT6 FR6 5.5" Wireless Monitor Kit User Manual - Features, Specs, and Operation Comprehensive user manual for the FEELWORLD FT6 FR6 5.5" Wireless Monitor Kit. Learn about its features, technical specifications, menu operations, RTSP mode, and troubleshooting. Supports HDMI, 3D LUT, and HDR.



[FEELWORLD MA6P 5.5" On-Camera Monitor Guide Manual](#)

This guide provides comprehensive instructions for the FEELWORLD MA6P 5.5-inch on-camera monitor, covering its features, operation, technical specifications, and troubleshooting. Learn how to set up, use, and maintain your monitor for optimal performance.

lang:en score:38 filesize: 809.71 K page_count: 13 document date: 2019-02-11

CEN RENTAL P.T. CAMARA ENTERTAINMENT NUSANTARA		
(Pusat Renta) Pusat Renta Kamera dan Alat Film & TV, B. Jember, Jember 60132, Indonesia (Jember) Jember, Jember 60132, Indonesia Jember, Jember 60132, Indonesia		
LIGHTING		
Aputure 120 Pro	Rp1.000.000	120
Aputure 120 Pro II	Rp1.000.000	120
Aputure 120 Pro III	Rp1.000.000	120
Aputure 120 Pro IV	Rp1.000.000	120
Aputure 120 Pro V	Rp1.000.000	120
Aputure 120 Pro VI	Rp1.000.000	120
Aputure 120 Pro VII	Rp1.000.000	120
Aputure 120 Pro VIII	Rp1.000.000	120
Aputure 120 Pro IX	Rp1.000.000	120
Aputure 120 Pro X	Rp1.000.000	120
SUPPORT		
Aputure 120 Pro	Rp1.000.000	120
Aputure 120 Pro II	Rp1.000.000	120
Aputure 120 Pro III	Rp1.000.000	120
Aputure 120 Pro IV	Rp1.000.000	120
Aputure 120 Pro V	Rp1.000.000	120
Aputure 120 Pro VI	Rp1.000.000	120
Aputure 120 Pro VII	Rp1.000.000	120
Aputure 120 Pro VIII	Rp1.000.000	120
Aputure 120 Pro IX	Rp1.000.000	120
Aputure 120 Pro X	Rp1.000.000	120
Aputure 120 Pro XI	Rp1.000.000	120
Aputure 120 Pro XII	Rp1.000.000	120
Aputure 120 Pro XIII	Rp1.000.000	120
Aputure 120 Pro XIV	Rp1.000.000	120
Aputure 120 Pro XV	Rp1.000.000	120
Aputure 120 Pro XVI	Rp1.000.000	120
Aputure 120 Pro XVII	Rp1.000.000	120
Aputure 120 Pro XVIII	Rp1.000.000	120
Aputure 120 Pro XIX	Rp1.000.000	120
Aputure 120 Pro XX	Rp1.000.000	120
Aputure 120 Pro XXI	Rp1.000.000	120
Aputure 120 Pro XXII	Rp1.000.000	120
Aputure 120 Pro XXIII	Rp1.000.000	120
Aputure 120 Pro XXIV	Rp1.000.000	120
Aputure 120 Pro XXV	Rp1.000.000	120
Aputure 120 Pro XXVI	Rp1.000.000	120
Aputure 120 Pro XXVII	Rp1.000.000	120
Aputure 120 Pro XXVIII	Rp1.000.000	120
Aputure 120 Pro XXIX	Rp1.000.000	120
Aputure 120 Pro XXX	Rp1.000.000	120
CAMERA		
Aputure 120 Pro	Rp1.000.000	120
Aputure 120 Pro II	Rp1.000.000	120
Aputure 120 Pro III	Rp1.000.000	120
Aputure 120 Pro IV	Rp1.000.000	120
Aputure 120 Pro V	Rp1.000.000	120
Aputure 120 Pro VI	Rp1.000.000	120
Aputure 120 Pro VII	Rp1.000.000	120
Aputure 120 Pro VIII	Rp1.000.000	120
Aputure 120 Pro IX	Rp1.000.000	120
Aputure 120 Pro X	Rp1.000.000	120
Aputure 120 Pro XI	Rp1.000.000	120
Aputure 120 Pro XII	Rp1.000.000	120
Aputure 120 Pro XIII	Rp1.000.000	120
Aputure 120 Pro XIV	Rp1.000.000	120
Aputure 120 Pro XV	Rp1.000.000	120
Aputure 120 Pro XVI	Rp1.000.000	120
Aputure 120 Pro XVII	Rp1.000.000	120
Aputure 120 Pro XVIII	Rp1.000.000	120
Aputure 120 Pro XIX	Rp1.000.000	120
Aputure 120 Pro XX	Rp1.000.000	120
Aputure 120 Pro XXI	Rp1.000.000	120
Aputure 120 Pro XXII	Rp1.000.000	120
Aputure 120 Pro XXIII	Rp1.000.000	120
Aputure 120 Pro XXIV	Rp1.000.000	120
Aputure 120 Pro XXV	Rp1.000.000	120
Aputure 120 Pro XXVI	Rp1.000.000	120
Aputure 120 Pro XXVII	Rp1.000.000	120
Aputure 120 Pro XXVIII	Rp1.000.000	120
Aputure 120 Pro XXIX	Rp1.000.000	120
Aputure 120 Pro XXX	Rp1.000.000	120
CAMERA SUPPORT		
Aputure 120 Pro	Rp1.000.000	120
Aputure 120 Pro II	Rp1.000.000	120
Aputure 120 Pro III	Rp1.000.000	120
Aputure 120 Pro IV	Rp1.000.000	120
Aputure 120 Pro V	Rp1.000.000	120
Aputure 120 Pro VI	Rp1.000.000	120
Aputure 120 Pro VII	Rp1.000.000	120
Aputure 120 Pro VIII	Rp1.000.000	120
Aputure 120 Pro IX	Rp1.000.000	120
Aputure 120 Pro X	Rp1.000.000	120
Aputure 120 Pro XI	Rp1.000.000	120
Aputure 120 Pro XII	Rp1.000.000	120
Aputure 120 Pro XIII	Rp1.000.000	120
Aputure 120 Pro XIV	Rp1.000.000	120
Aputure 120 Pro XV	Rp1.000.000	120
Aputure 120 Pro XVI	Rp1.000.000	120
Aputure 120 Pro XVII	Rp1.000.000	120
Aputure 120 Pro XVIII	Rp1.000.000	120
Aputure 120 Pro XIX	Rp1.000.000	120
Aputure 120 Pro XX	Rp1.000.000	120
Aputure 120 Pro XXI	Rp1.000.000	120
Aputure 120 Pro XXII	Rp1.000.000	120
Aputure 120 Pro XXIII	Rp1.000.000	120
Aputure 120 Pro XXIV	Rp1.000.000	120
Aputure 120 Pro XXV	Rp1.000.000	120
Aputure 120 Pro XXVI	Rp1.000.000	120
Aputure 120 Pro XXVII	Rp1.000.000	120
Aputure 120 Pro XXVIII	Rp1.000.000	120
Aputure 120 Pro XXIX	Rp1.000.000	120
Aputure 120 Pro XXX	Rp1.000.000	120

[\[pdf\]](#)

Untitled spreadsheet Monitor Feelworld F6 plus Rp150 000 Feel World FW568 V2 5 Inch INC Battery NP F970 F7 Pro 7 3D LUT M0Svu7dcD0KVHcTxxFoYW4MYZs framerusercontent assets |||

LIGHTING Aputure LS 600X Pro Set Aputure F10 Fresnel Aputure Light Dome 150 Aputure Spotlight 26 Ap ... nly Lumix S1H Body Only Lumix S1 Body Only CAMERA SUPPORT Monitor Feelworld F6 plus Feel World **FW568** V2 5.5 Inch INC Battery NP-F970 Feelworld F7 Pro 7 Inch 3D LUT Monitor INC Battery NP-F970 ...

lang:en score:33 filesize: 252.5 K page_count: 2 document date: 0000-00-00


CEN RENTAL P.T. CAMARA ENTERTAINMENT NUSANTARA		
(Pusat Renta) Pusat Renta Kamera dan Alat Film & TV, B. Jember, Jember 60132, Indonesia (Jember) Jember, Jember 60132, Indonesia Jember, Jember 60132, Indonesia		
LIGHTING		
Aputure 120 Pro	Rp1.000.000	120
Aputure 120 Pro II	Rp1.000.000	120
Aputure 120 Pro III	Rp1.000.000	120
Aputure 120 Pro IV	Rp1.000.000	120
Aputure 120 Pro V	Rp1.000.000	120
Aputure 120 Pro VI	Rp1.000.000	120
Aputure 120 Pro VII	Rp1.000.000	120
Aputure 120 Pro VIII	Rp1.000.000	120
Aputure 120 Pro IX	Rp1.000.000	120
Aputure 120 Pro X	Rp1.000.000	120
SUPPORT		
Aputure 120 Pro	Rp1.000.000	120
Aputure 120 Pro II	Rp1.000.000	120
Aputure 120 Pro III	Rp1.000.000	120
Aputure 120 Pro IV	Rp1.000.000	120
Aputure 120 Pro V	Rp1.000.000	120
Aputure 120 Pro VI	Rp1.000.000	120
Aputure 120 Pro VII	Rp1.000.000	120
Aputure 120 Pro VIII	Rp1.000.000	120
Aputure 120 Pro IX	Rp1.000.000	120
Aputure 120 Pro X	Rp1.000.000	120
Aputure 120 Pro XI	Rp1.000.000	120
Aputure 120 Pro XII	Rp1.000.000	120
Aputure 120 Pro XIII	Rp1.000.000	120
Aputure 120 Pro XIV	Rp1.000.000	120
Aputure 120 Pro XV	Rp1.000.000	120
Aputure 120 Pro XVI	Rp1.000.000	120
Aputure 120 Pro XVII	Rp1.000.000	120
Aputure 120 Pro XVIII	Rp1.000.000	120
Aputure 120 Pro XIX	Rp1.000.000	120
Aputure 120 Pro XX	Rp1.000.000	120
Aputure 120 Pro XXI	Rp1.000.000	120
Aputure 120 Pro XXII	Rp1.000.000	120
Aputure 120 Pro XXIII	Rp1.000.000	120
Aputure 120 Pro XXIV	Rp1.000.000	120
Aputure 120 Pro XXV	Rp1.000.000	120
Aputure 120 Pro XXVI	Rp1.000.000	120
Aputure 120 Pro XXVII	Rp1.000.000	120
Aputure 120 Pro XXVIII	Rp1.000.000	120
Aputure 120 Pro XXIX	Rp1.000.000	120
Aputure 120 Pro XXX	Rp1.000.000	120
CAMERA		
Aputure 120 Pro	Rp1.000.000	120
Aputure 120 Pro II	Rp1.000.000	120
Aputure 120 Pro III	Rp1.000.000	120
Aputure 120 Pro IV	Rp1.000.000	120
Aputure 120 Pro V	Rp1.000.000	120
Aputure 120 Pro VI	Rp1.000.000	120
Aputure 120 Pro VII	Rp1.000.000	120
Aputure 120 Pro VIII	Rp1.000.000	120
Aputure 120 Pro IX	Rp1.000.000	120
Aputure 120 Pro X	Rp1.000.000	120
Aputure 120 Pro XI	Rp1.000.000	120
Aputure 120 Pro XII	Rp1.000.000	120
Aputure 120 Pro XIII	Rp1.000.000	120
Aputure 120 Pro XIV	Rp1.000.000	120
Aputure 120 Pro XV	Rp1.000.000	120
Aputure 120 Pro XVI	Rp1.000.000	120
Aputure 120 Pro XVII	Rp1.000.000	120
Aputure 120 Pro XVIII	Rp1.000.000	120
Aputure 120 Pro XIX	Rp1.000.000	120
Aputure 120 Pro XX	Rp1.000.000	120
Aputure 120 Pro XXI	Rp1.000.000	120
Aputure 120 Pro XXII	Rp1.000.000	120
Aputure 120 Pro XXIII	Rp1.000.000	120
Aputure 120 Pro XXIV	Rp1.000.000	120
Aputure 120 Pro XXV	Rp1.000.000	120
Aputure 120 Pro XXVI	Rp1.000.000	120
Aputure 120 Pro XXVII	Rp1.000.000	120
Aputure 120 Pro XXVIII	Rp1.000.000	120
Aputure 120 Pro XXIX	Rp1.000.000	120
Aputure 120 Pro XXX	Rp1.000.000	120
CAMERA SUPPORT		
Aputure 120 Pro	Rp1.000.000	120
Aputure 120 Pro II	Rp1.000.000	120
Aputure 120 Pro III	Rp1.000.000	120
Aputure 120 Pro IV	Rp1.000.000	120
Aputure 120 Pro V	Rp1.000.000	120
Aputure 120 Pro VI	Rp1.000.000	120
Aputure 120 Pro VII	Rp1.000.000	120
Aputure 120 Pro VIII	Rp1.000.000	120
Aputure 120 Pro IX	Rp1.000.000	120
Aputure 120 Pro X	Rp1.000.000	120
Aputure 120 Pro XI	Rp1.000.000	120
Aputure 120 Pro XII	Rp1.000.000	120
Aputure 120 Pro XIII	Rp1.000.000	120
Aputure 120 Pro XIV	Rp1.000.000	120
Aputure 120 Pro XV	Rp1.000.000	120
Aputure 120 Pro XVI	Rp1.000.000	120
Aputure 120 Pro XVII	Rp1.000.000	120
Aputure 120 Pro XVIII	Rp1.000.000	120
Aputure 120 Pro XIX	Rp1.000.000	120
Aputure 120 Pro XX	Rp1.000.000	120
Aputure 120 Pro XXI	Rp1.000.000	120
Aputure 120 Pro XXII	Rp1.000.000	120
Aputure 120 Pro XXIII	Rp1.000.000	120
Aputure 120 Pro XXIV	Rp1.000.000	120
Aputure 120 Pro XXV	Rp1.000.000	120
Aputure 120 Pro XXVI	Rp1.000.000	120
Aputure 120 Pro XXVII	Rp1.000.000	120
Aputure 120 Pro XXVIII	Rp1.000.000	120
Aputure 120 Pro XXIX	Rp1.000.000	120
Aputure 120 Pro XXX	Rp1.000.000	120

[\[pdf\]](#)

Pricelist CEN Updt 15 08 Aug 2024 · Monitor Feelworld F6 plus Rp150 000 Feel World FW568 V2 5 Inch INC Battery NP F970 F7 Pro 7 3D LUT INC 3Mxa5IF5LEF0Z9I3ym65Mlu4x0 framerusercontent assets |||

LIGHTING Aputure LS 600X Pro Set Include Dome Aputure F10 Fresnel Aputure Light Dome 150 Addition ... Only Sony FX3 Body Only Sony FX6 Body Only CAMERA SUPPORT Monitor Feelworld F6 plus Feel World **FW568** V2 5.5 Inch INC Battery NP-F970 Feelworld F7 Pro 7 Inch 3D LUT Monitor INC Battery NP-F970 ...

lang:de score:32 filesize: 178.02 K page_count: 2 document date: 0000-00-00



[\[pdf\]](#) User Manual

DVR pobierz Feelworld FW568 V2 Monitor Podglądowy LCD 5 HDMI FHD manual c4i pl manuals |||

5.5 Super Lightweight Field Monitor Stabilizer Gimbal Best Partner User Manual Product Overview Thank you for purchasing our color LCD monitor, which adopts advanced integrated digital signal processing circuits and professional IPS LED panel, which makes it high brightness, low power consumption...

lang:en score:22 filesize: 2.86 M page_count: 23 document date: 2019-03-08



[pdf] Specifications Accessories

Fos Lighting F6 PLUS f6 plus 5 inch DSLR Camera Field Touch Screen Monitor with HDR 3D Lut Small Full HD 1920x1080 IPS Video Peaking Focus Assist 4K HDMI 8 4V DC Input Output Include Tilt Arm Bekafun bekafun fr attachment 45221052 45323196 |||

Visit product page F6 PLUS L006071 .5 inch DSLR Camera Field Touch Screen Monitor with HDR 3D Lut Sm ... Ideal for Small Camera/ HD/SLR Production: More than just a monitor or a camera power supply system. **FW568** with 8.4V DC output could power your camera to extend the run-time. Dummy Battery optional fo... lang:en score:20 filesize: 944.16 K page_count: 9 document date: 2022-07-26

[pdf]

Marcin Cennik Black Weeks 2024 ważny od 25 11 2 giorni fa — HDMI przez IP 150m transceiver multicast System prezentacji Wifi HDMI1080p 1T1R 1898 00 Soundbar kamera USB 4k EPTZ autoframing mikrofony i głośnik Week jo srsItd AfmBOorRmRBsJi4yqqS5SmaSuuB3cAT4SiWF zAX8fHygg4w4JDSPZS c4i pl 07 12 C4i Dec 7 · Mecool KM2 Plus 588 41% Ugoos AM8 fabryczny 949 54% GIADA DF612 i5 1235U 3149 06% Minix Z100 0dB 1469 9 26% Odtwarzacz 8k HDR DV kieszenie na HDD wersja fabryczna HDV S008 349 74% FXN SX SDH6 1127 94% HSD6 1387 95 Zidoo UHD8000 6350 4 7% preinstalowany sieciowy UHD 6 64GB HDR10 Dolby Vision VS10 wersja Fanless mini PC Intel gen 16GB RAM 256GB SSD system Windows Przełącznik 2x1 8K 1 329 Certyfikowane Dune HD Solo 2199 8 6% Homatics Box R 4K 777 5 4% Preinstalowany 834 9% PRO Z30 PRO 2179 15 Pro 2229 16 1% Z3000 2999 3% Z9X 1299 Z9x 997 1159 3 2749 AfmBOoP3Tdx8PBGhwhJOLIsyJ7Jj5RHfDQKKutMFXIpuJvQZ2qHimfW AfmBOoprJyhuWvE718JTj8sS2eA3KK4CWd3bBgLW8c AxZJIVNz4o9tY AfmBOoo4adgSEEEr MxqazYEBB6NVZo1FKiSudgjYJmX78moY28qnrYe AfmBOoqNDg7EmRKuYTkW3V2JzVKGHaWpuKRglG93mcexxGvAe0wmDcW AfmBOoov2ld8FIg ypH4dKWCSR5fOZJDo4Ls5gRbY0mC57b2dLLc mzV AfmBOop29c9K3afW0gVLppJtUAIqPIqENxuyEB3rKPuMI6XPs4IggL6 AfmBOooqlveLZTwtutcvCKzB LS5kLie1FJijim0DLwbUk4z2YZnAs3E 2024Cennik C4iCennik C4iDec 26 c 95 Dec wersja Dec Certyfikowane Dec PRO Dec wersja Cennik 2024Zidoo 00Cennik AfmBOoP3Tdx8PBGhwhJOLIsyJ7Jj5RHfDQKKutMFXIpuJvQZ2qHimfWCennik AxZJIVNz4o9tYCennik MxqazYEBB6NVZo1FKiSudgjYJmX78moY28qnrYeCennik AfmBOoqNDg7EmRKuYTkW3V2JzVKGHaWpuKRglG93mcexxGvAe0wmDcWCennik mzVCennik AfmBOop29c9K3afW0gVLppJtUAIqPIqENxuyEB3rKPuMI6XPs4IggL6Cennik joCennik zAX8fHygg4w4JDSPZSCennik LS5kLie1FJijim0DLwbUk4z2YZnAs3ECennik 2024c4i AfmBOoP3Tdx8PBGhwhJOLIsyJ7Jj5RHfDQKKutMFXIpuJvQZ2qHimfWc4i AxZJIVNz4o9tYc4i MxqazYEBB6NVZo1FKiSudgjYJmX78moY28qnrYec4i AfmBOoqNDg7EmRKuYTkW3V2JzVKGHaWpuKRglG93mcexxGvAe0wmDcWc4i mzVc4i AfmBOop29c9K3afW0gVLppJtUAIqPIqENxuyEB3rKPuMI6XPs4IggL6c4i joc4i AfmBOooGHPoCJdL u1UI3V59qUj9t7mo2p85PwHQAQUlwqRDZWaoJFibc4i zAX8fHygg4w4JDSPZSc4i LS5kLie1FJijim0DLwbUk4z2YZnAs3Ec4i AfmBOop1bM5hH7d5fbfemHIEK4 mclKOZCEG6Wh r 9yAh2JOCuHK6Qc4i AfmBOoqQ8pgl2o7GegJVy gXuXrU7 g6XG1I8 z7DzDwPyevUoQ6WpsAc4i AfmBOooH0IKuZmQkdwwa1H5g4f98WTmQYTzPsY3DQBD5wOvpgMQGZM36c4i AfmBOoppYJANa8W15i33UVMY UJb75qqsZkjo uOx0IsIjEXY9zZDZ3Pc4i AfmBOoqW1 5OIhd7F5nH702X7GFp4CipJjScal6y2ZQumBneNBY8LLbc4i AfmBOoqiTMXjGhryPI rIisNQWtXQ2MZxdxBRuWfs12xa5nolHaCu4cWc4i

[illegible]

lang:pl score:19 filesize: 281.64 K page_count: 3 document date: 2024-11-21

5.5" Super Lightweight Field Monitor Stabilizer Gimbal Best Partner



User Manual

[\[pdf\]](#) User Manual

DVR Product manual Electronics Monitor Screen 5 5SuperLightweight FieldMonitor 2

Keeptheproductawayfromtheheatsource suchastheradiator thewaterheater

thestovesandtheotherheatingproducts AvoidtheprolongedexposurestothesonastheLCDscreenwillbe
feelworld fw568 v2 user foto no media multicase documents |||

5.5 Super Lightweight Field Monitor Stabilizer Gimbal Best Partner User Manual
Product Overview Thank you for purchasing our color LCD monitor, which adopts
advanced integrated digital signal processing circuits and professional IPS LED
panel, which makes it high brightness, low power consumption...

lang:en score:17 filesize: 1.81 M page_count: 19 document date: 2021-09-30



[\[pdf\]](#)

FW568S 20220917 feelworld cn UpLoadFiles CN Product GBJSR 2022 9 |||

...

lang:en score:15 filesize: 1 M page_count: 0 document date: 0000-00-00

FEELWORLD®

FW568 V2 Custom 3D LUT

5.5" FHD ON-CAMERA MONITOR

SuperLight Ideal for Gimbal & Stabilizer

HD 1080p 60FPS
3D LUT
4K 60FPS
DC 12V Power Output
Built-in camera
MP 12.1
Ultra-light weight

>>> FEATURES

- 5.5-inch 2820x1512 full HD IPS screen
- Super lightweight ideal for gimbal
- Simple and intuitive button operation
- Supports 3D LUT to REC 709 and user 3D LUT (external up to 32)
- With Waveform, Vectorscope, RGB Histogram, Focus Assist, Peaking etc. functions, can help you accurately exposure and focus every shot.
- FHD & 4K dual-purpose battery plate, meet the different selection
- Stereo headphone output
- DC 12V power out to power your DSLR camera or wireless camera

>>> USE PROFESSIONAL REC.709 COLOR CALIBRATION STANDARD

>>> PROFESSIONAL AND RICH AUXILIARY FUNCTIONS

3D LUT, Waveform, Vectorscope, Histogram, Focus Assist, Peaking, Frame Rate, Shutter Speed, ISO, White Balance, Gamma, Contrast, Brightness, Color Temperature, etc.

[\[pdf\]](#)

TP2A DM Feelworld FW568 V2 Datenblatt V3 Video Data videodata cstatic io media 5c 6d 92

1664521578 |||

...

lang:en score:14 filesize: 11.74 M page_count: 3 document date: 2021-09-28



[\[pdf\]](#) Borchure

TP2A DM Inspiration content Electronics Monitor Screen feelworld fw568 v2 brochure en butikk foto no
media multicasa documents |||

...

lang:en score:14 filesize: 11.78 M page_count: 3 document date: 2021-09-28

[pdf]

Marcin Cennik zimowa wyprzedaz 2025 c4i pl Wielka wyprzedaż w C4i Jan 16 · Pilot do odtwarzacza Eversolo DMP A6 odtwarzaczy Dune HD podłączenie 2 ekranów 3840x2160p60 portu USB 3 Gen 1 C4iWielka C4iJan 1Jan Zidoo Z9x 997 00 897 729 27 10 0% Minix NEO G41 4 MAX 1499 Zestaw ProtoDAC X8 TDA1387 RPI 4b Obudowa klasyczna Klawiatura Jan F5 PRO V4 789 675 548 78 14 4% FW568 V3 625 508 13 Uwaga Promocja nie łączy się z innymi cennikami rabatowymi i Jan Konwerter HDMI SDI Full 1282 899 730 89 29 9% TV One 1T C2 520 DVI D YPbPr VGA na stan powystawowy 1100 Jan Aktywny adapter mini DP 4k120Hz HDR i 8K 30HzPilot 1Eversolo BTR 12 69 63 51 22 8 7% Remote R3 jak Real Vision 4k Page Cennik srsltid

AfmBOoqJLX5BYQn7yZ6uJTDKwWnA1SvZ1EOtINFOD5FFwQU4h2UkXPVuCennik

AfmBOorimyTuq1Ktk5NyamNaUKPsvTLFH2owPX3YDmUhrA KMLr4SBOMcennik AfmBOOpY2he

3YgdgFJ1g0LTfUcuvsWkEExiJOlakKiZqKwhQ 4x7YNcCennik

AfmBOooMotthkGTuUMHvuPSkdJvsyERvB2o32GzuMQ3mVppPduHVqkFpCennik

AfmBOoqy5git0zXHvY0ejAsuQ 4ebsW5l MYvExzscK3HEkfiHKYRu Ic4i 2025c4i

AfmBOoqJLX5BYQn7yZ6uJTDKwWnA1SvZ1EOtINFOD5FFwQU4h2UkXPVuc4i KMLr4SBOMc4i

4x7YNcc4i AfmBOooMotthkGTuUMHvuPSkdJvsyERvB2o32GzuMQ3mVppPduHVqkFpc4i AfmBOormt

kyFnLtYPGWi7OrYQX09A4CS xPVNpffyB TcY6tbIVAcOlc4i Page Pilot Page Kramer C GM 50 15 2m

485 291 236 59 40 75 9mCennik AfmBOoqwcdvzCVK Zl FBr6tgyyYUm21D8X9iA8IO1WYzc6hrQFB

aYPc4i 9m10 98 17 2% LNK P200 179 143 116 26 20 1% Secufirst REP240 66 49 39 84 25 8% SCP 125

58 47 6% 126 97 72 00Cennik AfmBOooLXHoMQLN2JEFmWOkYk8MkGM a rByiTcv dt1K8o

IDB8933Lc4i 00SX KVM401C portowy przełącznik switch KVM 4K 719 584 55 SCU41 Przełącznik

prezentacyjny Airplay Miracast 4×1 2500 Cennik AfmBOor0DZif77wntM1jtEvsSHD Xs

6B3RUM8mrgGnYET0nUPsChtAAc4i ||| ||| Wielka zimowa wyprzeda w C4i Wana od 16.01 do

31.01.2025 Model Opis ODTWARZACZE SIECIOWE I MINI PC WINDOWS Zidoo Z9x Odtwarzacz

sieciowy 4K HDR10 Dolby Vision Vision Roon Ready email: biuro c4i.com.pl Cena detaliczna PLN brutto

Cena po obni ||| Wielka zimowa wyprzeda w C4i Wana od 16.01 do 31.01.2025 Model Opis

ODTWARZACZE SIECIOWE I MINI PC WINDOWS Zidoo Z9x Odtwarzacz sieciowy 4K HDR10 Dolby

Vision Vision Roon Ready email: biuro c4i.com.pl Cena detaliczna PLN brutto Cena po obni ||| Wielka

zimowa wyprzeda w C4i Wana od 16.01 do 31.01.2025 Model Opis ODTWARZACZE SIECIOWE I MINI

PC WINDOWS Zidoo Z9x Odtwarzacz sieciowy 4K HDR10 Dolby Vision Vision Roon Ready email: biuro

c4i.com.pl Cena detaliczna PLN brutto Cena po obni

Wielka zimowa wyprzeda w C4i Wana od 16.01 do 31.01.2025 Model Opis

ODTWARZACZE SIECIOWE I MINI ... DMI, 3xUSB C, gloniki F5 PRO V4 6 monitor

podgladowy 1920x1080 450cd kontrast 1000:1, HDMI 1.4 **FW568** V3 6 monitor

podgladowy 1920x1080 500cd 4k30Hz HDMI1.4 REPEATERY HDMI FXN SX-EX39

Repeater...

lang:pl score:14 filesize: 387.19 K page_count: 8 document date: 2025-01-16

Wielka zimowa wyprzedaż w C4i					
Model Opis Cena detaliczna PLN brutto Cena po obniżeniu PLN brutto					
ODTWARZACZE SIECIOWE I MINI PC WINDOWS					
Zidoo Z9x	Odtwarzacz sieciowy 4K HDR10 Dolby Vision Vision Roon Ready	997,00	897,73	27,10	0%
Minix NEO G41 4	MAX 1499	1499,00	1349,10	149,90	10%
ProtoDAC X8	TDA1387 RPI 4b Obudowa klasyczna Klawiatura	789,00	675,55	113,45	14%
FW568 V3	625 508 13	625,00	508,13	116,87	18%
Uwaga	Promocja nie łączy się z innymi cennikami rabatowymi i				
Jan Konwerter	HDMI SDI Full 1282 899 730 89 29 9%	1282,00	899,73	382,27	30%
TV One 1T C2	520 DVI D YPbPr VGA na stan powystawowy	1100,00	990,00	110,00	10%
Jan Aktywny adapter	mini DP 4k120Hz HDR i 8K 30HzPilot 1Eversolo BTR 12 69 63 51 22 8 7%	69,00	63,51	5,49	8%
Remote R3	jak Real Vision 4k Page				
ODTWARZACZE SIECIOWE I MINI PC WINDOWS					
AfmBOoqJLX5BYQn7yZ6uJTDKwWnA1SvZ1EOtINFOD5FFwQU4h2UkXPVuCennik					
AfmBOorimyTuq1Ktk5NyamNaUKPsvTLFH2owPX3YDmUhrA KMLr4SBOMcennik					
AfmBOOpY2he3YgdgFJ1g0LTfUcuvsWkEExiJOlakKiZqKwhQ 4x7YNcCennik					
AfmBOooMotthkGTuUMHvuPSkdJvsyERvB2o32GzuMQ3mVppPduHVqkFpCennik					
AfmBOoqy5git0zXHvY0ejAsuQ 4ebsW5l MYvExzscK3HEkfiHKYRu Ic4i 2025c4i					
AfmBOoqJLX5BYQn7yZ6uJTDKwWnA1SvZ1EOtINFOD5FFwQU4h2UkXPVuc4i KMLr4SBOMc4i					
4x7YNcc4i AfmBOooMotthkGTuUMHvuPSkdJvsyERvB2o32GzuMQ3mVppPduHVqkFpc4i AfmBOormt					
kyFnLtYPGWi7OrYQX09A4CS xPVNpffyB TcY6tbIVAcOlc4i Page Pilot Page Kramer C GM 50 15 2m					
485 291 236 59 40 75 9mCennik AfmBOoqwcdvzCVK Zl FBr6tgyyYUm21D8X9iA8IO1WYzc6hrQFB					
aYPc4i 9m10 98 17 2% LNK P200 179 143 116 26 20 1% Secufirst REP240 66 49 39 84 25 8% SCP 125					
58 47 6% 126 97 72 00Cennik AfmBOooLXHoMQLN2JEFmWOkYk8MkGM a rByiTcv dt1K8o					
IDB8933Lc4i 00SX KVM401C portowy przełącznik switch KVM 4K 719 584 55 SCU41 Przełącznik					
prezentacyjny Airplay Miracast 4×1 2500 Cennik AfmBOor0DZif77wntM1jtEvsSHD Xs					
6B3RUM8mrgGnYET0nUPsChtAAc4i Wielka zimowa wyprzeda w C4i Wana od 16.01 do					
31.01.2025 Model Opis ODTWARZACZE SIECIOWE I MINI PC WINDOWS Zidoo Z9x Odtwarzacz					
sieciowy 4K HDR10 Dolby Vision Vision Roon Ready email: biuro c4i.com.pl Cena detaliczna PLN brutto					
Cena po obni Wielka zimowa wyprzeda w C4i Wana od 16.01 do 31.01.2025 Model Opis					
ODTWARZACZE SIECIOWE I MINI PC WINDOWS Zidoo Z9x Odtwarzacz sieciowy 4K HDR10 Dolby					
Vision Vision Roon Ready email: biuro c4i.com.pl Cena detaliczna PLN brutto Cena po obni Wielka					
zimowa wyprzeda w C4i Wana od 16.01 do 31.01.2025 Model Opis ODTWARZACZE SIECIOWE I MINI					
PC WINDOWS Zidoo Z9x Odtwarzacz sieciowy 4K HDR10 Dolby Vision Vision Roon Ready email: biuro					
c4i.com.pl Cena detaliczna PLN brutto Cena po obni					



[pdf] User Manual

DVR FEELWORLD FW568 V2 5 inch DSLR Camera Field Monitor with Waveform LUTs Video Peaking Focus Assist Small Full HD 1920x1152 IPS 4K HDMI 8 4V DC Input Output Include Tilt Arm EU User Manual A1OxQKuoLfL m media amazon images I |||

5.5 Super Lightweight Field Monitor Stabilizer Gimbal Best Partner User Manual Product Overview Thank you for purchasing our color LCD monitor, which adopts advanced integrated digital signal processing circuits and professional IPS LED panel, which makes it high brightness, low power consumption...

lang:en score:14 filesize: 1.81 M page_count: 19 document date: 2021-09-28



[pdf] User Manual Installation Guide

DVR FW568S user manual20220917 feelworld cn UpLoadFiles EN Product GBJJSR 2022 11 |||

6 Full HD Field Monitor F970 Install and Power Kit User Manual Foreword Thank you for purchasing our 6-inch Full HD monitor. Please read this manual carefully before using the unit. Have a great experience CAUTION Please avoid the heavy impact and drop onto the ground when move the product. Pl...

lang:en score:12 filesize: 1.62 M page_count: 20 document date: 2022-11-14




[pdf]

TP2A DM Shop 2022 10 FW568S CN FEELWORLD 6 3D LUT F970 3G SDI 4K HDMI 1920X1080IPS FEELWORLD feelworld cn UpLoadFiles |||

...

lang:en score:12 filesize: 11.14 M page_count: 3 document date: 2022-09-19

6" Super Lightweight
Field Monitor
Stabilizer Gimbal Best Partner



User Manual

11 9

[\[pdf\]](#) User Manual

DVR FW568 V3 6 inch user manual20220621 feelworld cn UpLoadFiles EN Product SYJSR
2022 |||

6 Super Lightweight Field Monitor Stabilizer Gimbal Best Partner User Manual V3.0

Foreword Thank you for purchasing our 6-inch Full HD monitor. Please read this manual carefully before using the unit. Have a great experience CAUTION Please avoid the heavy impact and drop onto the ground when mo...

lang:en score:12 filesize: 1.71 M page_count: 19 document date: 2022-06-21