

Toyotomi MAX20L

Toyotomi MAX20L Super Pure Universal Fuel Instruction Manual

Model: MAX20L | Volume: 20 Liters

[Overview](#) [Setup](#) [Operation](#) [Introduction](#) [Safety Information](#) [Product](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. INTRODUCTION

This manual provides essential instructions for the safe and effective use of Toyotomi MAX20L Super Pure Universal Fuel. Designed for compatibility with all electric and mechanical stoves, this fuel offers efficient and low-odor performance. Please read carefully before use to ensure proper handling, storage, and operation, maximizing the lifespan and efficiency of your heating appliance.

2. SAFETY INFORMATION

Your safety is paramount. Always adhere to the following guidelines when handling and using Toyotomi MAX20L Super Pure fuel.

- **Flammable Liquid:** This product is a flammable liquid. Keep away from open flames, sparks, and other heat sources.
- **Ventilation:** Ensure adequate ventilation in the area during use and when refilling your stove.
- **Storage:** Store the fuel in a cool, dark, and well-ventilated place, away from direct sunlight and extreme temperatures. Keep the container tightly sealed.
- **Incompatible Use:** **ATTENTION: Not suitable for bioethanol stoves and fireplaces.**
- **Children and Pets:** Keep out of reach of children and pets.
- **Spill Management:** In case of a spill, absorb immediately with inert material (e.g., sand, earth) and dispose of properly. Do not flush into drains.
- **Emergency Contact:** In case of emergency, call 00 32 - 0914 58 45 803.
- **Disposal:** Dispose of the product and container in accordance with local regulations.

Combustibile per stufe

Max 20 Litri

Categoria

Super Inodore



Contenuto Aromatici*

0,006%

Potere Calorifico/Kg*

11.422 kcal

Materiale Tanica

PET 100%

Riciclabile



Estensione Garanzia

1 anno Extra su stufe
Toyotomi ogni 10 punti



*valore tipico

Image: Toyotomi MAX20L Super Pure fuel container displaying safety warnings and product information. This image illustrates the labeling on the fuel container, including hazard symbols and usage instructions.

3. PRODUCT OVERVIEW

Toyotomi MAX20L Super Pure is a high-quality, universal fuel specifically developed for use with all types of electric and mechanical stoves. With over 65 years of experience in portable stove design and production, Toyotomi ensures this fuel is safe, efficient, and contributes to the durable operation of your appliance. Its "Super Pure" formulation is designed for maximum efficiency and minimal odor during combustion.





Image: The Toyotomi MAX20L Super Pure 20-liter fuel container. This image shows the front of the red fuel container, highlighting the "MAXI RISPARMIO" (Maxi Savings) and "SUPER INODORE" (Super Odorless) features, along with compatible stove types.

4. SETUP: FILLING YOUR STOVE

Follow these steps to safely fill your stove with Toyotomi MAX20L Super Pure fuel:

1. **Preparation:** Ensure your stove is turned off and completely cool before attempting to refill. Work in a well-ventilated area, preferably outdoors or with windows open.

2. **Positioning:** Place the stove on a stable, level surface. Have absorbent materials ready in case of spills.
3. **Open Fuel Tank:** Carefully open the fuel tank cap of your stove.
4. **Pouring Fuel:** Slowly and steadily pour the Toyotomi MAX20L Super Pure fuel into the stove's fuel tank. Avoid overfilling; refer to your stove's manual for its maximum capacity.
5. **Close Tank:** Securely close the fuel tank cap on your stove.
6. **Clean Up:** Wipe away any spilled fuel immediately with a clean cloth. Ensure no fuel remains on the exterior of the stove or surrounding surfaces before operation.

5. OPERATION: USING THE FUEL

Once your stove is filled with Toyotomi MAX20L Super Pure fuel, follow your stove's specific operating instructions. Always ensure proper ventilation during the stove's operation to maintain air quality and safety. Monitor fuel levels and refill as needed, following the "Setup" instructions.

6. MAINTENANCE: STORAGE AND HANDLING

Proper storage and handling of Toyotomi MAX20L Super Pure fuel are crucial for its quality and your safety:

- **Storage Conditions:** Store the fuel in its original, tightly sealed container in a cool, dark, and dry place. Avoid areas with direct sunlight, high temperatures, or potential ignition sources.
- **Container Integrity:** Do not transfer the fuel to unlabeled containers. Ensure the container is not damaged.
- **Disposal:** When the container is empty, it is 100% recyclable PET. Dispose of the empty container responsibly according to local recycling guidelines. Any remaining product should be disposed of in accordance with local hazardous waste regulations.

7. TROUBLESHOOTING

If you encounter issues while using Toyotomi MAX20L Super Pure fuel, consider the following:

- **Unusual Odor:** While Toyotomi MAX20L is "Super Pure" and low-odor, some odor may be noticeable during ignition or shutdown. If a strong, persistent odor occurs during operation, ensure adequate ventilation. Check your stove for proper functioning and maintenance.
- **Poor Burning Performance:** If your stove is not burning efficiently, ensure the fuel tank is not overfilled or underfilled. Check your stove's wick or burner for cleanliness and proper installation, as per your stove's manual. Ensure the fuel has not been contaminated.
- **Stove Not Starting:** Verify that there is sufficient fuel in the tank. Check your stove's ignition system and other components as described in its instruction manual.

For persistent issues not related to fuel quality, consult your stove's instruction manual or contact the stove manufacturer's support.

8. SPECIFICATIONS

Product Name	Toyotomi MAX20L Super Pure Universal Fuel
Model	MAX20L
Volume	20 Liters
Container Material	100% Recyclable PET

Aromatic Content	0.006% (typical value)
Calorific Value	11,422 kcal/kg (typical value)
Dimensions (L x W x H)	22 x 26 x 46 cm
Weight	16.75 kg
Manufacturer	TOYOTOMI CO., LTD - Japan
Compatibility	All electric or mechanical stoves (Not for bioethanol stoves/fireplaces)

9. WARRANTY AND SUPPORT

Toyotomi offers an extended warranty program for its stoves when using Toyotomi fuels:

- **Extended Stove Warranty:** Collect 10 loyalty points from Toyotomi fuels to receive an additional 12 months of free assistance on your Toyotomi-manufactured stove.

For product support or inquiries regarding Toyotomi fuels, please refer to the contact information provided on the product packaging or visit the official Toyotomi website.

www.toyotomi.eu

1 Anno ulteriore Assistenza gratuita

Raccogliete 10 punti Fedeltà sui combustibili Toyotomi ed ottenete 12 mesi aggiuntivi di assistenza gratuita sulla vostra stufa prodotta da Toyotomi



Image: Information regarding Toyotomi's loyalty program, offering an additional year of free assistance on Toyotomi stoves when collecting 10 loyalty points from their fuels. The image also shows two types of Toyotomi fuel (Clear and MAX) next

to a Toyotomi stove.