

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Armor All](#) /

> [Armor All Universal Phone Mount \(Model AMK3-0119-BLK\) Instruction Manual](#)

Armor All AMK3-0119-BLK

Armor All Universal Phone Mount (Model AMK3-0119-BLK) Instruction Manual

For Secure Dashboard & Windshield Mounting

1. PRODUCT OVERVIEW

The Armor All Universal Phone Mount provides a secure and adjustable solution for holding your smartphone in your vehicle. It features a powerful suction cup for dashboard or windshield attachment, an extendable arm, and 360-degree rotation for optimal viewing angles.



2. PACKAGE CONTENTS

- Armor All Phone Mount/Support with Extendable Arm
- Dashboard Adhesive Base (for textured surfaces)

3. SETUP AND INSTALLATION

Follow these steps to properly install your Armor All Universal Phone Mount:

1. **Choose a Mounting Location:** The mount can be attached to either your vehicle's dashboard or windshield. Ensure the chosen surface is clean and free of dust or debris.
2. **Prepare the Surface:** For optimal suction, clean the chosen area with a damp cloth and allow it to dry completely. If mounting on a textured dashboard, use the provided dashboard adhesive base. Peel off the protective film from the adhesive base and firmly press it onto the desired dashboard location for at least 30 seconds. Allow 24 hours for the adhesive to fully cure before attaching the mount.
3. **Attach the Suction Cup:** Remove the protective film from the suction cup of the phone mount. Press the suction cup firmly against the prepared surface (windshield or dashboard adhesive base).
4. **Engage the Locking Mechanism:** While maintaining pressure on the suction cup, push down the locking lever located at the base of the mount to create a strong vacuum seal.
5. **Adjust the Arm and Holder:** Loosen the adjustment knobs on the extendable arm and the phone holder to position them as desired. Tighten all knobs securely once the preferred angle and extension are achieved.

Extendable arm mount and dashboard adhesive base



Image 2: Components of the mount, including the extendable arm and optional dashboard adhesive base.



Image 3: Illustration of mounting options on both windshield and dashboard.

Suction to your dashboard



Image 4: Demonstrates the suction cup attached to a dashboard surface.

4. OPERATING INSTRUCTIONS

Using your phone mount is simple and intuitive:

1. **Insert Your Phone:** Press the quick-release button on the side of the phone holder to open the adjustable grips. Carefully place your smartphone into the holder and release the button. The grips will automatically adjust to secure your phone.
2. **Adjust Viewing Angle:** The mount features a 360-degree rotating ball joint and an extendable arm. Loosen the corresponding knobs to adjust your phone's position (portrait or landscape) and distance for optimal viewing. Tighten the knobs firmly after adjustment to prevent movement.
3. **Remove Your Phone:** Press the quick-release button to instantly release your phone from the holder.

EXTENDABLE PHONE MOUNT



- * Suction to your dashboard, windshield, or glass surface
- * Adjustable spring lock, expands to fit most smartphones
- * Telescopic arm extends up to 6" and pivots up and down
- * 360° rotation ball allows for the perfect viewing angle
- * Access to all port for easy charging and connectivity
- * Great for GPS directions and handsfree use
- * Includes: Extendable arm mount and dashboard adhesive base

Image 5: Key features of the extendable phone mount, including suction, adjustable spring lock, telescopic arm, 360-degree rotation, and port access.

Adjustable spring lock, expands to fit most smartphones



Image 6: Demonstrates the adjustable spring lock mechanism accommodating various smartphone sizes.



Image 7: Illustrates the 360-degree rotation capability of the phone holder.

5. MAINTENANCE

To ensure the longevity and optimal performance of your phone mount:

- **Clean the Suction Cup:** Periodically clean the suction cup with warm water and mild soap. Allow it to air dry completely before re-attaching to any surface. This helps maintain its strong grip.
- **Clean Surfaces:** Always ensure the mounting surface (dashboard or windshield) is clean and dry before attaching the mount.
- **Check Tightness:** Regularly check that all adjustment knobs are securely tightened to prevent your phone from shifting during driving.
- **Avoid Extreme Temperatures:** Prolonged exposure to extreme heat or cold can affect the material integrity of the mount.

6. TROUBLESHOOTING

If you encounter issues with your phone mount, refer to the following common problems and solutions:

- **Problem:** The suction cup does not hold firmly or falls off.
Solution: Ensure the mounting surface is clean, dry, and smooth. Clean the suction cup with water and let it

air dry. Make sure the locking lever is fully engaged after pressing the suction cup firmly onto the surface. If using on a textured dashboard, ensure the adhesive base is properly applied and cured.

- **Problem:** Phone does not fit securely in the holder.

Solution: The adjustable grips are designed to fit devices up to 3.25 inches wide. Ensure your phone, with or without its case, falls within this dimension. Press the quick-release button to fully open the grips before inserting your phone.

- **Problem:** The mount moves or sags after adjustment.

Solution: Ensure all adjustment knobs on the extendable arm and ball joint are tightened securely after positioning the mount and phone.

7. SPECIFICATIONS

Feature	Detail
Model Number	AMK3-0119-BLK
Product Dimensions	5 x 2.25 x 6.85 inches
Item Weight	6.7 ounces
Color	Black
Special Features	Rotatable, Extendable Arm, Quick-Release Button
Compatible Devices	Smartphones (up to 3.25 inches wide)
Compatible Phone Models	iPhone, Android, HTC, and most other smartphones
Mounting Type	Dashboard, Windshield
Manufacturer	Jem Accessories

8. WARRANTY INFORMATION

Specific warranty details for the Armor All Universal Phone Mount are not provided in this manual. Please refer to the product packaging or contact the manufacturer, Jem Accessories, directly for warranty terms and conditions.

9. SUPPORT

For further assistance or inquiries regarding your Armor All Universal Phone Mount, please contact the manufacturer, Jem Accessories. Contact information may be available on the product packaging or their official website.