

[Manuals.plus](#) /

> [ALLIMITY](#) /

> ALLIMITY RC-762M Remote Control User Manual for ONKYO Home Theater Systems

## ALLIMITY RC-762M

# ALLIMITY RC-762M Remote Control User Manual

For ONKYO Home Theater Systems

## INTRODUCTION

---

This manual provides comprehensive instructions for the ALLIMITY RC-762M replacement remote control. Designed for ease of use, this remote is compatible with a wide range of ONKYO Home Theater systems. Please read this manual carefully to ensure proper setup and operation of your new remote control.

## PRODUCT OVERVIEW

---



Image: The ALLIMITY RC-762M replacement remote control, featuring a standard layout of buttons for home theater system operation.

The ALLIMITY RC-762M is a direct replacement infrared (IR) remote control. It requires no programming and is ready to use immediately after battery installation. This remote is designed to replicate the functionality of the original ONKYO remote control for various home theater models.

## SETUP

### 1. Battery Installation

1. Locate the battery compartment on the back of the remote control.
2. Slide open the battery compartment cover.
3. Insert two (2) AAA alkaline batteries, ensuring the positive (+) and negative (-) terminals match the indicators inside the compartment.
4. Close the battery compartment cover securely.

**Note:** This remote control requires no setup or programming. Once batteries are installed, it is ready for immediate use with compatible ONKYO Home Theater systems.

## OPERATING INSTRUCTIONS

---

To operate your ONKYO Home Theater system with the ALLIMITY RC-762M remote control, simply point the remote directly at the infrared receiver on your ONKYO device and press the desired function button. Ensure there are no obstructions between the remote and the device.

### Compatible ONKYO Models:

- AVX-280, AVX-290
- HT-R280, HT-R290, HT-R380, HT-R390, HT-R538
- HT-RC230
- HT-S3300, HT-S3300B, HT-S3400, HT-S3400B, HT-S5305
- TX-SR308
- HTP-380, SKC-380
- 24140762

The remote control has a maximum operating range of approximately 33 feet (10 meters) under optimal conditions.

## MAINTENANCE

---

### Battery Replacement:

Replace batteries when the remote control's response becomes sluggish or stops functioning. Always replace both AAA batteries simultaneously with new alkaline batteries. Do not mix old and new batteries, or different types of batteries.

### Cleaning:

To clean the remote control, use a soft, dry cloth. Do not use liquid cleaners, sprays, or abrasive materials, as these may damage the remote's surface or internal components.

## TROUBLESHOOTING

---

- **Remote not responding:**
  - Ensure batteries are inserted correctly with the correct polarity.
  - Replace old batteries with new AAA alkaline batteries.
  - Check for any obstructions between the remote control and the ONKYO device's IR receiver.
  - Ensure you are within the operating range (approximately 33 feet).
- **Intermittent operation:**
  - This may indicate low battery power. Replace batteries.
  - Ensure a clear line of sight to the ONKYO device.

## SPECIFICATIONS

---

<b>Brand</b>	ALLIMITY
<b>Model Number</b>	RC-762M

<b>Connectivity Technology</b>	Infrared (IR)
<b>Special Feature</b>	No Programming Required
<b>Compatible Devices</b>	ONKYO Home Theater Systems (various models)
<b>Number of Batteries</b>	2 AAA batteries (not included)
<b>Battery Type</b>	Alkaline
<b>Maximum Range</b>	33 Feet (approx. 10 meters)
<b>Button Quantity</b>	20
<b>Item Dimensions (L x W x H)</b>	6"L x 2"W x 0.5"H (approx.)
<b>Item Weight</b>	1 Ounce (approx.)

## WARRANTY AND SUPPORT

Specific warranty details for the ALLIMITY RC-762M remote control are not provided within the product information. For warranty inquiries, technical support, or assistance with your remote control, please contact the seller directly through your purchase platform.

Always refer to the documentation provided with your ONKYO Home Theater system for details regarding its operation and compatibility with remote controls.