

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [D-Link](#) /
- › [D-Link DGS-3130-54TS 48-Port Gigabit Ethernet Switch Instruction Manual](#)

D-Link DGS-3130-54TS

D-Link DGS-3130-54TS 48-Port Gigabit Ethernet Switch Instruction Manual

Model: DGS-3130-54TS

[Overview](#) [Setup](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. PRODUCT OVERVIEW

The D-Link DGS-3130-54TS is a Lite Layer 3 stackable managed Gigabit Ethernet switch designed for versatile network deployments. It features 48 Gigabit Ethernet ports, 2 10GBase-T ports, and 4 10G SFP+ ports for high-speed uplinks. This switch incorporates advanced Layer 2 and Layer 3 features to enhance network efficiency and includes robust redundancy features for reliable operation.



Figure 1: Front view of the D-Link DGS-3130-54TS switch, showing 48 Gigabit Ethernet ports, 2 10GBase-T ports, and 4 10G SFP+ ports, along with status indicators and a console port.

2. SETUP AND INSTALLATION

2.1 Unpacking and Package Contents

Verify the contents of your DGS-3130-54TS package. The box should contain the following items:

- DGS-3130-54TS Device
- Power Cord

- Console Cable
- Rack Mounting Kit
- Quick Installation Guide (QIG)

If any items are missing or damaged, please contact your local D-Link reseller for assistance.

2.2 Physical Installation

The DGS-3130-54TS switch can be installed in a standard 19-inch equipment rack or placed on a desktop. Ensure the installation location provides adequate ventilation and is free from excessive heat, humidity, or electromagnetic interference.

Rack Mounting

1. Attach the provided mounting brackets to the sides of the switch using the screws included in the rack mounting kit.
2. Secure the switch into the rack using appropriate rack screws.

Power Connection

Connect the supplied power cord to the power inlet on the rear panel of the switch and then to a suitable AC power outlet. The switch supports dual power inputs for redundancy.

2.3 Initial Network Connection

To access the switch's management interface for initial configuration, connect a computer to the switch using the console cable or an Ethernet cable to one of the Gigabit Ethernet ports.

- **Console Port:** Use the provided console cable to connect a terminal emulator on your computer to the switch's console port. Refer to the Quick Installation Guide for default console settings.
- **Ethernet Port:** Connect an Ethernet cable from your computer to any of the 10/100/1000BASE-T ports. The switch will typically obtain an IP address via DHCP or use a default static IP address for initial access.

3. OPERATION

3.1 Basic Connectivity

The DGS-3130-54TS provides 48 10/100/1000BASE-T ports for connecting network devices such as computers, servers, and other switches. The 2 10GBASE-T ports and 4 10G SFP+ ports are designed for high-bandwidth uplinks to core network devices or other switches, facilitating high-speed data transfer across your network.

3.2 Advanced Features

This switch supports a range of advanced Layer 2 and Layer 3 features to optimize network performance and management:

- **Layer 2 Features:** Includes VLANs, Link Aggregation, Quality of Service (QoS), and Spanning Tree Protocol (802.1D/W/S) to prevent network loops.
- **Layer 3 Features:** Supports RIP/RIPng and OSPFv2/v3 for dynamic routing, allowing the switch to intelligently forward data packets across different subnets and determine the fastest routes.
- **Physical Stacking:** Up to 9 units can be physically stacked, providing 80 Gbps per device stacking bandwidth, which allows for flexible capacity expansion.
- **Smart Fan:** The integrated smart fan system automatically adjusts its speed to maintain optimal operating temperatures, ensuring efficient cooling and reduced noise.

4. MAINTENANCE

4.1 General Care

To ensure the longevity and optimal performance of your DGS-3130-54TS switch, keep it in a clean, dust-free environment with adequate airflow. Avoid blocking ventilation openings. Regularly inspect power cords and network cables for damage.

4.2 Firmware Updates

Periodically check the D-Link support website for the latest firmware updates. Firmware updates can provide new features, performance enhancements, and security patches. Follow the instructions provided with the firmware update package carefully.

4.3 Redundancy Features

The DGS-3130-54TS is equipped with several redundancy features to enhance reliability:

- **Dual Power Inputs:** Provides power redundancy, ensuring continuous operation even if one power source fails.
- **Ethernet Ring Protection Switching (ERPS):** Offers sub-50ms recovery time in ring topologies, minimizing network downtime.
- **6 kV Surge Protection:** Built-in protection on all Gigabit Ethernet access ports safeguards the switch and connected devices from electrical surges caused by lightning or unstable power.

5. TROUBLESHOOTING

This section provides solutions to common issues you might encounter with your DGS-3130-54TS switch.

5.1 No Power Indicator Light

- Ensure the power cord is securely connected to both the switch and a working power outlet.
- Verify that the power outlet is supplying power by testing it with another device.
- Check the power cord for any visible damage.

5.2 No Network Connectivity

- Check the Ethernet cables connected to the switch and the end devices. Ensure they are properly seated and undamaged.
- Verify the link/activity LEDs on the switch ports. If they are off, there might be a cable issue or the connected device is not powered on.
- Confirm that the switch's IP address is correctly configured and that your computer is on the same subnet or has proper routing configured.
- If using advanced features like VLANs, ensure the port configurations are correct for the connected devices.

5.3 Slow Network Performance

- Check for network loops using Spanning Tree Protocol status.
- Monitor port utilization to identify congested links.
- Ensure duplex settings match between the switch and connected devices.
- Verify that the latest firmware is installed on the switch.

For more detailed troubleshooting or persistent issues, refer to the comprehensive user manual available on the D-

Link support website or contact D-Link technical support.

6. TECHNICAL SPECIFICATIONS




Figure 2: D-Link DGS-3130-54TS switch with its physical dimensions: 17.32 inches length, 13.88 inches width, and 1.73 inches height.

Feature	Specification
Model Number	DGS-3130-54TS
Product Dimensions (LxWxH)	17.32" x 13.88" x 1.73"
Item Weight	9.95 Pounds
Voltage	240 Volts
Case Material	Metal
Interface Type	SFP, SFP+
Data Transfer Rate	12 Gigabits Per Second (Aggregate)
Number of Ports	54 (48x 10/100/1000BASE-T, 2x 10GBASE-T, 4x 10G SFP+)
UPC	790069435300
Included Components	Device, Power Cord, Console Cable, Rack Mounting Kit, QIG

7. WARRANTY AND SUPPORT

D-Link products are designed for reliability and performance. The DGS-3130-54TS switch comes with a manufacturer's warranty. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the official D-Link website.

For technical support, product documentation, firmware updates, and frequently asked questions, please visit the D-Link support portal:

D-Link Support Website: us.dlink.com/support

D-Link offers expert support and aims to provide reliable solutions for your networking infrastructure.

	<p>DGS-3130-30TS Managed Stackable L3 Switch D-Link</p> <p>Discover the D-Link DGS-3130-30TS, a managed stackable Layer 3 switch designed for enterprise and Metro Ethernet networks. This switch offers 24 x 10/100/1000Base-T, 2 x 10GBase-T, and 4 x 10GBase-X SFP+ ports, providing high performance, advanced security, and robust Layer 3 routing capabilities for reliable network infrastructure.</p>
	<p>D-Link DGS-3130-54TS Managed L3 Stackable Switch</p> <p>The D-Link DGS-3130-54TS is a high-performance, managed Layer 3 stackable switch designed for enterprise and Metro Ethernet networks. It features 48 x 10/100/1000Base-T ports, 2 x 10GBase-T ports, and 4 x 10GBase-X SFP+ ports, offering robust security, advanced QoS, and reliable connectivity.</p>
	<p>D-Link DGS-3130-30S: Управляемый L3 Коммутатор - Технические Характеристики</p> <p>Подробное описание управляемого L3 стекируемого коммутатора D-Link DGS-3130-30S с 24 портами 1000Base-X SFP, 2 портами 10GBase-T и 4 портами 10GBase-X SFP+. Включает характеристики, функции безопасности, QoS и информацию для заказа.</p>
	<p>D-Link DGS-3130-54S Quick Installation Guide</p> <p>Quick installation guide for the D-Link DGS-3130-54S L3 Stackable Managed Switch, covering package contents, hardware installation, power connection, redundant power supply setup, management options, and technical specifications.</p>
	<p>D-Link DGS-3130 A1 Series Firmware Release Notes v1.16.002</p> <p>This document provides release notes for D-Link DGS-3130 A1 Series switch firmware version v1.16.002, detailing new features, bug fixes, and known issues.</p>
	<p>D-Link DGS-3420-28TC Quick Installation Guide</p> <p>This guide provides instructions for setting up the D-Link DGS-3420-28TC xStack L3 Managed Stackable Gigabit Switch, covering hardware overview, installation, connections, and management options.</p>



[pdf] User Manual Installation Guide Instructions Guide

DGS-3130 Series 21 10007643 D-Link The stacking ID 1 to 9 can be assigned manually by the user or automatically system Page 23 Layer 3 Stackable Managed Switch DGS-3130-SERIES REVA HW INSTALL GUIDE v1 10 WW support dlink resource PRODUCTS commercial environment This equipment generates uses and radiate radio frequency energy if not installed used in accordance with this manual For all practical reasons switches series will simply referred as throughout Typographical Conventions DGS-3130-Series A1 HW-Installation-Guide my 2021 04 Dispose of batteries according instructions manufacturer PoE Load Condition AC DC input 30W per each port total ftp2 DGS-3130 Series Layer 3 Stackable Managed Switch Hardware Installation Guide Information in this do ... 21 **DGS-3130-54TS** Switch..... lang:en score:43 filesize: 17.6 M page_count: 76 document date: 2020-06-12



[pdf]

Anna Skalkina Общее описание Управляемый стекируемый L3 коммутатор D Link DGS 3130 54TS B1A Линкас b3qkc15hdufm0mynur1b1ts17lnoheqv linkas ru upload iblock 8ef ||| , . 10- 2 10GBase-T 4 uplink- SFP . 6 . **DGS-3130-54TS** L3 48 10/100/1000Base-T, 2 10GBase-T 4 10GBase-X SFP 48 10/100/1000Base-T 2 10GBase-T 4 10GBase-X SFP RPS2 Ethernet Ring Protection Switching ERPS single... lang:en score:41 filesize: 363.3 K page_count: 7 document date: 2021-12-06



[pdf]

Comp2 Коммутатор D Link DGS 3130 54TS A1Размер 1 7 МБ Купить Управляемый 54 ports A1A в ANDPRO RU коммутатор dgs 54ts a1 andpro ru upload d link ||| - : 125480, ., ., .33/1; site: https://andpro.ru : 7 495 545-4870 email: info andpro.ru AND-PDF . , . 10- 2 10GBase-T 4 uplink- SFP . 6 . **DGS-3130-54TS** 3 48 10/100/1000Base-T, 2 10GBase-T 4 10GBase-X SFP ... lang:en score:41 filesize: 1.7 M page_count: 7 document date: 2019-03-21



[pdf] User Manual Guide

PRODUCT GUIDE D Link and recording with a wide array of features including simultaneous video playback live view ViewCam offers scheduled motion manual DLink Product Guide dlink my 2019 03 PRODUCT GUIDE SWITCHES WIRELESS VIDEO SURVEILLANCE SMART HOME WHY D-LINK Why D-Link D-Link has ... 1/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 1024 / 512 2 8 8Kbps **DGS-3130-54TS** 48 2 4 216 Gbps Internal 91/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 ... lang:en score:41 filesize: 12.47 M page_count: 44 document date: 2019-02-18



[\[pdf\]](#) User Manual Quick Start Guide Installation Guide Guide

DGS 3630 Series 10007643 D Link The carton should contain the following items One 3130 switch Quick Installation Guide AC power cord console cable RJ45 to A1 HW v1 00 ftp dlink ca PRODUCTS SERIES REVA INSTALL GUIDE WW ftp2 This manual is intended for advanced level users that are familiar with network management concepts and terminology For all practical reasons switches 004401000 1589221115 enquick start guide xmen ch datenblatt files au products 30PS QuickInstallGuide 30S 30TS 54PS 54S 54TS mk0myithubcomau1pyuy kinstacd n 2019 10 d link co za dgs3130series Products REV A DGS-3130 Series Layer 3 Stackable Managed Switch Hardware Installation Guide Information in this do 20 **DGS-3130-54TS** Switch..... lang:en score:40 filesize: 12.66 M page_count: 83 document date: 2018-07-06



[\[pdf\]](#)

Skalkina Anna DS_DS-DGS-3130-54TS_B1_RUS_01 ftp dlink ru pub Switch DGS-3130-54TS Data_sh , . 10- 2 10GBase-T 4 uplink- SFP . 6 . **DGS-3130-54TS** L3 48 10/100/1000Base-T, 2 10GBase-T 4 10GBase-X SFP 48 10/100/1000Base-T 2 10GBase-T 4 10GBase-X SFP RPS2 Ethernet Ring Protection Switching ERPS single... lang:en score:39 filesize: 361.74 K page_count: 7 document date: 2021-06-30



[\[pdf\]](#) Declaration of Conformity

DGS 3130 54TS A1 CE Doc v1 00 content us dlink 80 2018 08

18 DECLARATION OF CONFORMITY ENGLISH Hereby, D-Link Corporation declares that: **DGS-3130-54TS**, 48 10/100/1000BASE-T ports 2 10GBASE-T ports 4 SFP ports Lite L3 Stackable Managed Switch is in compliance with the essential requirements and other relevant provisions of the directives 2014/30/EU EM... lang:de score:39 filesize: 144.76 K page_count: 2 document date: 2018-06-21

[\[pdf\]](#) Documentation Declaration of Conformity

dgs 3130 54ts ce reva1 1 10 eu multi 20181220 media dlink support products documentation |||

18 18 18 18 18 18 18 18 18 18 18 18 English DECLARATION OF CONFORMITY Hereby, D-Link Corporation declares that: **DGS-3130-54TS**, 48 10/100/1000BASE-T ports 2 10GBASE-T ports 4 SFP ports Lite L3 Stackable Managed Switch is in compliance with the essential requirements and other relevant pr... lang:en score:39 filesize: 173.36 K page_count: 2 document date: 2018-12-18



[\[pdf\]](#) Documentation Declaration of Conformity

dgs 3130 54ts ce reva1 1 20 eu multi 20190724 media dlink support products documentation |||

19 19 19 English Bulgarian DECLARATION OF CONFORMITY Hereby, D-Link Corporation declares that: D-Link Corporation , : **DGS-3130-54TS** 48 10/100/1000BASE-T ports 2 10GBASE-T ports 4 SFP ports Lite L3 Stackable Managed Switch **DGS-3130-54TS** 48 10/100/1000BASE-T ports 2 10GBASE-T po... lang:en score:39 filesize: 173.53 K page_count: 2 document date: 2019-07-24



[\[pdf\]](#) Guide Borchure

View Brochures and Guides D Link Finland DLink Product Guide eu dlink fi media resource centre brochures product guides guide |||

PRODUCT GUIDE SWITCHES INDUSTRIAL SOLUTION WIRELESS SMART HOME SURVEILLANCE WHY D-LINK Why D-Lin ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 1024 / 512 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 ... lang:en score:39 filesize: 7.51 M page_count: 40 document date: 2022-07-27



D-Link

Highlights

- Umfangreiche L2- und L3-Funktionen
- Ein integriertes Software-Image
- Integriertes Software-Image
- Integriertes Software-Image
- Stabilität und Zuverlässigkeit
- Erweiterte Sicherheit
- Erweiterte Sicherheit
- Erweiterte Sicherheit

DGS-3130 Serie
Gigabit L2+ Stackable Managed Switches

Funktion

Ausfallsicherheit und Flexibilität

- 100 Gbps 100BASE-T1 Ports mit oder ohne SFP
- 10 GBASE-T und 4 x 10G SFP+ Integrierte Ports

Zusätzliche

- 100BASE-T1 Ports
- 10 GBASE-T Ports
- 4 x 10G SFP+ Ports

L3 Funktionen

- L3 Forwarding
- RSTP
- VRRP

Erhöhte Ausfallsicherheit

Die DGS-3130 Serie verfügt über 100BASE-T1 Ports und 10G SFP+ Ports, die für die Erhöhung der Ausfallsicherheit und Flexibilität in einem Netzwerk geeignet sind. Die DGS-3130 Serie verfügt über 100BASE-T1 Ports und 10G SFP+ Ports, die für die Erhöhung der Ausfallsicherheit und Flexibilität in einem Netzwerk geeignet sind.

Umfassende Sicherheit

Die DGS-3130 Serie verfügt über eine umfassende Sicherheitsarchitektur, die die DGS-3130 Serie für die Erhöhung der Ausfallsicherheit und Flexibilität in einem Netzwerk geeignet sind.

[pdf]

Datenblatt 73588 D Link DGS 3130 54TS Switch L3 Lite Stackable Managed Switches

73588U4cSxiKPZw0i1 bluechip de media 5b 81 c6 |||

Highlights Umfangreiche L2- und L3-Funktionen Ein integriertes Software-Image

bietet leistungsstarke ... er Temperatur Luftfeuchtigkeit im Betrieb Luftfeuchtigkeit bei

Lagerung Emissionen EMV Sicherheit **DGS-3130-54TS** DGS-3130-54S DGS-3130-54PS 48 x 10/100/1000BASE-T Port 2 x 10GBASE-T Port 4 x SF...

lang:de score:38 filesize: 495.38 K page_count: 6 document date: 2019-02-08

D-Link

DGS-3130-54TS

48 10/100/1000Base-T ports + 2 10GBase-T ports + 4 10 GbE SFP+ ports
L3 Stackable Managed Switch

Управляемый L3 стекующий коммутатор с 48 портами 10/100/1000Base-T, 2 портами 10GBase-T и 4 портами 10GBase-X SFP+



Quick Installation Guide

Краткое руководство по установке

[D-Link DGS-3130-54TS Quick Installation Guide](#)

A quick installation guide for the D-Link DGS-3130-54TS L3 Stackable Managed Switch, detailing setup, hardware installation, power options, and management interfaces for enterprise networks.

lang:en score:38 filesize: 921.8 K page_count: 27 document date: 2021-06-23

D-Link

DGS-3130-54TS

Управляемый стекующий коммутатор 3 уровня с 48 портами 10/100/1000Base-T, 2 портами 10GBase-T и 4 портами 10GBase-X SFP+



Основные характеристики

- 48 портов 10/100/1000Base-T
- 2 порта 10GBase-T
- 4 порта 10GBase-X SFP+

Преимущества

- Высокая производительность
- Высокая надежность
- Высокая безопасность

Функциональные возможности

- L3 Forwarding
- RSTP
- VRRP

Улучшенная безопасность

Улучшенная безопасность для защиты данных и информации в сети.

Расширенные функции безопасности

Расширенные функции безопасности для защиты данных и информации в сети.

Улучшенное управление доступом

Улучшенное управление доступом для защиты данных и информации в сети.

[pdf]

Comp2 Общее описаниеD Link DGS 3130 54TS A1DS A1 RUS 01ftp dlink ru pub Switch Data sh DS 01

|||

, . 10- 2 10GBase-T 4 uplink- SFP . 6 . **DGS-3130-54TS** 3 48 10/100/1000Base-T, 2 10GBase-T 4 10GBase-X SFP 48 10/100/1000Base-T 2 10GBase-T 4 10GBase-X SFP RPS2 Ethernet Ring Protection Switching ERPS si...

lang:en score:38 filesize: 218.5 K page_count: 7 document date: 2024-12-13



[\[pdf\]](#) Guide Borchure

Læs mere her D Link Vores eksperter bygger netværk til folket CBC IT Produktinformation DLink Product Guide eu dlink dk da media resource centre brochures and product guides guide |||
PRODUCT GUIDE SWITCHES INDUSTRIAL SOLUTION WIRELESS VIDEO SURVEILLANCE SMART HOME WHY D-LINK Why ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 1024 / 512 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 ...
lang:en score:35 filesize: 7.61 M page_count: 44 document date: 2022-04-06



[\[pdf\]](#) Installation Guide Guide

DGS 3630 Series 10007643 Installation GuideD Link 30 port Stackable Gigabit PoE Switch with 24 1000Base T ports and 4 10 SFPDGS 3130 A1 HW Guide v1 00mmt au api prodspec 16DGS 30PS 00 |||
DGS-3130 Series Layer 3 Stackable Managed Switch Hardware Installation Guide Information in this do
20 **DGS-3130-54TS** Switch.....
lang:en score:35 filesize: 12.66 M page_count: 83 document date: 2018-07-06



[\[pdf\]](#) Guide Borchure

PRODUCT GUIDE DLink Product Guide eu dlink se sv media resource centre brochures and product guides guide |||
PRODUCT GUIDE NETWORK SWITCHES CLOUD NETWORK SOLUTIONS INDUSTRIAL ETHERNET WIRELESS SMART HOME SURVE ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 1024 / 512 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 ...
lang:en score:35 filesize: 7.48 M page_count: 40 document date: 2023-01-13



[\[pdf\]](#) Guide Borchure

PRODUCT GUIDE D Link Surveillance and Long Range PoE Switches 30 Assist 31 mydlink 32 devices app Consumer Wireless Powerline USB 34 DLink Product Guide eu dlink rs sr media resource centre brochures product guides guide |||
PRODUCT GUIDE SWITCHES INDUSTRIAL SOLUTION WIRELESS VIDEO SURVEILLANCE SMART HOME WHY D-LINK Why ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 1024 / 512 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 ...
lang:en score:35 filesize: 7.79 M page_count: 44 document date: 2021-10-19



[\[pdf\]](#) Installation Guide Guide

DGS 3630 Series 10007643 Installation Guide D Link 3130 54 port Stackable Gigabit PoE Switch with 6 10GbE ports Bayview Technology A1 HW v1 00 bayviewtech au 2023 02 |||

DGS-3130 Series Layer 3 Stackable Managed Switch Hardware Installation Guide Information in this do

20 **DGS-3130-54TS** Switch.....

lang:en score:35 filesize: 8.01 M page_count: 83 document date: 2024-05-03



[\[pdf\]](#) Installation Guide Guide


DGS 3130 Series 21 10007643 D Link Supportsupport dlink â° REVA SERIES HW INSTALL GUIDE v1 10 en fr support resource products |||

Traduit de Anglais vers Franais - www.onlinedoctranslator.com Guide d installation materielle du co 21

Commutateur **DGS-3130-54TS**.....

.....

lang:fr score:35 filesize: 19.8 M page_count: 76 document date: 2020-06-12



[\[pdf\]](#) Guide

D Link Business Guid Index of marketing Guide dlink me |||

Business Solutions Product Guide End-to-End Networking Solutions Switching Security Wireless IP ... orts x 4 802.3af PoE and 802.3at PoE support 370 W PoE power budget 740 W with DPS-700 RPS **DGS-3130-54TS** 10/100/1000BASE-T ports x 48 10 Gigabit BASE-T ports x 2 10 Gigabit SFP ports x 4 ...

lang:en score:35 filesize: 38.78 M page_count: 104 document date: 2021-06-20



[pdf] Borchure

BrochureD Link DGS 3130 54TS Switch Gestito L3 Gigabit Ethernet Yeppondgs 54tssi leafletmultimedia yeppon it products dgs leaflet |||

Caratteristiche principali del prodotto Funzioni Rich L2 e L3 Un immagine software integrata che for ... Temperatura di conservazione Umidit d esercizio Umidit di conservazione Emissioni EMI Sicurezza **DGS-3130-54TS** 48 porte 10/100/1000BASE-T 2 porte 10GBASE-T 4 porte 10G SFP DGS-3130-54S DGS-31... lang:it score:35 filesize: 540.23 K page_count: 6 document date: 2019-09-17




[D-Link DGS-3130 A1 Series Firmware Release Notes v1.16.002](#)

This document provides release notes for D-Link DGS-3130 A1 Series switch firmware version v1.16.002, detailing new features, bug fixes, and known issues. lang:en score:35 filesize: 1.19 M page_count: 26 document date: 2021-01-29



[pdf] Guide Borchure

DLink Product Guide eu dlink bg media resource centre brochures and product guides guide ||| PRODUCT GUIDE NETWORK SWITCHES CLOUD NETWORK SOLUTIONS INDUSTRIAL ETHERNET WIRELESS SMART HOME SURVE ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 512 / 256 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 DGS-3130-54PS 48 DGS-3130-54S 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K... lang:en score:34 filesize: 8.21 M page_count: 40 document date: 2023-08-24



[\[pdf\]](#)

Przełącznik zarządzalny DGS 3130 54TS 48GE 4SFP 2x10GE Sklep internetowy stylem pl przełącznik zarządzalny dgs 54ts 48ge 4sfp 2x10ge 366934 upload files product |||

Przełącznik zarządzalny **DGS-3130-54TS** 48GE 4SFP 2x10GE Indeks: 366934

Producent: D-Link Kod producenta: **DGS-3130-54TS/E** Cena: 6,789.81 zł Opis

Przełącznik zarządzalny **DGS-3130-54TS** 48GE 4SFP 2x10GE Producent: D-Link

Właciwoci Opis 2 porty 10GBASE-T, 4 porty SFP 10GPolcz si z obszarami sieci z prdkoci...

lang:pl **score:34** filesize: 163.61 K page_count: 3 document date: 2024-05-06



[\[pdf\]](#) Installation Guide Specifications Guide

DGS 3130 Series 21 10007643 D Link SupportThe Layer 3 Stackable Managed Switch Hardware

Installation Guide contains detailed information about the hardware specifications of switches DGS B1 HW v1 10support dlink resource products SERIES REVB 10 |||

DGS-3130 Series Layer 3 Stackable Managed Switch Hardware Installation Guide

Information in this do

21 **DGS-3130-54TS** Switch.....

lang:en **score:34** filesize: 17.6 M page_count: 76 document date: 2020-06-12



[\[pdf\]](#) Installation Guide Documentation Guide

DGS 3630 Series 10007643 3130 hardware installation guide revA1 1 00 all en 20180518 ftp dlink de dgs documentation |||

DGS-3130 Series Layer 3 Stackable Managed Switch Hardware Installation Guide

Information in this do

20 **DGS-3130-54TS** Switch.....

lang:en **score:33** filesize: 12.63 M page_count: 83 document date: 2018-05-11



[\[pdf\]](#) Instructions Documentation Release Notes Label

DGS 3130 A1 Series Firmware Release Notes D Link If you plan to upgrade the new firmware release please refer Upgrade Instructions for correct procedure SERIES REVA RELEASE NOTES v1 01B027 ftp dlink ca PRODUCTS ftp2

DGS-3130 A1 Series Firmware Release Notes Firmware Version: V1.01.B027 Prom Code Version: V1.00.006 ... p-18 Runtime: v1.01.026 PROM: v1.00.005 31-Jul-18 Model DGS-3130-30TS DGS-3130-30S DGS-3130-30PS **DGS-3130-54TS** DGS-3130-54S DGS-3130-54PS DGS-3130-30TS DGS-3130-30S DGS-3130-30PS **DGS-3130-54TS** DGS-...

lang:en score:33 filesize: 846.56 K page_count: 10 document date: 2018-09-20



[D-Link Product Guide: Network Solutions & Smart Home Surveillance](#)

Explore the comprehensive D-Link Product Guide, featuring a wide range of networking solutions from high-performance switches and cloud-managed systems to consumer wireless devices and smart home surveillance. Discover D-Link's innovative Wi-Fi 6, 5G, and PoE technologies designed for seamless connectivity, enhanced security, and simplified management for both business and home environments.

lang:en score:32 filesize: 8.33 M page_count: 40 document date: 2024-02-08



[\[pdf\]](#) Guide Borchure

One Connection Infinite Possibilities Apr 15 2025 — D Link designed Nuclias to be a networking solution with simple and user Mobile hotspots feature high performance batteries compact design for easy Q2 Product Guide EU dlink hu media resource centre brochures product guides q2 d link guide eu |||

A la pointe des tendances technologiques One Connection - Infinite Possibilities Product guide www. ... Uplinks MODEL Number of 10/100/1000BASE-T ports DGS-3130-30TS 24 DGS-3130-30PS 24 DGS-3130-30S **DGS-3130-54TS** 48 Number of Gigabit SFP ports 24 Number of 100/1000/2.5GBASE-T ports Number of 10... lang:en score:32 filesize: 6.84 M page_count: 36 document date: 2025-04-14



[\[pdf\]](#) Guide

DLink Product Guide Q1 2023 eu dlink de media files partner portal s product guide q1 ||| PRODUCT GUIDE NETWORK SWITCHES CLOUD NETWORK SOLUTIONS INDUSTRIAL ETHERNET WIRELESS SMART HOME SURVE ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 1024 / 512 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 ...

lang:en score:32 filesize: 7.47 M page_count: 40 document date: 2023-01-10



[\[pdf\]](#) Guide

DLink Product Guide Q3 2022 web eu dlink de media files partner portal s product guide q3 ||| PRODUCT GUIDE SWITCHES INDUSTRIAL SOLUTION WIRELESS SMART HOME SURVEILLANCE WHY D-LINK Why D-Lin ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 1024 / 512 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 ...

lang:en score:31 filesize: 7.49 M page_count: 40 document date: 2022-09-13



[Guide des Produits D-Link : Solutions Réseau pour Entreprises et Particuliers](#)

Découvrez la gamme complète de produits réseau D-Link, incluant les solutions Wi-Fi, commutateurs (switches), routeurs, connectivité 4G/5G, équipements industriels, et accessoires pour optimiser votre infrastructure réseau.

lang:fr score:31 filesize: 5.25 M page_count: 32 document date: 2025-09-08

[\[pdf\] User Manual Guide Borchure](#)

PRODUCT GUIDE Nuclias D Link Simple to setup with plug n play Optional PoE models Smart Switches offer a robust set of Layer 2 and features designed support the From business user perspective has scale resources experience expertise that world s most demanding businesses look for We make sure we stay really close our customers then because R are geared fast track product development provide between 2018 2020 WiFi4EU In order Search Manual Continuous Recording ViewCam offers scheduled motion manual recording them early RJ45 RJ 1 Available in Q2 2021 switching industrial Ethernet wireless babies or pets HD movies share The Full Wi Fi Camera comes free AI based developed leading edge products reflect needs opportunity upgrade their networks keep What 10 Gigabit good 11 This will be done over 5 calls socket type Works On device on off button LED indicator through app DLink Product Guide eu dlink hr media resource centre brochures guides guide nl uk en



PRODUCT GUIDE SWITCHES INDUSTRIAL SOLUTION WIRELESS VIDEO SURVEILLANCE SMART HOME WHY D-LINK Why ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 1024 / 512 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 ...

lang:en score:30 filesize: 7.74 M page_count: 44 document date: 2021-02-23



[\[pdf\] Instructions Documentation Release Notes Label](#)

DGS 3130 A1 Series Firmware Release Notes D Link If you plan to upgrade the new firmware release please refer Upgrade Instructions for correct procedure For SERIES REVA RELEASE NOTES v1 01 026 WW ftp2 dlink PRODUCTS

DGS-3130 A1 Series Firmware Release Notes Firmware Version: V1.01.026 Prom Code Version: V1.00.005 P ... te Model DGS-3130-30TS DGS-3130-30S Runtime: v1.01.026 PROM: v1.00.005 31-Jul-18 DGS-3130-30PS **DGS-3130-54TS** DGS-3130-54S DGS-3130-54PS Hardware Version A1 A1 A1 A1 A1 A1 2 DGS-3130 A1 Seri...

lang:en score:30 filesize: 647.39 K page_count: 10 document date: 2018-08-07



Product Highlights

Feature-Rich Software
An integrated software image provides powerful L2 and L3 features, including advanced security, network management, and user access control.

Scalability and High Availability
Providing high availability, the DGS-3130 Series is designed to connect end-users in secure enterprise or metro Ethernet access networks.

DGS-3130 Series
Lite Layer 3 Stackable Managed Switches

Features

- High Availability and Reliability**
 - 48 x 10/100/1000BASE-T PoE or non-PoE ports
 - 24 x SFP ports
 - 128GB of 16MB DRAM (16MB DRAM embedded options)
- Reliability**
 - Redundant power supply (PSU) support
 - Enhanced 3rd party protection on all digital Ethernet ports and 48 x 10/100/1000BASE-T ports
 - IEEE 802.3X Backdoor Protection to Suppress the Link Speed to 10Mbps
- L3 Features**
 - VRRP
 - Link Aggregation
 - RSTP
 - STP
- Operations, Administration and Maintenance**
 - IEEE 802.1Q for VLAN
 - IEEE 802.3ad for LACP
- High Bandwidth Stacking**
 - Support link aggregation
 - Supports long distance stacking over fiber
 - 48 Gbps per device per port stacking bandwidth

Enhanced Network Reliability
The DGS-3130 Series supports enhanced network management for secure network operation in addition to a high level of network security and maximum uptime. All switches in the DGS-3130 Series support enhanced network management for secure network operation in addition to a high level of network security and maximum uptime. All switches in the DGS-3130 Series support enhanced network management for secure network operation in addition to a high level of network security and maximum uptime. All switches in the DGS-3130 Series support enhanced network management for secure network operation in addition to a high level of network security and maximum uptime.

[pdf] Datasheet

Lite Layer 3 Stackable Managed Switches DGS-3130 Series The is a range of designed to connect end-users in secure enterprise or metro Ethernet access network DGS-3130-

SERIES_REVA_DATASHEET_v1 03_WW support dlink resource PRODUCTS DGS-3130-SERIES REVA Mar 05 2021 · DGS-3130_Series_A1_Datasheet_v1 03(WW) ftp au Products DGS-3130-54S Datasheet DGS-3130-54TS D-Link Support files DGS-3130-30TS DGS-3130-30PS

Product Highlights Feature-Rich Software An integrated software image provides powerful L2 and L3 fe ... 10 to 90 RH 5 to 90 RH FCC Class A, CE Class A, VCCI Class A, IC, RCM, BSMI CB, cUL, BSMI **DGS-3130-54TS** DGS-3130-54S DGS-3130-54PS 48 x 10/100/1000BASE-T ports 2 x 10GBASE-T ports 4 x ...

lang:en score:29 filesize: 670.35 K page_count: 9 document date: 2021-03-05



DGS-3130 A1 Series Firmware Release Notes



Firmware Version: V1.10.057
Prom Code Version: V1.00.006
Published: Dec. 18, 2019

These release notes include important information about D-Link switch firmware releases. Please read these release notes carefully for your switch.

- If you are installing a new or old, please check the hardware version on the device label. Make sure that your switch meets the system requirement of the firmware version. Please refer to Revision History and System Requirement for detailed firmware and hardware information.
- If the switch is power on, you can check the hardware version by typing "show switch" command or by checking the device information page on the web or serial user interface.
- If you plan to upgrade to the new firmware release, please refer to the [Upgrade Instructions](#) for the correct firmware upgrade procedure.

For more detailed information regarding our switch products, please refer to [Related Documentation](#).

You can also download the switch firmware, CLI View modules and technical documentation from [https://dlink.com/switch](#).

Contents

- Revision History and System Requirement..... 2
- Upgrade Instructions..... 3
- Upgrade using CLI (Serial port)..... 3
- Upgrade using Web-UI..... 4
- New Features..... 7
- Change of Web..... 8
- Change of Command Line Interface..... 8
- Problem Fixed..... 9
- Known Issues..... 15
- Related Documentation..... 20

[pdf] Instructions Documentation Release Notes Label


DGS 3130 A1 Series Firmware Release Notes FTP Directory If you plan to upgrade the new firmware release please refer Upgrade Instructions for correct procedure SERIES REVA RELEASE NOTES v1 10 057 ftp2 dlink PRODUCTS

DGS-3130 A1 Series Firmware Release Notes Firmware Version: V1.10.057 Prom Code Version: V1.00.006 P ... p-18 Runtime: v1.01.026 PROM: v1.00.005 31-Jul-18 Model DGS-3130-30TS DGS-3130-30S DGS-3130-30PS **DGS-3130-54TS** DGS-3130-54S DGS-3130-54PS DGS-3130-30TS DGS-3130-30S DGS-3130-30PS **DGS-3130-54TS** DGS-...

lang:en score:29 filesize: 1.11 M page_count: 20 document date: 2020-02-04



BUSINESS SWITCHING
Comparison Guide



D-Link FOR BUSINESS

[pdf] Guide Warranty

SWTCHING COMP GUIDE 3 00 EN US content us dlink 80 2018 09

BUSINESS SWITCHING Comparison Guide FOR BUSINESS Business Switching Comparison Guide D-Link Enter ... itches DGS-3130-54S L2 2 4 48 RJ45 / RS232 DPS-500A 5 Smart Fans Up to 6 Devices Lifetime **DGS-3130-54TS** L2 2 4 48 RJ45 / RS232 DPS-500A 2 Smart Fans Yes Up to 6 Devices Lifetime DGS-...

lang:en score:29 filesize: 2.46 M page_count: 6 document date: 2018-08-31




[\[pdf\]](#) User Manual Installation Guide Documentation Guide

DGS 3130 Series 19 Peter Chan dgs man revab HW Manual en ftp dlink de documentation |||

DGS-3130 Series Layer 3 Stackable Managed Switch Hardware Installation Guide
Information in this do

23 **DGS-3130-54TS** Switch.....

lang:en score:29 filesize: 15.51 M page_count: 83 document date: 2022-05-24



[\[pdf\]](#) Reference Guide Guide

Nick d link dgs 3130 54ts trovaprezzi it manuali |||

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per D-Link DGS-3130 **DGS-3130-54TS** o cerca il tuo prodotto tra le migliori offerte di Switch Web UI Reference Guide Product Model : DGS-3130 Series Layer 3 Stackable Managed Switch Release 1.00 Information in this docum...

lang:en score:29 filesize: 12.58 M page_count: 410 document date: 2018-06-22



[\[pdf\]](#) Borchure

docId 6913D3DFD880B72874CF084891982CBA Maciej DABROWSKI Katalog produktow business PL dlink pl media resource centre brochures and product guides katalog |||

Katalog produktw biznesowych Jedno polczenie - nieskoczne moliwoci
www.dlink.com Wersja 2024Q3_V2 ... ych Zwiksza zasig sieci ERPS zapewnia wysok
dostpno Seria DGS-3130 DMS-3130 Model DGS-3130-30TS **DGS-3130-54TS** DMS-
3130-30TS Opis 24 porty GE 2 porty 10GE 4 porty 10G SFP Przelcznik zarzdzaln...

lang:pl score:28 filesize: 9.79 M page_count: 58 document date: 2025-03-20



[pdf] Guide Borchure Catalog

Catalogs Brochures SECOMP Nederland GmbH dlink product guidesecomp nl file 1248 cms publikationen

print kataloge dlink guide |||


PRODUCT GUIDE NETWORK SWITCHES CLOUD NETWORK SOLUTIONS INDUSTRIAL ETHERNET WIRELESS SMART HOME SURVE ... 32 Up to 16K 4K 1024 / 512 2048 / 1024 16 512 / 256 8 8Kbps Full RJ45 **DGS-3130-54TS** 48 DGS-3130-54PS 48 DGS-3130-54S 48 2 4 216 Gbps Internal 92/80G 32 Up to 16K... lang:en score:27 filesize: 8.23 M page_count: 40 document date: 2023-04-27



D-Link DGS-3130-54TS Managed L3 Stackable Switch

The D-Link DGS-3130-54TS is a high-performance, managed Layer 3 stackable switch designed for enterprise and Metro Ethernet networks. It features 48 x 10/100/1000Base-T ports, 2 x 10GbBase-T ports, and 4 x 10GbBase-X SFP+ ports, offering robust security, advanced QoS, and reliable connectivity.

lang:en score:27 filesize: 229.06 K page_count: 7 document date: 2025-08-06



[pdf] Guide

01 February 2022 Come configurare lo stacking fisico Switch Smart Managed Gigabit Stackable DGS 1510 D Link Italia SmartManaged IT eu dlink it media files dit guide howto come smartmanaged switch Training Configurare Lo e 30 mars — I vantaggi sono molti tra gli altri Gestione un unico IP quello dello master serve a controllare la configurazione dell intero stack |||

Come si fa Training D-Link Manuale di installazione Configurare Lo stacking fisico Switch Smart Quindi, ad esempio, potremmo avere questa combinazione: 2 x DGS-3130-30TS, 2 x DGS-3130-30S y 4 x **DGS-3130-54TS** 2 x 1 2 x 1 4 x 2 = 12 3 Come si fa Manuale di installazione Come viene imp...

lang:it score:27 filesize: 676.71 K page_count: 5 document date: 2022-01-20