

Leviton T5015-T

Leviton T5015-T 15 Amp 125 Volt Tamper-Resistant Receptacle Instruction Manual

1. INTRODUCTION

This manual provides detailed instructions for the safe installation, operation, and maintenance of the Leviton T5015-T 15 Amp, 125 Volt, Narrow Body Single Receptacle. This commercial-grade, tamper-resistant device is designed for reliable performance in various electrical applications. It features impact-resistant thermoplastic construction, back-wire and side-wire terminal options, a heavy-gauge zinc-plated steel wraparound strap, a brass staked self-grounding clip, and heavy-duty triple-wipe brass contacts for extended service life.

2. SAFETY INFORMATION

WARNING: To avoid fire, shock, or death, turn off power at the circuit breaker or fuse box and test that power is off before wiring. Installation should be performed by a qualified electrician in accordance with all national and local electrical codes.

- Always disconnect power before working on electrical circuits.
- Use appropriate personal protective equipment (PPE).
- Ensure all wire connections are secure and properly insulated.
- Do not exceed the specified electrical ratings of the device.
- This device is for indoor use only.

3. PACKAGE CONTENTS

- Leviton T5015-T 15 Amp 125 Volt Tamper-Resistant Receptacle
- Mounting Screws (typically pre-installed or included)

4. INSTALLATION INSTRUCTIONS

Follow these steps carefully to install your Leviton T5015-T receptacle.

1. **Turn Off Power:** Locate the circuit breaker or fuse that supplies power to the outlet box where you will install the receptacle. Turn it OFF. Verify power is off using a voltage tester.

2. **Remove Old Receptacle (if applicable):** Unscrew the wallplate and then the mounting screws holding the old receptacle in the electrical box. Carefully pull the old receptacle out of the box. Disconnect the wires.
3. **Prepare Wires:** Strip approximately 1/2 inch (12.7 mm) of insulation from the ends of the circuit wires. Ensure the wire ends are clean and straight.
4. **Identify Wires:**
 - **Hot/Live Wire:** Typically black or red. Connects to the brass-colored terminal screws.
 - **Neutral Wire:** Typically white. Connects to the silver-colored terminal screws.
 - **Ground Wire:** Typically green or bare copper. Connects to the green hexagonal ground screw.
5. **Wire the Receptacle:** The Leviton T5015-T offers both back-wire and side-wire terminal options.



Image: Front view of the Leviton T5015-T 15 Amp 125 Volt Tamper-Resistant Receptacle. It shows the light almond colored body, the two tamper-resistant slots, the grounding hole, and the metal mounting straps with screws. A green grounding screw is visible on the side.

Side Wiring:

- Form a hook at the end of each wire.
- Connect the hot wire(s) to the brass terminal screws.
- Connect the neutral wire(s) to the silver terminal screws.
- Connect the ground wire to the green hexagonal ground screw.
- Tighten all terminal screws firmly.

Back Wiring:

- Insert the stripped end of the hot wire(s) into the back-wire holes adjacent to the brass terminal screws.
- Insert the stripped end of the neutral wire(s) into the back-wire holes adjacent to the silver terminal screws.
- Connect the ground wire to the green hexagonal ground screw using the side-wire method.
- Tighten all terminal screws firmly to secure the back-wired connections.

- 6. **Mount the Receptacle:** Carefully fold the wires into the electrical box, leaving enough room for the receptacle. Secure the receptacle to the electrical box using the provided mounting screws.
- 7. **Install Wallplate:** Attach the wallplate (not included) over the receptacle.
- 8. **Restore Power:** Turn the power back ON at the circuit breaker or fuse box. Test the receptacle with a known working device.

5. OPERATION

The Leviton T5015-T is a standard 15 Amp, 125 Volt single receptacle. Its tamper-resistant (TR) feature includes internal shutters that prevent the insertion of single objects into the slots, enhancing safety, especially in homes with children. To operate, simply insert a standard two- or three-prong plug into the receptacle openings. The shutters will open only when a two- or three-prong plug is inserted simultaneously into both slots.

6. MAINTENANCE

- **Cleaning:** Clean the receptacle face with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Inspection:** Periodically inspect the receptacle for any signs of damage, discoloration, or loose connections. If any issues are found, disconnect power and consult a qualified electrician.

7. TROUBLESHOOTING

- **No Power:**
 - Check the circuit breaker or fuse for the circuit. Reset if tripped or replace if blown.
 - Verify all wire connections are secure within the electrical box.
- **Plug Does Not Insert:**
 - Ensure you are inserting a two- or three-prong plug straight and simultaneously into both slots. The tamper-resistant shutters require simultaneous pressure.
 - Inspect the plug for bent prongs.
- **Receptacle is Hot to Touch:**
 - Immediately disconnect power. This indicates a potential overload or faulty wiring. Consult a qualified electrician.

8. SPECIFICATIONS

Feature	Specification
Manufacturer	Leviton
Model Number	T5015-T
Amperage	15 Amps
Voltage	125 Volts



Material	Thermoplastic (Body)
Color	Light Almond
Item Weight	1.6 ounces
Certifications	CSA, UL
Wiring Options	Back-wire and Side-wire
Feature	Tamper-Resistant, Grounding

9. WARRANTY AND SUPPORT

This Leviton T5015-T receptacle is covered by a manufacturer's warranty. For specific warranty details, please refer to the documentation included with your purchase or visit the official Leviton website. For technical support or further assistance, please contact Leviton customer service.

Leviton Official Website: www.leviton.com

Related Documents - T5015-T

	Leviton Commercial & Industrial Grade Switches Selection Guide A comprehensive selection guide from Leviton detailing commercial and industrial grade switches, including toggle, Decora Plus, Lev-lok, antimicrobial, and specialty switch types with application details and wiring diagrams.
	Leviton GFCI Outlet with USB Ports Installation and Operation Manual Comprehensive guide for installing and operating Leviton GFCI Outlets with USB Ports, including wiring instructions, safety warnings, testing procedures, and warranty information.
	Leviton Decora Smart Z-Wave Outlet (ZW15R) Getting Started Guide Comprehensive guide to installing, setting up, and customizing the Leviton Decora Smart Z-Wave Tamper-Resistant Outlet (ZW15R). Learn about Z-Wave features, network inclusion, and safety information.
	Leviton GFCI Receptacle Installation and Testing Guide A comprehensive guide on how to install and test a Leviton SmartLock Pro GFCI Receptacle, including wiring instructions, safety precautions, and troubleshooting tips.
	Leviton GFNT1-DIN/GFNT2-DIN DIN Rail Mount GFCI Receptacle Installation Guide Comprehensive guide for installing and testing Leviton's GFNT1-DIN and GFNT2-DIN DIN Rail Mount GFCI Receptacles, including wiring instructions, safety precautions, and troubleshooting.



Leviton VIZI06-1L Incandescent Dimmer Installation Instructions

Comprehensive installation guide for the Leviton VIZI06-1L Incandescent Dimmer, covering single-pole and 3-way multi-location setups, wiring diagrams, operation, advanced programming, troubleshooting, and warranty information.

Documents - Leviton – T5015-T



[\[pdf\]](#) Specifications

Leviton® T5015 T Electrozaad IDW DOCUMENT

c02d6e6bbeb07bfe427a061d9786d2da7beab79a7e818954ae88a4927ef1c422 electrozaad ASSETS DOCUMENTS ITEMS EN |||

Color: Light Almond UPC Code: 07847741773 Country Of Origin: Mexico NEMA: 5-15R **T5015-T** Single Receptacle Outlet, Commercial Specification Grade, Tamper-Resistant, Smooth Face, 15 Amp, 125 Volt, Side Wire, NEMA 5-15R, 2-Pole, 3-Wire, SelfGrounding - Light Almond Plug Into Safety with Leviton s L...

lang:en score:30 filesize: 103.75 K page_count: 2 document date: 2018-05-22



[\[pdf\]](#)

Cut Sheet Leviton T5015 T Tamper Resistant Single Receptacle 15A 125V Light Almond Rexel USA

t5015 t cutsheet i 045CFA15 661B 4C7C 8D53 F2004FC730F2 rexel cdn products |||

T5015-T Color: Light Almond UPC Code: 07847741773 Country of Origin: Mexico - *Eligible for ARRA funded projects 7,443,000 NEMA: 5-15R Straight Blade Wiring Devices Brand Features Plug Into Safety with Leviton s Line of Tamper-Resistant TR Receptacles. Leviton makes it easy for you to comp...

lang:en score:30 filesize: 144.41 K page_count: 3 document date: 2013-02-15




[\[pdf\]](#) Specifications

T5015 T Product Spec or Info Sheet leviton sites REST controller LCProductListRestController full products locale en |||

Color : Light Almond UPC Code : 078477417737 Country Of Origin : Mexico NEMA : 5-15R Available Colors : Black Brown Gray Ivory White **T5015-T** Tamper-Resistant Single Receptacle, 15 Amp, 125 Volt Single Receptacle Outlet, Commercial Specification Grade, Tamper-Resistant, Smooth Face, 15 A...

lang:en score:30 filesize: 108.35 K page_count: 2 document date: 2022-12-01



[\[pdf\]](#) Specifications Declaration of Conformity

Leviton® T5015 T Revere Electric Supply IDW DOCUMENT

5f8555ed0d834c37cece5a43a56b26991930991db71e0ec6c5b06e4801a4d23b assets unilogcorp 2 ITEM
DOC |||

Color: Light Almond UPC Code: 07847741773 Country Of Origin: Mexico NEMA: 5-15R **T5015-T** Brand Features Plug Into Safety with Leviton s Line of Tamper-Resistant TR Receptacles. Leviton makes it easy for you to comply with the current NEC mandate for TR Receptacles in all new residential housing....

lang:en score:30 filesize: 103.79 K page_count: 2 document date: 2018-05-10




[\[pdf\]](#) Guide Borchure Catalog

Decora 15 Amp Combination Single Outlet with LED Sensor Guide Light Ivory Product Brochure Leviton
T6525 I 078477454152 0078477454152 aedbe21a 3474 47a6 9c6e b546bb41da8d images thdstatic
catalog Images ae |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...

lang:en score:28 filesize: 487.95 K page_count: 4 document date: 2017-08-08




[\[pdf\]](#)

Download Leviton T5015 T 125V 15A 2P3W 5 15R Light Almond Nylon Tamper Resistant Single Straight Blade Receptacle Product Spec or Info Sheet mecampbell media |||

T5015-T Color: Light Almond UPC Code: 07847741773 Country of Origin: Mexico -

*Eligible for ARRA funded projects 7,443,000 NEMA: 5-15R Straight Blade Wiring Devices Brand Features Plug Into Safety with Leviton s Line of Tamper-Resistant TR Receptacles. Leviton makes it easy for you to comp...

lang:en score:27 filesize: 151.33 K page_count: 3 document date: 2016-10-31




[pdf] Datasheet

Leviton 13218 C6 C7 CAT assets gordonelectricsupply datasheets ts |||

C Straight Blade Devices Traditional Receptacles 15A, 20A Commercial Commercial Spec Grade Recep ... GY BR15-E BR15 TBR15-W TBR15-I TBR15-T TBR15-GY TBR15-E TBR15 -- 5088-I 5088-T 5088 T5015-W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5015-CHW T5015-CHI T5261-CH T5250-B Back and Side Wired, Self-Groun...

lang:en score:19 filesize: 2.71 M page_count: 2 document date: 2023-02-17




[pdf]

Manufacturer Spec Sheet LEVITON TBR15 T RECEPTACLE Gordon Electric Supply Inc

LEVMFCE26573 B6 B7 images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100237 |||

B Straight Blade Devices Straight Blade Devices COMMERCIAL 15A, 20A Traditional Receptacles Com ... R15-E TBR15 BR15-W BR15-I BR15-T BR15-GY BR15-E BR15 WBR15-W WBR15-Y -- 5088-I 5088 T5015-W T5015-I **T5015-T** T5015-GY T5015-E T5015 15A-250V 20A-125V 6-15R Cat. No. - - - - -

lang:en score:18 filesize: 113.78 K page_count: 2 document date: 2018-09-16




[pdf]

Manufacturer Spec Sheet LEVITON TBR20 E 20A 125V DUPLEX RECEPTACLE Gordon Electric Supply Inc LEVMFCE24178 B6 B7 images tradeservice 9ETBOIYK8205G6UU ATTACHMENTS DIR100193 |||

B Straight Blade Devices Straight Blade Devices COMMERCIAL 15A, 20A Traditional Receptacles Com ... R15-E TBR15 BR15-W BR15-I BR15-T BR15-GY BR15-E BR15 WBR15-W WBR15-Y -- 5088-I 5088 T5015-W T5015-I **T5015-T** T5015-GY T5015-E T5015 15A-250V 20A-125V 6-15R Cat. No. - - - - -

lang:en score:18 filesize: 112.67 K page_count: 2 document date: 2017-08-14




[pdf] Catalog

Catalog Page BR20 T LEV 20A 125V DPLX RECEP COMM Kendall Electric Inc Leviton 17575 C6 C7

CAT images tradeservice 67RP0R567XIGR4O8 ATTACHMENTS DIR100458 |||

C Straight Blade Devices Traditional Receptacles 15A, 20A Commercial Commercial Spec Grade Recep ... GY BR15-E BR15 TBR15-W TBR15-I TBR15-T TBR15-GY TBR15-E TBR15 -- 5088-I 5088-T 5088 T5015-W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5015-CHW T5015-CHI T5261-CH T5250-B Back and Side Wired, Self-Groun...

lang:en score:18 filesize: 2.2 M page_count: 2 document date: 2024-02-10




[pdf] Datasheet

Manufacturer Spec SheetLeviton BR20 I Ivory Duplex Receptacle Nema5 20R Gordon Electric Supply

IncLeviton 18592 C6 C7 CATassets gordonelectricsupply datasheets ts Leviton CAT |||

C Straight Blade Devices Traditional Receptacles 15A, 20A Commercial Commercial Spec Grade Recep ... GY BR15-E BR15 TBR15-W TBR15-I TBR15-T TBR15-GY TBR15-E TBR15 -- 5088-I 5088-T 5088 T5015-W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5015-CHW T5015-CHI T5261-CH T5250-B Back and Side Wired, Self-Groun...

lang:en score:18 filesize: 8.15 M page_count: 2 document date: 2024-07-26



[pdf] Borchure

Traditional Receptacles City Electric Supply Manufactured to withstand the demands of commercial and institutional applications Heavy duty brass power contacts for maximum conductivity plug leviton brochure stepid 444714 media cityelectricssupply t5020 w documents |||

C Straight Blade Devices Traditional Receptacles 15A, 20A Commercial Commercial Spec Grade Recep ... GY BR15-E BR15 TBR15-W TBR15-I TBR15-T TBR15-GY TBR15-E TBR15 -- 5088-I 5088-T 5088 T5015-W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5015-CHI T5015-CHW T5261-CH T5250-B Back and Side Wired, Self-Groun...

lang:en score:18 filesize: 188.96 K page_count: 2 document date: 2019-06-27

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...
lang:en score:17 filesize: 391.74 K page count: 2 document date: 2021-09-24



[pdf]

Product Bulletin Leviton T5325 W Province Electric Supply Tamper Resistant Receptacles media province electric leviton2 2019q4 9e6e81a116ef2e5d093d155da2c7b2757cdce219 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:17 filesize: 485.99 K page_count: 4 document date: 2016-10-28



[pdf] Borchure Catalog

15 Amp Tamper Resistant Duplex Outlet Ivory Product Brochure Leviton T5320 I 078477381915 0078477381915 697689 330e84dd d648 4340 bed7 40a1f8b818cc images thdstatic catalog Images 33 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2017-06-16



[pdf] Borchure Catalog

15 Amp Tamper Resistant Duplex Outlet Light Almond Product Brochure Leviton T5320 T 078477381731 0078477381731 695377 63498e8c 1f06 40f6 9d93 2d467bf68fe9 images thdstatic catalog Images 63 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2017-06-16



[\[pdf\]](#) Borchure Catalog

15 Amp Tamper Resistant Combination Switch and Outlet Ivory Product Brochure Leviton R51 T5225 0IS 078477467022 0078477467022 669458 245e4fef 1a2d 46d8 a2f9 bbf44dfa6fd5 images thdstatic catalog Images 24 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2017-07-24



[\[pdf\]](#)

Plug Into Safety with Tamper Resistant TR Receptacles Leviton T5325 W Product Overview T B 1300G J16 dp Manufacturing Co Inc 201 North Service Road Melville NY 11747 3138 Telephone 1 800 323 8920 FAX 832 9538 devices have a shutter mechanism inside the receptacle that blocks access to contacts from most foreign objects leads way in safety advances wide range of tamper resistant Residential Bulletin leviton en docs s3 amazonaws supplyhouse product files Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 485.9 K page_count: 4 document date: 2016-10-28



[\[pdf\]](#) Borchure Catalog

15 Amp Tamper Resistant Combination Switch Outlet Light Almond Product Brochure Leviton R56 T5225 0TS 078477467046 0078477467046 666078 a864a7e9 2c91 4fd2 ae90 dc1c302356b7 images thdstatic catalog Images a8 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2017-05-22



[\[pdf\]](#) Borchure Catalog

Decora 15 Amp Tamper Resistant Duplex Outlet Light Almond Product Brochure Leviton R56 T5325 ODT 078477466575 0078477466575 750051 46460926 f0ae 4abc be99 7262c652b35b images thdstatic catalog Images 46 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2017-06-16



[\[pdf\]](#) Borchure Catalog

Decora 20 Amp Residential Grade Tamper Resistant Self Grounding Duplex Outlet Brown Product Brochure Leviton T5825 078477450499 0078477450499 1002348543 f71ee267 4fdc 48b2 b4ed 7e4ff41ba861 images thdstatic catalog Images f7 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 609.52 K page_count: 4 document date: 2018-02-15



[\[pdf\]](#) Borchure Catalog

Decora 15 Amp Tamper Resistant Combination Switch Outlet Light Almond Product Brochure Leviton R66 T5625 OTS 078477467077 0078477467077 127732 7e866176 c124 45df a3f3 7ec831d59cdb images thdstatic catalog Images 7e |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2017-07-24



[\[pdf\]](#) Borchure Catalog

20 Amp Commercial Grade Tamper Resistant Side Wired Self Grounding Duplex Outlet Brown Product

Brochure Leviton TCR20 078477655320 0078477655320 1002348512 089fd7c1 3f6e 4bc6 8085

09ab095234a4 images thdstatic catalog Images 08 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...

lang:en score:16 filesize: 609.52 K page_count: 4 document date: 2018-02-15



[\[pdf\]](#) Borchure Catalog

20 Amp Commercial Grade Tamper Resistant Side Wired Self Grounding Duplex Outlet Ivory Product

Brochure Leviton TCR20 I 078477655337 0078477655337 935bd912 41a2 4031 af0c cf2fa713ecbc

images thdstatic catalog Images 93 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...

lang:en score:16 filesize: 609.52 K page_count: 4 document date: 2018-02-15



[\[pdf\]](#) Borchure Catalog

20 Amp Residential Grade Self Grounding Tamper Resistant Duplex Outlet Ivory Product Brochure

Leviton R51 T5820 OIS 078477466711 0078477466711 711125 c20a99d5 055e 4b37 b30e 35f0df0585f0

images thdstatic catalog Images c2 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...

lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2017-06-16



[\[pdf\]](#) Borchure Catalog

Decora 20 Amp Residential Grade Tamper Resistant Self Grounding Duplex Outlet Black Product

Brochure Leviton T5825 E 078477450512 0078477450512 1002348546 bf0bc456 a6e1 449d a158

2fd6cb35bf1c images thdstatic catalog Images bf |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...

lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2017-07-12



Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...
lang:en score:16 filesize: 487.95 K page_count: 4 document date: 2018-02-15



[\[pdf\]](#) Borchure Catalog

15 Amp Tamper Resistant Side Wired Self Grounding Duplex Commercial Grade Outlet Ivory Product Brochure Leviton TCR15 I 078477655405 0078477655405 1003580263 71299528 4524 4d55 828e 01a7ad9e7832 images thdstatic catalog Images 71 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 609.52 K page_count: 4 document date: 2018-02-15



[\[pdf\]](#) Borchure Catalog

15 Amp Commercial Grade Tamper Resistant Side Wired Self Grounding Duplex Outlet Gray Product Brochure Leviton TCR15 GY 078477655313 0078477655313 1002348507 f3d80432 264a 4ce4 a510 626c13e84abe images thdstatic catalog Images f3 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 609.52 K page_count: 4 document date: 2018-02-15



[\[pdf\]](#) Borchure Catalog

15 Amp Commercial Grade Tamper Resistant Side Wired Self Grounding Duplex Outlet Light Almond Product Brochure Leviton TCR15 T 078477655399 0078477655399 744604bf fb79 4168 a81a fc46125f05a6 images thdstatic catalog Images 74 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo... lang:en score:16 filesize: 609.52 K page_count: 4 document date: 2018-02-15




[pdf] Borchure Catalog

Leviton 8330 Catalog KEEP tamleh CO ALR 2020 12 07 — USESI 221931 brochure assets usesi product media brochures

B Straight Blade Devices Straight Blade Devices RESIDENTIAL 15A, 20A Traditional Receptacles C ... R15-E TBR15 BR15-W BR15-I BR15-T BR15-GY BR15-E BR15 WBR15-W WBR15-Y -- 5088-I 5088 T5015-W T5015-I **T5015-T** T5015-GY T5015-E T5015 15A-250V 20A-125V 6-15R Cat. No. - - - - -

lang:en score:16 filesize: 260.42 K page_count: 8 document date: 2018-03-15




[pdf] Specifications

Specification Sheet LEVT5015T K E Electric Supply Corporation LEVMFCE15267 1 3 images tradeservice ATTACHMENTS DIR100083 |||

Color: Light Almond UPC Code: 07847741773 Country Of Origin: Mexico NEMA: 5-15R **T5015-T** Single Receptacle Outlet, Commercial Specification Grade, Tamper-Resistant, Smooth Face, 15 Amp, 125 Volt, Side Wire, NEMA 5-15R, 2-Pole, 3-Wire, SelfGrounding - Light Almond Plug Into Safety with Leviton s L...

lang:en score:16 filesize: 103.73 K page_count: 2 document date: 2018-09-14



[pdf] User Manual Specifications Borchure

Manufacturer BrochureLeviton GFWT2 HGE SmartlockPro GFCI Receptacle Outlet Hospital Grade Weather and Tamper Resistant 20A 125V BlackLV GFWT2HGE Brochurecdn adiglobaldistribution us pim Original 10300 LV Brochure Owners User Manual File Size 6 2 MBManufacturer T5632 W Combination Duplex USB Charger 15 A 125 VAC 5 hp Poles 3 Wires WhiteLeviton Blackleviton t5632 w user manual caLV Brochurefranklinempire media document l e leviton cacdn ||| ||| Commercial Industrial Straight Blade Receptacles Specification and Hospital Grades Straight Blade Receptacles Overview CODE COMPLIANT SOLUTIONS TAMPER-RESISTANT RECEPTACLES Safety shutters prevent unintended contact with live parts as spec

Commercial Industrial Straight Blade Receptacles Specification and Hospital Grades Straight Bla ... R15-W CR15-I CR15-T CR15 CR15-GY CR15-E -- BR15-W BR15-I BR15-T BR15 BR15-GY BR15-E T5015-W T5015-I **T5015-T** T5015 T5015-GY T5015-E TBR15-W TBR15-I TBR15-T TBR15 TBR15-GY TBR15-E TCR15-W TCR15-I TCR15-...

lang:en score:16 filesize: 6.19 M page_count: 44 document date: 2023-08-22



Traditional Recipes

15A, 10A | Commercial

Strait Blade Devices

Commercial Spec Grade Reciprocates

Back and Side Wrist, Self-Generating ①

Name	15A 1500	15A 900	15A 1310	15A 900
Type	15A	15A	15A	15A

Description	Color	Cat. No.	Cat. No.	Cat. No.
Type	Color	Cat. No.	Cat. No.	Cat. No.
Light Metal	Black	8801-2	8801-1	8801-1
Blue	Black	8801-2	8801-1	8801-1
Black	Black	8801-2	8801-1	8801-1
Grey	Black	8801-2	8801-1	8801-1
White	Black	8801-2	8801-1	8801-1

Description	Color	Cat. No.	Cat. No.	Cat. No.
Type	Color	Cat. No.	Cat. No.	Cat. No.
Single	Black	10801-2	10801-1	10801-1
Blue	Black	10801-2	10801-1	10801-1
Black	Black	10801-2	10801-1	10801-1
Grey	Black	10801-2	10801-1	10801-1
White	Black	10801-2	10801-1	10801-1

Description	Color	Cat. No.	Cat. No.	Cat. No.
Type	Color	Cat. No.	Cat. No.	Cat. No.
Single	Black	10801-2	10801-1	10801-1
Blue	Black	10801-2	10801-1	10801-1
Black	Black	10801-2	10801-1	10801-1
Grey	Black	10801-2	10801-1	10801-1
White	Black	10801-2	10801-1	10801-1

Description	Color	Cat. No.	Cat. No.	Cat. No.
Type	Color	Cat. No.	Cat. No.	Cat. No.
Single	Black	10801-2	10801-1	10801-1
Blue	Black	10801-2	10801-1	10801-1
Black	Black	10801-2	10801-1	10801-1
Grey	Black	10801-2	10801-1	10801-1
White	Black	10801-2	10801-1	10801-1

Back and Side Wrist, Self-Generating ①

Name	15A 1500	15A 900	15A 1310	15A 900
Type	15A	15A	15A	15A

Universal (Straight) Back and Side Wrist, Self-Generating

Name	15A 1500	15A 900	15A 1310	15A 900
Type	15A	15A	15A	15A

Description	Color	Cat. No.	Cat. No.	Cat. No.
Type	Color	Cat. No.	Cat. No.	Cat. No.
Single & Double Longing	Black	7001-2	7001-1	7001-1
Single	Black	7001-2	7001-1	7001-1
Double	Black	7001-2	7001-1	7001-1

Technical Support 1-800-824-3305

Strait Blade Devices C-3



Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...
lang:en score:13 filesize: 485.99 K page count: 4 document date: 2016-10-28



[\[pdf\]](#) Datasheet Declaration of Conformity Borchure Catalog

Product Data Sheet Leviton T5320 W Power Socket 125V 15A Tamper Resistant Receptacles Bulletin
nullcdn adiglobaldistribution us pim Original 10120 Tamper null Manufacturer Brochure Product T5325 E
15 Amplifier Resistant Leviton 15Av1 Tamper 10596 LV T5325E Brochure cdn Sheet Catalog Leviton
15ADecora® Straight Blade Duplex Receptacle 125 VAC A 2 Po Jackson s Hardware v1 Tamper
nullDecora Catalog cdn nullcx1 unilogcorp cx1 view api asset v1 dam assets ITEM DOC file 267 Decora
Catalog |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...
lang:en **score:13** filesize: 485.91 K page_count: 4 document date: 2016-10-28



[\[pdf\]](#) Specifications

Additional Specification Sheet LEVT5820 K E Electric Supply Corporation LEVMFCE25332 1 3 images
tradeservice ATTACHMENTS DIR100193 |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...
lang:en **score:13** filesize: 416.14 K page_count: 3 document date: 2017-08-14



[\[pdf\]](#)

180360716 cdn e soneparcanada io PIM Docs STEP ASSETS |||

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...
lang:en **score:13** filesize: 531.49 K page_count: 3 document date: 2020-07-31



Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...
lang:en score:13 filesize: 464.06 K page_count: 3 document date: 2019-10-03

Product Bulletin for Tamper-Resistant Receptacles Plug Into Safety with Tamper-Resistant TR Recept ... Single Receptacle Side-Wired Self-Grounding White Ivory Lt Almond Gray Black Brown T5015W T5015-I **T5015-T** T5015-GY T5015-E T5015 T5020W T5020-I T5020-T T5020-GY T5020-E T5020 Single Receptacle Flo...
lang:en score:13 filesize: 464.06 K page_count: 3 document date: 2019-10-03