HOMCOM CA03-00620231

HOMCOM 3-Tier Foldable Clothes Drying Rack

Model: CA03-00620231

Introduction

Thank you for choosing the HOMCOM 3-Tier Foldable Clothes Drying Rack. This manual provides essential information for the safe assembly, operation, and maintenance of your new drying rack. Please read these instructions carefully before use and retain them for future reference.

Safety Instructions

- Ensure all parts are securely fastened before placing clothes on the rack.
- Do not exceed the maximum weight capacity of 33 pounds (approximately 15 kg). Overloading can cause instability and damage.
- Keep children and pets away from the drying rack during assembly and use to prevent accidents.
- Place the rack on a flat, stable surface to prevent tipping.
- When moving the rack, ensure the brakes on the casters are disengaged. Engage brakes when stationary.
- Avoid placing the rack near heat sources or open flames.
- This product is designed for drying clothes. Do not use it for purposes other than its intended use.

Package Contents

Please verify that all components are present before beginning assembly. If any parts are missing or damaged, contact customer support.

- Main vertical support poles (stainless steel)
- 3-Tier drying grids/racks
- 2 Side wings with wave clips
- Base supports with 6 universal casters (2 with brakes)
- Connecting rods and fasteners
- Assembly hardware and tools (if included)

Setup and Assembly Instructions

Assembly is required. Follow these steps carefully. It is recommended to have two people for easier assembly.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, flat surface. Check against the package contents list.
2. **Attach Casters to Base:** Insert the 6 universal casters into the designated holes on the base supports. Ensure the 2 casters with brakes are positioned where they are easily accessible.
3. **Connect Vertical Poles:** Securely attach the vertical stainless steel support poles to the base supports using the provided fasteners.
4. **Install Drying Tiers:** Slide the three drying tiers onto the vertical poles. Each tier is height-adjustable. Position them at your desired height and secure them in place.
5. **Attach Side Wings:** Connect the two rotatable side wings to the top section of the vertical poles. These wings provide additional hanging space and feature wave clips for smaller items.
6. **Final Check:** Ensure all connections are tight and the rack is stable before use.



Figure 1: Visual guide for unfolding the drying rack from its compact storage position to fully open.



Figure 2: The HOMCOM 3-Tier Foldable Clothes Drying Rack fully assembled and in use.

Operating Instructions

Unfolding and Folding

The drying rack features a collapsible design for easy storage. To unfold, gently pull the vertical poles outwards until the tiers lock into place. To fold, release the locking mechanisms (if present) and push the vertical poles inwards, allowing the tiers and side wings to collapse.



Figure 3: The drying rack in its folded, space-saving configuration.

Adjusting Tier Height

Each of the three tiers can be adjusted independently. Locate the adjustment mechanism on the vertical poles for each tier. Press or release the lock, slide the tier to the desired height, and ensure it clicks securely into position before loading clothes.



Figure 4: Detail of the adjustable height feature for customizing drying space.

Using Side Wings and Casters

The two rotatable side wings extend to provide additional hanging space for smaller items or hangers. The 6 universal casters allow for easy movement of the rack. Two of these casters are equipped with brakes. Press down on the brake levers to lock the wheels and keep the rack stationary. Lift the levers to unlock and move the rack.



Figure 5: The easy-rolling casters with integrated brakes for stability and mobility.

Maintenance

- **Cleaning:** Wipe down the stainless steel and plastic components with a damp cloth and mild detergent. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Drying:** Ensure the rack is completely dry before folding and storing to prevent mildew or water spots.
- **Inspection:** Periodically check all fasteners and connections to ensure they remain tight. Retighten if necessary.
- **Storage:** When not in use, fold the rack to its compact size and store it in a dry, protected area.

Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Rack is unstable or wobbly.	Loose fasteners; uneven surface; overloaded.	Ensure all screws and connections are tight. Move to a flat, level surface. Reduce load to within weight capacity.
Casters do not roll smoothly.	Brakes engaged; debris in wheels.	Disengage caster brakes. Clean any debris from around the wheels.
Tiers are difficult to adjust.	Adjustment mechanism stuck or dirty.	Ensure the locking mechanism is fully disengaged. Clean any dust or grime from the adjustment points.
Rack does not fold completely.	Obstruction; incorrect folding sequence.	Check for any items obstructing the folding mechanism. Refer to the assembly diagram for the correct folding procedure.

Specifications

Brand: HOMCOM

Model Number: CA03-00620231

Color: White

Material: Stainless Steel

Product Dimensions (Overall): 55.9" W x 21.7" D x 59.8" H (142 cm W x 55 cm D x 152 cm H)

Folded Dimensions: Approximately 31.5" W x 5.1" D x 59.8" H (80 cm W x 13 cm D x 152 cm H)

Item Weight: 4.08 kg (approximately 9 lbs)

Maximum Weight Capacity: 33 lbs (approximately 15 kg)

Special Features: Adjustable Height, Foldable, Lightweight, Movable, Portable



Figure 6: Detailed dimensions of the drying rack.

Warranty and Support

For warranty information or customer support, please refer to the documentation included with your purchase or visit the official HOMCOM website. Keep your purchase receipt as proof of purchase for any warranty claims.

Manufacturer: Aosom Canada

Place of Business: Markham, Ontario, CA

Tel: 1-416-792-6088