

Pfister LG07-81BC

Pfister LG07-81BC Two-Handle Shower Trim System

Instruction Manual

INTRODUCTION

This instruction manual provides detailed information for the installation, operation, and maintenance of your Pfister LG07-81BC Two-Handle Shower Trim System. This product is designed for use in residential bathroom shower applications, featuring a polished chrome finish and a two-handle design for precise control of water temperature and flow. Please read this manual thoroughly before beginning installation or operation to ensure proper function and safety.



Image: The Pfister LG07-81BC shower trim system, showcasing the polished chrome showerhead and the two distinct control handles for hot and cold water.

SAFETY INFORMATION

Adherence to the following safety guidelines is crucial during installation and use of this product:

- Always turn off the main water supply before beginning any plumbing work.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Ensure all connections are secure and leak-free before restoring water supply.
- Do not use abrasive cleaners or harsh chemicals on the polished chrome finish, as this may damage the surface.

PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation. The Pfister LG07-81BC package typically includes:

- Showerhead with arm and flange
- Two (2) control handles (hot and cold)
- Mounting hardware and seals (may vary by specific kit)
- Installation instructions (this manual)

Note: The main valve body is typically sold separately and is required for a complete installation.

SPECIFICATIONS

| Feature | Detail |
|--------------------|---------------------------------|
| Model Number | LG07-81BC |
| Brand | Pfister |
| Color/Finish | Polished Chrome |
| Material | Zinc (body), Brass (handles) |
| Number of Handles | 2 |
| Mounting Type | Wall Mount |
| Item Weight | 3.1 Pounds (approx.) |
| Product Dimensions | 11 x 8.3 x 3.3 inches (approx.) |
| Flow Rate | 1.8 GPM (Gallons Per Minute) |
| UPC | 038877632420 |

INSTALLATION

This section outlines the general steps for installing the Pfister LG07-81BC shower trim system. It is highly recommended to consult a professional plumber for installation if you are not experienced with plumbing work. Ensure you have the compatible Pfister valve body installed behind the wall before proceeding.

1. **Prepare the Area:** Turn off the main water supply to your home. Clear the work area and ensure you have all necessary tools and components.
2. **Install Valve Trim Plate:** Secure the trim plate over the installed valve body according to the valve body's specific instructions. Ensure it is flush against the wall.
3. **Connect Showerhead Arm:** Apply plumber's tape to the threaded ends of the shower arm. Thread one end into the wall fitting and the other end into the showerhead. Tighten securely, but do not overtighten. Position the showerhead as desired.
4. **Install Handles:** Attach the hot and cold handles to their respective valve stems. Ensure they are properly aligned and secured with any provided set screws or fasteners. Test their movement to confirm smooth operation.

- 5. **Test for Leaks:** Slowly turn the main water supply back on. Check all connections for leaks. If leaks are detected, turn off the water supply and re-tighten connections as needed.
- 6. **Final Check:** Operate the shower to ensure proper water flow and temperature control.

OPERATION

The Pfister LG07-81BC features a two-handle design for independent control of hot and cold water, allowing for precise temperature mixing.

- **Turning On/Off:** Rotate the handles to turn the water flow on or off. Typically, turning counter-clockwise increases flow, and clockwise decreases flow.
- **Adjusting Temperature:**
 - To increase hot water, rotate the hot handle counter-clockwise.
 - To increase cold water, rotate the cold handle counter-clockwise.
 - Mix hot and cold water by adjusting both handles until the desired temperature is achieved.
- **Showerhead Adjustment:** The showerhead may feature adjustable spray settings. Rotate the outer ring or adjust the nozzles on the showerhead face to change the spray pattern.

MAINTENANCE AND CLEANING

Proper care will help maintain the polished chrome finish and extend the life of your Pfister shower trim system.

- **Regular Cleaning:** Clean the surface with a soft, damp cloth and mild soap. Rinse thoroughly with clean water and dry with a soft towel to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, ammonia-based cleaners, or any cleaners containing bleach, acids, or harsh chemicals. These can damage the polished chrome finish and void the warranty.
- **Mineral Deposits:** For stubborn mineral deposits, use a solution of white vinegar and water (50/50 mix) applied with a soft cloth. Allow it to sit for a few minutes, then rinse thoroughly and dry.
- **Showerhead Nozzle Cleaning:** If water flow from the showerhead becomes uneven, mineral deposits may be clogging the nozzles. Gently rub the rubber nozzles with your finger or a soft brush to dislodge deposits. For more severe clogs, the showerhead may need to be removed and soaked in a vinegar solution.

TROUBLESHOOTING

This section addresses common issues you might encounter with your shower trim system.

| Problem | Possible Cause | Solution |
|---------------------------|--|--|
| Low Water Pressure | Clogged showerhead nozzles; partially closed shut-off valves; issues with main water supply. | Clean showerhead nozzles as described in Maintenance; ensure shut-off valves are fully open; consult a plumber if main supply is suspected. |
| Leaking from Handles/Trim | Loose connections; worn O-rings or gaskets in the valve body (not part of trim kit). | Ensure trim plate and handles are securely fastened; if leak persists, the issue is likely with the valve body and may require professional service. |

| Problem | Possible Cause | Solution |
|--------------------------|---|--|
| Water Temperature Issues | Improper adjustment of hot/cold supply; issues with water heater; valve body malfunction. | Adjust hot and cold handles to achieve desired mix; check water heater settings; if problem persists, consult a plumber. |

WARRANTY AND SUPPORT

Pfister products are backed by a comprehensive warranty. For specific warranty details pertaining to your LG07-81BC model, please refer to the warranty information provided with your original purchase documentation or visit the official Pfister website.

For technical assistance, replacement parts, or warranty claims, please contact Pfister Customer Service:




- **Website:** www.pfisterfaucets.com
- **Phone:** Refer to the Pfister website for current customer service phone numbers.


When contacting support, please have your product model number (LG07-81BC) and date of purchase readily available.




© 2024 Pfister. All rights reserved.
Information in this manual is subject to change without notice.

Related Documents

| | |
|---|--|
|  | <p>Pfister Bronson Toilet Paper Holder Installation Guide BPH-BS1</p> <p>Installation guide for the Pfister Bronson™ Toilet Paper Holder (Model BPH-BS1). Provides step-by-step instructions for mounting brackets and attaching the holder, including required tools, parts list, safety warnings, cleaning advice, and warranty information.</p> |
|  | <p>Pfister Park Avenue 016-FEO Diverter Trim Quick Installation Guide</p> <p>This guide provides essential instructions for installing the Pfister Park Avenue 016-FEO Diverter Trim. It includes safety warnings, required tools, parts list, and step-by-step assembly instructions.</p> |
|  | <p>Pfister R89-1WR / LG89-XWR Tub & Shower Trim Quick Installation Guide</p> <p>Concise, SEO-optimized installation guide for Pfister R89-1WR and LG89-XWR Tub & Shower Trim kits. Features step-by-step instructions, required tools, parts list, safety warnings, and multilingual support.</p> |



Documents - Pfister – LG07-81BC




[\[pdf\]](#) Specifications Dimension Guide Guide Warranty

Pfister LG07 81BC Dimensions Guide 07 Series Chrome 2 handle Bathtub and Shower Faucet

038877632420 49967794 lowes productdocuments def58011 dc59 4d0e b058 f52c22f6b165 |||

Pfister Series™ Tub Shower **LG07-81BC** Finish C q LG07-8CBC Finish C q LG07-8CPC Finish C q Specifications Trim Only Features Code Compliance 1.8 GPM Flow Rate Showerhead Trim Only, Valve Not Included. Pfister products are designed and

lang:en score:54 filesize: 578.3 K page_count: 1 document date: 2019-11-26




[\[pdf\]](#) User Manual Warranty

Pfister LG07 81BC Installation Manual 07 Series Chrome 2 handle Bathtub and Shower Faucet

038877632420 44170181 lowes productdocuments 0a48482c 075c 4d90 8f8c fbef04844bf6 |||

LG07 For Por Pour **LG07-81BC** Shower Only Two handles . Valve Trim Ducha solamente Dos manijas . Vlvula y Acabado Douche seulement Deux poignes . Valve et Garniture COPY Pfister Lifetime Limited Mechanical Pfinish Warranty Covers Pfinish and Pfunction for as Long as You Own Your Home Comm...

lang:es score:43 filesize: 2.38 M page_count: 8 document date: 2019-05-24



[\[pdf\]](#) Installation Guide Guide Warranty Catalog

2 Handle Wall Mount Tub and Shower Trim Kit in Polished Chrome with Metal Lever Handles Valve Not Included Installation Guide Pfister LG07 81BC 038877632420 0038877632420 1006824951 f9062643 94b3 47d5 96a9 4bc41c8807df images thdstatic catalog Images f9 |||

G07 For Por Pour G07-81BC Shower Only Two handles . Valve Trim Ducha solamente Dos manijas . Vlvula y Acabado Douche seulement Deux poignes . Valve et Garniture SAMPLE COPY Pfister Lifetime Limited Mechanical Pfinish Warranty Covers Pfinish and Pfunction for as Long as You Own Your Home Co...

lang:es score:32 filesize: 2.01 M page_count: 8 document date: 2016-06-07




[\[pdf\]](#) Guide Warranty Pricing Guide

Wholesale Price Guide 2018 s7d1 scene7 is content Pfister

2180 WHOLESALE PRICE GUIDE NEW COLLECTIONS RHEN CONTEMPRA
BRUSHED GOLD MATTE BLACK STELLEN WI ... er Handles 81B Only Tub Shower
Lever handles onMy e 8ta1IBCOronslys Handles 88C-5B/32Only **LG07-81BC**
FinishP Cor cgelain Cross Handle 2s07 .84 CP Only 2-31/32 75.1 IAPMO Certified
CSA ...

lang:en **score:32** filesize: 162.63 M page_count: 324 document date: 2017-12-22




[\[pdf\]](#) Specifications Dimension Guide Warranty

Query ASSET ID 3509436 USE TYPE SPECIFICATION PRODUCT 7373457 api ferguson dar step
service

Pfirst Series™ Tub Shower **LG07-81BC** Finish C q LG07-8CBC Finish C q LG07-
8CPC Finish C q Specifications Trim Only Features Code Compliance 1.8 GPM Flow
Rate Showerhead Trim Only, Valve Not Included. Pfister products are designed and
Multi-Function Showerhead Order 07-31XA Valve m...

lang:en **score:25** filesize: 576.12 K page_count: 1 document date: 2017-09-28



[\[pdf\]](#) Warranty

LG07Limited Warranties Pfister warrants that for as long the original purchaser owns home in which
product Product1458255secure img1 ag wfcdn docresources 145 1458255 |||

LG07 For Por Pour **LG07-81BC** Shower Only Two handles . Valve Trim Ducha
solamente Dos manijas . Vlvula y Acabado Douche seulement Deux poignes . Valve
et Garniture COPY Pfister Lifetime Limited Mechanical Pfinish Warranty Covers
Pfinish and Pfunction for as Long as You Own Your Home Comm...

lang:es **score:22** filesize: 2.38 M page_count: 8 document date: 2017-08-07



[\[pdf\]](#) Warranty

Query ASSET ID 3510893 USE TYPE INSTALLATION PRODUCT 7373457 api ferguson dar step service

LG07 For Por Pour **LG07-81BC** Shower Only Two handles . Valve Trim Ducha
solamente Dos manijas . Vlvula y Acabado Douche seulement Deux poignes . Valve
et Garniture COPY Pfister Lifetime Limited Mechanical Pfinish Warranty Covers
Pfinish and Pfunction for as Long as You Own Your Home Comm...

lang:es **score:18** filesize: 2.38 M page_count: 8 document date: 2017-08-07

