

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [COSTWAY](#) /

› [COSTWAY 2-in-1 Rolling Cabinet Storage Chest Box User Manual \(Model VD-34996BKTL\)](#)

## COSTWAY VD-34996BKTL

# COSTWAY 2-in-1 Rolling Cabinet Storage Chest Box Garage Toolbox Organizer

Model: VD-34996BKTL

## INTRODUCTION

---

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your COSTWAY 2-in-1 Rolling Cabinet Storage Chest Box. Please read this manual thoroughly before assembly and use to ensure safe and efficient operation. Keep this manual for future reference.

## SAFETY INFORMATION

---

**Always secure the cabinet when not in use to prevent tipping.** Use the brakes on the casters to keep it in place. Be cautious when moving the cabinet to avoid injury from the handle or casters. Do not overload drawers. Distribute weight evenly to maintain stability. Keep children away from the unit during assembly and operation.

## PARTS LIST

---

Before beginning assembly, ensure all parts are present and undamaged. If any parts are missing or damaged, do not proceed with assembly. Contact customer support for assistance.

- Top Tool Chest (with 4 small drawers and locking mechanism)
- Rolling Cabinet Base (with 2 large drawers, 1 bottom cabinet, and side handle attachment points)
- Casters (4 total, 2 with brakes)
- Side Handle
- Keys for Top Tool Chest Lock
- Assembly Hardware (screws, nuts, washers)
- Side Hooks (for pegboard section)



Figure 1: Fully assembled COSTWAY 2-in-1 Rolling Cabinet Storage Chest Box.

## ASSEMBLY INSTRUCTIONS

Follow these steps carefully for proper assembly. It is recommended to have two people for certain steps.

- 1. Unpack Components:** Carefully remove all parts from the packaging. Lay them out on a clean, flat, and soft surface to prevent scratches.
- 2. Attach Casters to Rolling Cabinet Base:**
  - Identify the four casters. Two casters will have locking brakes.
  - Attach the casters to the bottom of the rolling cabinet base using the provided hardware. Ensure the two locking casters are installed on the same side for easier access.
  - Tighten all screws securely.
- 3. Install Side Handle:**

- Locate the side handle and the corresponding mounting holes on the side of the rolling cabinet base.
- Attach the handle using the provided screws and tighten them firmly.

#### 4. Place Top Tool Chest:

- Carefully lift the top tool chest and align it with the top surface of the rolling cabinet base.
- Ensure it is centered and stable. The top chest can be used separately or placed on the rolling cabinet.

#### 5. Install Side Hooks:

- Insert the provided hooks into the pegboard holes on the side of the rolling cabinet base. These are for hanging smaller tools.



Figure 2: Product dimensions for both the top chest and rolling cabinet.



Figure 3: Detailed features including universal wheels, side handle, external locking system, ball-bearing slides, and side hooks.

---

## 1. Using Drawers:

- The drawers feature ball-bearing slides for smooth opening and closing. Pull the drawer handle gently to open and push firmly to close.
- Avoid slamming drawers to prevent damage to the slides.
- Distribute the weight of tools evenly within each drawer.



Figure 4: Top chest and rolling cabinet with drawers extended, demonstrating storage space.

## 2. Locking Mechanism:

- The top tool chest is equipped with a lock to secure its contents. Insert the key and turn to lock or unlock.

- Ensure all drawers in the top chest are fully closed before locking.
- Keep spare keys in a safe place.

### 3. Moving the Cabinet:

- To move the cabinet, unlock the two braking casters by flipping their levers.
- Use the side handle to steer and push the cabinet to your desired location.
- Once in position, engage the brakes on the casters to prevent unintended movement.

### 4. Separating the Units:

- The top tool chest can be lifted off the rolling cabinet base for separate use or transport.
- Ensure the top chest is empty or its contents are secured before lifting.



Figure 5: The top tool chest and rolling cabinet base shown as separate units.

## MAINTENANCE

- **Cleaning:** Wipe down the exterior surfaces with a soft, damp cloth. Avoid abrasive cleaners that may damage the

powder-coated finish.

- **Drawer Slides:** Periodically check the ball-bearing slides for smooth operation. If they become stiff, apply a small amount of silicone lubricant.
- **Casters:** Inspect casters regularly for debris or damage. Clean as needed to ensure smooth rolling and effective braking.
- **Hardware:** Periodically check all screws and bolts for tightness. Retighten if necessary to maintain structural integrity.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Drawers are stiff or difficult to open/close.	Overloaded drawer; debris in slides; dry slides.	Reduce weight in drawer; clean slides; apply silicone lubricant to ball-bearing slides.
Cabinet does not roll smoothly.	Caster brakes engaged; debris in casters; damaged casters.	Disengage caster brakes; clean casters; replace damaged casters if necessary.
Top chest lock is not working.	Drawer not fully closed; key not fully inserted or turned.	Ensure all top chest drawers are fully closed; insert key completely and turn firmly.
Cabinet feels unstable.	Uneven weight distribution; loose caster bolts.	Redistribute contents evenly; tighten all caster bolts and assembly hardware.

## SPECIFICATIONS

- **Model:** VD-34996BKTL
- **Dimensions (Overall):** 13"D x 23.5"W x 42.5"H
- **Material:** Alloy Steel (Powder Coated Finish)
- **Number of Drawers:** 6 (4 small in top chest, 2 large in rolling cabinet)
- **Storage:** Top chest, 6 drawers, 1 bottom cabinet, side pegboard with hooks
- **Casters:** 4 (2 with brakes)
- **Special Features:** Lockable top chest, ball-bearing drawer slides, side handle
- **Item Weight:** 51.5 Pounds
- **Assembly Required:** Yes

## WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your purchase or contact COSTWAY customer service directly. Contact details are typically available on the manufacturer's website or original packaging.