

## Mamibot W120-T

# Mamibot W120-T iGLASSBOT Robot Window Cleaner User Manual

Model: W120-T

## 1. INTRODUCTION

---

Thank you for choosing the Mamibot W120-T iGLASSBOT Robot Window Cleaner. This intelligent device is designed to simplify window cleaning, offering efficient and safe operation for various smooth surfaces. Please read this manual thoroughly before operating the device to ensure proper use and maintenance.

The W120-T features intelligent path planning, anti-falling sensors, and edge detection technology, making it suitable for both interior and exterior high-rise windows, glass doors, mirrors, and tiles.

## 2. SAFETY INFORMATION

---

### Important Safety Precautions:

- Always attach the safety rope securely before operating the robot, especially for high-altitude cleaning. The safety rope is designed to prevent the robot from falling in case of power loss or detachment.
- Ensure the power adapter and extension cable are properly connected and secured.
- The built-in 600mAh battery provides approximately 20 minutes of backup power, allowing the robot to remain attached and sound an alarm if the main power supply is suddenly cut. Retrieve the robot promptly in such an event.
- Do not use the robot on windows with gaps in the middle, skylights, or inclined work surfaces, as this may compromise suction and safety.
- Keep hands, hair, and loose clothing away from the robot's moving parts during operation.
- Do not immerse the robot in water or other liquids.
- Use only Mamibot-approved accessories and cleaning solutions.
- Store the robot in a cool, dry place when not in use.

# Mamibot

## Safety Rope

The strong safety rope prevents the window cleaning robot from falling.



Figure 2.1: Securely attaching the safety rope to prevent falls.

### 3. PACKAGE CONTENTS

Verify that all items are present in the package:

- Mamibot W120-T Robot Window Cleaner
- Power Adapter
- Remote Control
- Extension Cable
- Cleaning Pads (multiple)
- Cleaning Solution
- Safety Rope
- User Manual (this document)



Figure 3.1: Mamibot W120-T robot and its primary control accessories.

#### 4. PRODUCT OVERVIEW AND COMPONENTS

The Mamibot W120-T is designed for efficient and thorough cleaning of smooth vertical surfaces. Key features include:

- **Powerful Suction:** 3000Pa suction power ensures the robot firmly adheres to the cleaning surface.
- **Multiple Control Options:** Operate via a one-touch button, remote control, or a dedicated smartphone application.
- **Intelligent Path Planning:** Utilizes Z, N, or Z-to-N cleaning patterns for comprehensive coverage.
- **Safety Features:** Multi-direction anti-falling sensors and a robust safety rope.
- **Quiet Operation:** Operates at a noise level below 65dB.

# Covering all areas of the surface that need to be cleaned



Figure 4.1: Illustration of the 3000Pa strong suction mechanism.

# Free Your Hands and Enjoy Life




Figure 4.2: Available control methods for the W120-T.

# Mamibot

## Extremely Quiet

The operating noise level is less than 65dB.



Figure 4.3: The W120-T operates quietly, with a noise level below 65dB.

## 5. SETUP AND PREPARATION

1. **Charge the Robot:** Before first use, fully charge the robot's internal battery. Connect the power adapter to the robot and a power outlet. The charging indicator will show the status.
2. **Attach Cleaning Pads:** Securely attach clean cleaning pads to the bottom of the robot. Ensure they are properly aligned and cover the designated areas.
3. **Apply Cleaning Solution:** Lightly spray the cleaning solution onto the cleaning pads, or directly onto the window surface if preferred. Do not oversaturate the pads.
4. **Connect Power and Extension Cable:** Connect the power adapter to the robot and then to a power outlet. If needed, use the provided extension cable to reach distant windows.
5. **Secure Safety Rope:** Attach the safety rope to the designated attachment point on the robot. Secure the other end of the safety rope to a strong, fixed object (e.g., a sturdy furniture leg, a window frame anchor) that can withstand the robot's weight. This is a critical safety step.

## 6. OPERATING INSTRUCTIONS

The W120-T offers flexible control options:

### 6.1 Placing and Starting the Robot

1. Ensure the window surface is free of large debris that could scratch the glass or impede the robot's movement.
2. With the power connected and safety rope secured, place the robot onto the window surface. Ensure the suction fan starts immediately, indicating it has adhered firmly.
3. Press the power button on the robot, or use the remote control/APP to start cleaning.

### 6.2 Cleaning Modes and Control

The robot can be controlled via:

- **One-Touch Button:** Press the main power button on the robot to start or pause cleaning.

- **Remote Control:** Use the provided remote control to start, stop, change cleaning paths (Z, N, Z-to-N), or manually direct the robot.
- **APP Control:** Download the Mamibot APP from your smartphone's app store. Connect the robot via Wi-Fi. The app allows for comprehensive control, including starting/stopping, selecting cleaning modes, and monitoring status.



Figure 6.1: Intelligent cleaning routes (Z, N, Z-to-N patterns) for comprehensive coverage.

### 6.3 Removing the Robot

Once cleaning is complete or you wish to stop, the robot will typically return to its starting position or a reachable edge. Carefully grasp the robot, turn off the power, and gently detach it from the surface. Always ensure you have a firm grip before releasing the suction.

## 7. MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your Mamibot W120-T.

- **Cleaning Pads:** After each use, remove the cleaning pads. They can be hand-washed or machine-washed with mild detergent. Allow them to air dry completely before reattaching or storing. Replace pads when they show significant wear or loss of cleaning effectiveness.
- **Robot Body:** Wipe the exterior of the robot with a soft, damp cloth. Do not use abrasive cleaners or immerse the robot in water.
- **Sensors:** Periodically clean the anti-falling and edge detection sensors with a dry, soft cloth to ensure they function correctly.
- **Storage:** Store the robot and its accessories in a clean, dry place away from direct sunlight and extreme temperatures.

## 8. TROUBLESHOOTING

If you encounter issues with your Mamibot W120-T, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Robot does not stick to the window.	Insufficient suction; surface too dirty or uneven; power issue.	Ensure power adapter is securely connected. Check for large debris on the window. Ensure cleaning pads are not overly wet. Robot is not suitable for windows with gaps, skylights, or inclined surfaces.
Robot stops or sounds an alarm.	Power supply cut; low battery; sensor obstruction; edge detected.	Check power connection. If power is cut, the internal battery provides 20 mins of power; retrieve the robot promptly. Clean sensors. Robot may have reached an edge or frame.
Poor cleaning performance.	Dirty cleaning pads; insufficient cleaning solution; stubborn stains.	Replace or clean cleaning pads. Apply more cleaning solution. For stubborn stains, pre-clean the area or run the robot multiple times.

Problem	Possible Cause	Solution
Remote control or APP not responding.	Batteries in remote dead; APP not connected; robot not powered on.	Replace remote control batteries. Ensure robot is powered on and Wi-Fi is enabled for APP control. Re-pair APP if necessary.

## 9. SPECIFICATIONS

Feature	Detail
Model	W120-T
Dimensions (L x W x H)	25 x 25 x 10 cm (9.84" x 9.84" x 3.94")
Net Weight	1.35 kg
Cleaning Speed	2.5 min/sqm
Suction Power	3000 Pa
Charging Time	Approx. 1 hour
Battery Capacity	600 mAh (built-in)
Noise Level	< 65 dB
Color	White
Special Features	High-Altitude Window Cleaning, Wet or Dry Use, Window Vacuuming, Intelligent Path Planning, Anti-Falling & Edge Detection

## 10. WARRANTY AND SUPPORT

**Warranty:** The Mamibot W120-T comes with a 1-year warranty from the date of purchase. Please retain your proof of purchase for warranty claims. The warranty covers manufacturing defects and malfunctions under normal use conditions.

**Customer Support:** For technical assistance, troubleshooting beyond this manual, or warranty inquiries, please contact Mamibot customer support. Refer to the contact information provided on the product packaging or the official Mamibot website.

*Note: As no official product video URLs were provided in the input, no videos could be embedded in this manual.*

© 2024 Mamibot. All rights reserved.

## Related Documents

	<a href="#">Mamibot W120 iGLASSBOT Robot Window Cleaner User Manual</a> Comprehensive user manual for the Mamibot W120 iGLASSBOT Robot Window Cleaner, covering safety instructions, product features, installation, operation, maintenance, troubleshooting, warranty, and environmental information.
	<a href="#">Mamibot iGLASSBOT W120-P Robot Window Cleaner User Manual</a> User manual for the Mamibot iGLASSBOT W120-P Robot Window Cleaner, detailing safety instructions, specifications, product description, cleaning modes, installation, operation, app usage, maintenance, troubleshooting, and recycling.
	<a href="#">Mamibot W120-T User Manual</a> User manual for the Mamibot W120-T window cleaning robot, providing instructions for setup, operation, safety, and app connectivity.
	<a href="#">Mamibot Window Cleaner Robot - Safety, Operation, and Technical Specifications</a> Comprehensive guide for the Mamibot Window Cleaner Robot, covering safety instructions, handling, cleaning, technical specifications, and disposal. Includes information on power adapter, wireless and Bluetooth modules, and environmental conditions.



[Mamibot W120-T User Manual](#)

User manual for the Mamibot W120-T window cleaning robot, providing instructions for setup, operation, safety, and app connectivity  
lang:en score:45 filesize: 931.86 K page\_count: 76 document date: 2023-04-06



[\[pdf\] User Manual Instructions Diagram](#)

mamibot iglassbot w120 t user manual myrobotcenter co uk en gb mw link id 777


The expert for robots in your home With one click to the online shop myRobotcenter.eu myRobotcenter.co.uk myRobotcenter EN DE Safety Instructions and Warning..... 3 1.1 N...  
lang:en score:43 filesize: 1.18 M page\_count: 13 document date: 2020-06-22



[\[pdf\]](#)

Robot do mycia okien Mamibot W120 T czarno niebieski Sklep internetowy stylom.pl robot mamibot w120 t 156025 upload files product |||

Robot do mycia okien Mamibot **W120-T** czarno-niebieski Indeks: 156025 Producent: Mamibot Kod producenta: **W120-T** black Cena: 1,116.69 zł  
Producent: Mamibot Cechy Kolor produktu: Niebieski, Czarny Wbudowane UPS: Tak Materiały: Tworzywo Sztuczne Latwy w...  
lang:pl score:38 filesize: 696.45 K page\_count: 3 document date: 2022-08-03



[\[pdf\]](#)

Robot do mycia okien Mamibot W120 T biały Sklep internetowy stylom.pl robot mamibot w120 t biały 102367 upload files product |||

Robot do mycia okien Mamibot **W120-T** biały Indeks: 102367 Producent: Mamibot Kod producenta: **W120-T** white Cena: 1,019.63 zł  
Cechy Wykrywanie krawdźki: Tak Latwy w uyciu: Tak Materiały: Tworzywo Sztuczne Wbudowane UPS: Tak Poziom ha...  
lang:pl score:38 filesize: 830.55 K page\_count: 3 document date: 2022-08-03



[\[pdf\] User Manual Instructions Diagram](#)

The expert for robots in your home Robots Home myrobotcenter.eu user manual mamibot iglassbot w120t User myRobotcenter appliance must be used according to the instructions responsible for any damages or injuries caused by improper use 4 1 Important Safety Instructions and Warning 3 Risk of Electric Shock! 6 2 Description Parameters Abo Yet Manual Move Left B Start Cleaning Choose Z N type automatically STOP Stop Restart It is G wireless remote control which can control the robot within a maximum of 15 meters

The expert for robots in your home With one click to the online shop myRobotcenter.eu myRobotcenter.co.uk myRobotcenter EN DE Safety Instructions and Warning..... 3 1.1 N...  
lang:en score:38 filesize: 1.17 M page\_count: 13 document date: 2020-06-22



[pdf]

Acierczki do robota do mycia okien Mamibot W120 T szary 2szt Sklep internetowy stylem pl sciareczki mamibot w120 t 156024 upload files product |||  
ciereczki do robota do mycia okien Mamibot W120-T szary 2szt Indeks: 156024 Producent: Mamibot Kod producenta: 6970626161284  
W120-T szary 2szt Producent: Mamibot Szczegly Techniczne Kolor produktu: Szary Materialy: Mikrofibra Zmywal...  
lang:so score:37 filesize: 207.11 K page\_count: 1 document date: 2023-08-03



[pdf]

Acierczki do robota mycia okien Mamibot W120 T 2szt Sklep internetowy stylem pl sciareczki mamibot w120 t zolty 155883 upload files product |||  
ciereczki do robota do mycia okien Mamibot W120-T lty 2szt Indeks: 155883 Producent: Mamibot Kod producenta: 6970626161284  
lty 2szt Producent: Mamibot Szczegly Techniczne Materialy: Mikrofibra Zmywalny: Tak Typ produktu: cier...  
lang:sw score:37 filesize: 771.17 K page\_count: 2 document date: 2023-07-26

[pdf] User Manual

WINDOW CLEANING ROBOT MAMIBOT W120 T Dominika Kopycka Katarzyna Pyzik avXperten Do you find window cleaning a tiresome task This is the job for o  
srlsId AfmBOoqM7ToDY0n H9gEQrD2ClYrLdc7xuibq3h T3wmmRRfXCFJK608 avxperten dk files 49869 avXpertenWINDOW avXpertenDo 2x1mThe suitable any  
glass balcony railing large windows shower cabins and store front Internal externalThe mirrors The has remote app control fall protection 6m cord 4 cloths 3 modes  
rotation speed of 22 000 rpm which guarantees high power lowest possible noise leaflet AfmBOoqWS5XjPumNkndnbQdSN6V13JJPxReruhgei ROBxA7RbHoOA0Cleatlet AfmBOopZJ2OpnEXvNjuw7rvNmn7xpHuqNdXOmelhKech 9PZsRLVleaflet Af  
AfmBOookSrzh8sBKk2b2pGv3mRMCvWnC6W15m BU1 CauBjAuKijuGavxperten T3wmmRRfXCFJK608avxperten 2havxperten kiedMisJkYUO37rfoSsFPBbIG1  
GQe1IAHdfbKqEi7IK1FaMVkMxxHkrQX1hsNw2LL9I7xavxperten AfmBOoo6De4Bj0Cd36CtkiYbxUo9f84IzTE15TgMfyxpr117nmM43cM6O noise The 3000Pa suction  
AfmBOoo6De4Bj0Cd36CtkiYbxUo9f84IzTE15TgMfyxpr117nmM43cM6Oavxperten AfmBOoohP58PEnBdtel2 b xK1 1 wzadv7G1 eiswlMG61c2BEho bAT noise Mami  
Tavxperten possibleMamibot AfmBOoorLcOrsA7drz9xUpfdVYhA9BjR5ipm8rMOAW9uL2iq9Y PIZavxperten minsMamibot possibleleaflet bATavxperten AfmBOo  
bM89CGthMlcjB17vprTsmB E6zhMHMOI9dAW63RuPoavxperten YEqaXBYYP3I2KB3htLQhgmCjXkDfYLEoEQ3WxCOehJuzMavxperten AfmBOoocnGASdPNB  
AfmBOoooolyYaq5Vv4xFbveQdDLCoqBxX6omzhwF05GYlarEiOM9bySkavxperten minsThe AfmBOoqLLJBkm6khWk2ak2T9uKRSJvQ14G4xmM7RbRomehhE20c  
AC adapter User manual Remote Extension Cleaning pads fluid Safety leaflet 0QWHZ014IkAEojg1wnkCMhavxperten AfmBOorDeDFgVWUy gHkSNLah2pPhWWh  
AfmBOoqFIYHU2LHttVpzUQ5CirmoeyUfkR HqieE2u6SmaiNkg9ZD2 ||| ||| WINDOW CLEANING ROBOT MAMIBOT W120-T Mamibot W120-T window cleaning r  
control Controlled via the iGlassBot application Fall protection Power cord range up t ||| WINDOW CLEANING ROBOT MAMIBOT W120-T Mamibot W120-T window  
remote control Controlled via the iGlassBot application Fall protection Power cord range up t ||| WINDOW CLEANING ROBOT MAMIBOT W120-T Mamibot W120-T  
Controlled by remote control Controlled via the iGlassBot application Fall protection Power cord range up t ||| WINDOW CLEANING ROBOT MAMIBOT W120-T M  
control Controlled by remote control Controlled via the iGlassBot application Fall protection Power cord range up t ||| WINDOW CLEANING ROBOT MAMIBOT W1:  
remote control Controlled by remote control Controlled via the iGlassBot application Fall protection Power cord range up t ||| WINDOW CLEANING ROBOT MAMIB  
on the remote control Controlled by remote control Controlled via the iGlassBot application Fall protection Power cord range up t ||| WINDOW CLEANING ROBOT I  
button on the remote control Controlled by remote control Controlled via the iGlassBot application Fall protection Power cord range up t ||| WINDOW CLEANING R  
Controlled by a button on the remote control Controlled by remote control Controlled via the iGlassBot application Fall protection Power cord range up t ||| WINDOV  
features: Controlled by a button on the remote control Controlled by remote control Controlled via the iGlassBot application Fall protection Power cord range up t |||  
robot Key features: Controlled by a button on the remote control Controlled by remote control Controlled via the iGlassBot application Fall protection Power cord ra  
cleaning robot Key features: Controlled by a button on the remote control Controlled by remote control Controlled via the iGlassBot application Fall protection Pow  
WINDOW CLEANING ROBOT MAMIBOT W120-T Mamibot W120-T window cleaning robot Key features: Controlled by a button on t  
iGlassBot application Fall protection Power cord range up to 6m 4 cleaning cloths GearBrain Award at the IFA2918...  
lang:en score:36 filesize: 1.14 M page\_count: 4 document date: 2022-04-13



[pdf] User Manual

The expert for robots in your home Robots Home myrobotcenter eu manual de instrucciones myRobotcenter Manual Solución limpieza Control remoto Cuerda seg  
adaptador No permita que los niños utilicen el electrodoméstico A las personas con capacidades físicas sensoriales o mentales reducidas falta experiencia mami  
The expert for robots in your home With one click to the online shop myRobotcenter.eu myRobotcenter.co.uk myRobotcenter ES W1  
INSTRUCCIONES V.20181010 Contenido 1. Instrucciones de seguridad y advertencias importantes .....  
lang:es score:36 filesize: 996.65 K page\_count: 12 document date: 2020-06-25



[pdf] Datasheet

Read more Mamibot Raamreiningsrobot Kopen OP Nieuwe en originele producten W120 T GoDeal datasheet 6 gotdeal nl 2022 07 |||  
WINDOW CLEANING ROBOT MAMIBOT W120-T Mamibot W120-T window cleaning robot Key features: Controlled by a button on t  
iGlassBot application Fall protection Power cord range up to 6m 4 cleaning cloths GearBrain Award at the IFA2918...  
lang:en score:34 filesize: 428.23 K page\_count: 3 document date: 2022-07-14



[pdf] User Manual Instructions Specifications Diagram

030917 BDA Iglassbot W120 alle Sprachen print indd Download MAMIBOT DOWNLOAD CENTER MANUAL OF SPECIFICATIONS T multi language manual2021 Contents 1. Important Safety Instructions and Warning..... T..... lang:en score:34 filesize: 156.4 M page\_count: 72 document date: 2021-01-26



[pdf]

WINDOW CLEANING ROBOT MAMIBOT W120 T Dominika Kopycka Katarzyna Pyzik Mamibot robot is equipped with a brushless precise motor rotation speed of T9L3g9F4n06081q6i3v3j4c484H6M5g8 icecat action pl files ||| WINDOW CLEANING ROBOT MAMIBOT W120-T Mamibot W120-T window cleaning robot Key features: Controlled by a button on iGlassBot application Fall protection Power cord range up to 6m 4 cleaning cloths GearBrain Award at the IFA2918... lang:en score:34 filesize: 508.65 K page\_count: 4 document date: 2021-10-05



[pdf]

MAMIBOT W120 T iGLASSBOT Robot za čišćenje oken Zahvaljujemo se vam nakup robotskega čistilca Mamibot Želimo da prinese lažje in udobnejše doma 1 Po MAMIBOT W120-T iGLASSBOT - Robot za ciscenje oken NAVODILA ZA UPORABO Vse pravice so pridrzane s strani Mamibot in s za nakup robotskega čistilca oken Mamibot W120-T iGLASSBOT. Zelimo, da vam prinese lazje in udobnejše ciscenje doma. ... lang:hr score:33 filesize: 982.71 K page\_count: 3 document date: 2023-03-29



[pdf]

WINDOW CLEANING ROBOT MAMIBOT W120 T Dominika Kopycka Katarzyna Pyzik avXperten The Mamibot window cleaning robot is suitable for any smooth s 20096198 srsltid AfmB0oOp2un DirYx7ACgX2 EbCOpzZQZyBxxJ05ssGXHEclUyZNCIS avxperten no files 49877 ||| WINDOW CLEANING ROBOT MAMIBOT W120-T Mamibot W120-T window cleaning robot Key features: Controlled by a button on iGlassBot application Fall protection Power cord range up to 6m 4 cleaning cloths GearBrain Award at the IFA2918... lang:en score:33 filesize: 508.65 K page\_count: 4 document date: 2021-10-05



[pdf] User Manual Instructions Specifications Diagram

030917 BDA Iglassbot W120 alle Sprachen print indd DownloadMAMIBOT DOWNLOAD CENTER MANUAL OF MAMIBOT SPECIFICATIONSW120 T multi langu: f66283beeb2a4942acc5726cb177764 index true DownloadDownloadMAMIBOT SPECIFICATIIONSMAMIBOT manual20210126W120 truemamibot el DownloadD DownloadDownloadDownloadDownloadDownloadMAMIBOT es DownloadDownloadDownloadDownloadDownloadDownloadMAMIBOT ru DownloadDownloadDow DownloadDownloadDownloadDownloadDownloadDownloadDownloadDownloadDownloadMAMIBOT cs DownloadDownloadDownloadDownloadDownloadDownloadDowlo: Warning 3 1.1 Note . 3 1.2 Safety Information 3 1.3 Risk of Electric Shock 4 1.4 Warning . 4 2. Product Description Parameters 5 2.1 Product Diagram . 5 2.2 Prodt 3 1.1 Note . 3 1.2 Safety Information 3 1.3 Risk of Electric Shock 4 1.4 Warning . 4 2. Product Description Parameters 5 2.1 Product Diagram . 5 2.2 Product Pararr Note . 3 1.2 Safety Information 3 1.3 Risk of Electric Shock 4 1.4 Warning . 4 2. Product Description Parameters 5 2.1 Product Diagram . 5 2.2 Product Parameters 1.2 Safety Information 3 1.3 Risk of Electric Shock 4 1.4 Warning . 4 2. Product Description Parameters 5 2.1 Product Diagram . 5 2.2 Product Parameters . 6 2.3 V Safety Information 3 1.3 Risk of Electric Shock 4 1.4 Warning . 4 2. Product Description Parameters 5 2.1 Product Diagram . 5 2.2 Product Parameters . 6 2.3 Wha Information 3 1.3 Risk of Electric Shock 4 1.4 Warning . 4 2. Product Description Parameters 5 2.1 Product Diagram . 5 2.2 Product Parameters . 6 2.3 What s in ||| Information 3 1.3 Risk of Electric Shock 4 1.4 Warning . 4 2. Product Description Parameters 5 2.1 Product Diagram . 5 2.2 Product Parameters . 6 2.3 What s in ||| Information 3 1.3 Risk of Electric Shock 4 1.4 Warning . 4 2. Product Description Parameters 5 2.1 Product Diagram . 5 2.2 Product Parameters . 6 2.3 What s in Contents 1. Important Safety Instructions and Warning..... T..... lang:en score:31 filesize: 156.4 M page\_count: 72 document date: 2021-01-26



[pdf]

030917 BDA Iglassbot W120 alle Sprachen print indd 2 Puhh iGLASSBOT KASUTUSJUHEND Expert Täname Mamibot T aknapuhastusroboti ostmise eest Looda w120 t ET expert ee media Juhendid |||

W120 iGLASSBOT Aknapesurobot KASUTUSJUHEND Mamibot, kik igused kaitstud Sisukord 1. Olulised ohutu ... ..

lang:et score:31 filesize: 531.38 K page\_count: 11 document date: 2021-01-19



[pdf] Diagram

Burcu Top Kullanma Kilavuzu Süpürge Sepeti Yalnızca bu cihazla birlikte verilen güç adaptörünü kullanın Başka türde bir adaptörünün kullanılması arızaya ve vey TR Kullanma Kilavuzu V.20181010 NDEKLER 1. nemli Gvenlik Talimatları ve Uyarı.....

lang:id score:31 filesize: 769.21 K page\_count: 12 document date: 2020-11-14



[pdf] Diagram

Mit einem Klick zum Online Shop myRobotcenter 4 Betrieb des W120 T 5 Abnehmen nach der Reinigung Wenn die beendet ist kehrt automatisch zu seinem Ausg: erreichbare Position bringen mamibot iglassbot w120 t gebrauchsanleitung myrobotcenter de mw link id 765 |||

Der Spezialist fr Roboter in deinem Zuhause Mit einem Klick zum Online-Shop myRobotcenter.at myRobotcenter.de myRobotcenter GEBRAUCHSANLEITUNG V.20181010 Inhalt 1. Wichtige Sicherheitshinweise und Warnungen .....

lang:de score:30 filesize: 924.61 K page\_count: 12 document date: 2020-06-22



[pdf] User Manual Dimension Guide Diagram

L expert des robots dans ton ménage myRobotcenter No modèle W120 T Tension nominale 24 V DC Puissance 75 W Niveau de bruit Environ 65 dB Capacité la b nettoyage 2 5 min m² Adaptateur Entrée 100 à 240 CA 50 60 Hz 0 A Sortie 3 Contenu du kit User Manual mode demploi mamibot iglassbot w120t myrobotcenter fr

L expert des robots dans ton mnage Avec un seul clic la boutique en ligne myRobotcenter.fr myRobotcenter FR W120-T iGLASSBO 1. Consignes de scurit importantes et avertissement .....

lang:fr score:28 filesize: 879.36 K page\_count: 12 document date: 2020-06-22



[pdf]

GARANCIJSKI LIST ZA IZDELEK MAMIBOT W120 T HOFER Spoštovani Kupec Zahvaljujemo se Vam za nakup proizvoda znamke distributerja in proizvajalca IT oken HD context bWFzdGVyYGRvY3VlZW50c3w5ODczN3xhcHBsaWNhdGlvbi9wZGZ8ZG9jdW1lbnRzL2gzNC9o dostava hofer si medias bWFzdGVyYGRvY3VlZW50c3w5ODczN3xhcHBsaWNhdGlvbi9wZGZ8ZG9jdW1lbnRzL2gzNC9oNDMvODg3NTkyMzQzOTY0Ni5wZGZ8Z8DA3YT10N2N2TFjYzFIZ attachment true

GARANCIJSKI LIST ZA IZDELEK MAMIBOT W120-T Izdelek / Model: Serijska številka: Datum prodaje / izročitve blaga: Prodajalec : proizvoda znamke MAMIBOT - distributerja in proizvajalca IT aparatov. Prosimo, da se pred zacetkom uporabe aparata n...

lang:hr score:27 filesize: 96.42 K page\_count: 1 document date: 2021-07-05



[\[pdf\]](#) User Manual

Návod Mamibot W120 T černá robotický čistič oken 600mAh 75W 220 Mironet cz mamibot w120 manual mironet Files |||

lang:hr score:24 filesize: 1.25 M page\_count: 0 document date: 0000-00-00



[\[pdf\]](#)

W120T pataisytas GintautasL langų valymo robotas Mamibot instrukcijos krintona lt KLIENTAMS INSTRUKCIJOS |||

LANG VALYMO ROBOTAS MAMIBOT iGLASSBOT™ W120-T NAUDOTOJO VADOVAS 1. Svarbios saugumo taisyklės ir perspėjimai Prietais yra nepritaikytas naudoti vaikams. Sutrikusi fizini, jūmini ar proni gebėjimų žmogus bei asmenys, kuriems...

lang:tl score:23 filesize: 763.14 K page\_count: 7 document date: 2020-10-07



[\[pdf\]](#)

GARANCIJSKI LIST ZA IZDELEK MAMIBOT W120 T Garancija zajema brezplačno menjavo delov ki jih dobavlja in so potrebni za popravilo ter stroške dela pri popravilu 202207040001 |||

GARANCIJSKI LIST ZA IZDELEK MAMIBOT W120-T Izdelek / Model: Serijska številka: Datum prodaje / izročitve blaga: Prodajalec : proizvoda znamke MAMIBOT - distributerja in proizvajalca IT aparatov. Prosimo, da se pred začetkom uporabe aparata n...

lang:hr score:22 filesize: 117.47 K page\_count: 1 document date: 2022-07-04



[\[pdf\]](#)

Robot za čiščenje oken NAVODILA ZA UPORABO HOFER 8 août 2021 — Navodila 715875 Robotski pomivalec HD hofer si fileadmin fm dam products Posebna p MAMIBOT W120-T iGLASSBOT - Robot za čiščenje oken NAVODILA ZA UPORABO Vse pravice so pridržane s strani Mamibot in s za nakup robotskega čistilca oken Mamibot W120-T iGLASSBOT. Zelim, da vam prinese lažje in udobnejše čiščenje doma. ...

lang:hr score:20 filesize: 982.71 K page\_count: 3 document date: 2021-07-05



[\[pdf\]](#)

OPTIPLEX 980 INSTRUKCJA OBSLUGI PL 2020 12 Aby pobrać aplikację do obsługi robota zeskanuj poniższy kod Niniejsza gwarancja jest nieważna jeśli numer W120-T iGLASSBOT™ Robot do czyszczenia oken i szyb INSTRUKCJA OBSLUGI PL 2020.12 Dziękujemy za wybór i zakup robota spełni on Państwa oczekiwania i znacznie ułatwi codzienne prace domowe. Spis treści 1. Ostrzeżenia i ważne informacje d...

lang:pl score:20 filesize: 1.11 M page\_count: 14 document date: 2021-01-02



[pdf]

202303290060 s7g10 scene7 is content aldi |||

GARANCIJSKI LIST ZA IZDELEK MAMIBOT **W120-T** Izdelek / Model: Serijska številka: Datum prodaje / izročitve blaga: Prodajalec : proizvoda znamke MAMIBOT - distributerja in proizvajalca IT aparatov. Prosimo, da se pred začetkom uporabe aparata n... lang:hr score:18 filesize: 111.22 K page\_count: 1 document date: 2023-03-29



[pdf] Diagram

030917 BDA Iglassbot W120 alle Sprachen print indd MANUEL D UTILISATION 6970626160249 static fnac multimedia editorial |||

FR **W120-T** iGLASSBOT™ Robot lave-vitre MANUEL D UTILISATION V.20181010 Sommaire 1. Consignes de securit importantes ..... lang:fr score:17 filesize: 22.32 M page\_count: 12 document date: 2018-12-11



[pdf]

GBA Bobbie 2 0 V4 gba bobbie 20 nl en de fr klein cdn webshopapp shops 265083 files 335036158 |||

BOBBIE 2.0 ROBOT RAMENWASSER MODEL RB120TZ GEBRUIKSAANWIJZING BELANGRIJKE INSTRUCTIES BEWAAR DEZ Fenster aufgesetzt wurde. 4.2 Start des **W120-T** A. Drcken Sie die Ein-/Aus-Taste 2 Sekunden lang, um Ihren RB120TZ einzuschalt lang:nl score:13 filesize: 3.11 M page\_count: 48 document date: 2020-08-21



[pdf]

GBA Bobbie 2 0 V4 original media s bol x8zx9EqDnP3 |||

BOBBIE 2.0 ROBOT RAMENWASSER MODEL RB120TZ GEBRUIKSAANWIJZING BELANGRIJKE INSTRUCTIES BEWAAR DEZ Fenster aufgesetzt wurde. 4.2 Start des **W120-T** A. Drcken Sie die Ein-/Aus-Taste 2 Sekunden lang, um Ihren RB120TZ einzuschalt lang:nl score:13 filesize: 2.03 M page\_count: 48 document date: 2022-03-21



[pdf]

zuz.gawor U4W9v861c0K0V1d6h6F9H3t060k2v2k2.sferis.pl |||

Regulamin promocji „Promocyjne ceny z okazji Black Friday 1 Definicje 1. Promocja „Promocyjne ... 5507 304128 304338 303740 Mamibot W120-T biało-niebieski Robot do mycia okien Mamibot W200 biały Robot do mycia okien Mamibot W120-F Sp... lang:pl score:11 filesize: 828.35 K page\_count: 36 document date: 2022-11-25

[pdf]

Agnieszka Mechelewska Ip 2746 55 za 500 produkty promocyjne mediaexpert.pl regulaminy |||

Lista Produktów promocyjnych dostępnych w Sklepach stacjonarnych w trakcie trwania Promocji : „Zyskaj ... OWNICE GOFROWNICE ROBOT DO MYCIA OKIEN MAMIBOT W120-T CZARNY ROBOT ODKURZAJĄCY ILIFE A8 Z KAMERĄ BLACK ROBOT ODKURZAJĄCY lang:i-klingson score:10 filesize: 311.02 K page\_count: 19 document date: 2022-08-20

[pdf] User Manual

Mysolar STAR P60 POLY MODULE 270 290W 1210 vincent.lu Please read the installation manual carefully before using solar panels as a Mamibot company and t 71e2 41d3 8b40 7eca2795c7ab filesusr.ugd W120 T Robot Vacuum Cleaner Vslam EXVAC680\$ 1500VDC 1000VDC BOS Cost Saving LOW LIGHT MBB Solar C ... lang:i-klingson score:9 filesize: 1.06 M page\_count: 2 document date: 2019-12-10