

Keter Artisan 117 (Model 17208122)

Keter Artisan 117 Resin Garden Shed - 7.4m² User Manual

Model: 17208122

1. INTRODUCTION

This manual provides essential information for the safe assembly, operation, and maintenance of your Keter Artisan 117 Resin Garden Shed. The Artisan 117 is a contemporary 7.4m² outdoor storage solution, featuring a durable, UV-treated brushed polypropylene structure with DUOTECH™ technology for a natural wood look. It is designed to be weather-resistant and requires minimal maintenance. Key features include a ventilation system, transparent windows for natural light, a lockable door for security, and an integrated floor panel to protect contents from moisture. An inclined threshold allows easy access for wheeled items. The tile-effect roof supports up to 150 kg/m².

2. SAFETY INFORMATION

Please read and understand all safety warnings before assembly and use. Failure to follow these instructions may result in injury or damage to the product.

- **Handle Heavy Components with Care:** Some parts of the shed are heavy. Always use proper lifting techniques and seek assistance when moving or assembling large components to prevent injury.
- **Observe Load Limits:** Do not exceed the maximum weight capacity of the roof (150 kg/m²) or any internal shelving. Overloading can compromise structural integrity.
- **Ensure Structural Stability:** The shed must be assembled on a firm, level surface. An uneven foundation can lead to instability and potential collapse.
- **Protect from Adverse Weather:** While the shed is weather-resistant, extreme weather conditions (e.g., strong winds, heavy snow loads) may require additional anchoring or temporary support. Ensure doors are securely closed during high winds.
- **Use Appropriate Tools:** Always use the recommended tools for assembly. Wear appropriate personal protective equipment, such as gloves and safety glasses.
- **Keep Children Away:** Keep children and pets away from the assembly area to prevent accidents.
- **Ventilation:** The shed includes a ventilation system. Do not block these vents, as proper airflow is essential.

3. PACKAGE CONTENTS

The Keter Artisan 117 Garden Shed is shipped in multiple packages and may be delivered at different times. Before beginning assembly, carefully unpack all components and verify that all parts are present against the included parts list (not provided in this manual, refer to your product packaging for the complete list). If any parts are missing or damaged, contact Keter customer support.



- This product is shipped in multiple packages & can be delivered at different times.
- Ce produit est expédié en plusieurs colis et peut être livré à des moments différents.
- Questo prodotto viene spedito in più pacchi e può essere consegnato in momenti diversi.
- Este producto se envía en varios paquetes y puede entregarse en diferentes momentos.
- Dieses Produkt wird in mehreren Paketen versendet und kann zu unterschiedlichen Zeiten geliefert werden.

Image: The Keter Artisan 117 shed is typically delivered in multiple boxes, as shown in this example packaging.

4. ASSEMBLY INSTRUCTIONS

Assembly of the Keter Artisan 117 shed requires two people and typically takes several hours. For detailed, step-by-step instructions, please refer to the comprehensive assembly manual included with your product packaging. The following provides a general overview of the assembly process:

1. **Site Preparation:** Choose a flat, level, and solid surface for the shed. A concrete slab or paved area is recommended. Ensure adequate space around the shed for assembly.
2. **Base Assembly:** Assemble the floor panel components according to the instructions. This forms the foundation of your shed.
3. **Wall Panel Installation:** Attach the wall panels to the base, ensuring they are correctly aligned and securely fastened.
4. **Roof Structure:** Construct and install the roof frame and panels. Ensure all roof components are tightly secured to provide weather protection.
5. **Door and Window Installation:** Install the doors and transparent window panels. Adjust doors to ensure smooth opening and closing.
6. **Final Checks:** Verify all screws and fasteners are tightened. Ensure the shed is stable and all components are correctly seated.



Image: An exterior view of the Keter Artisan 117 shed, illustrating its overall design and structure.




Image: A diagram showing the external dimensions of the Keter Artisan 117 shed, useful for planning placement and assembly.

5. OPERATING INSTRUCTIONS

The Keter Artisan 117 shed is designed for convenient and secure outdoor storage.

- **Accessing the Shed:** The shed features wide double doors for easy access. Simply pull the handles to open.

- **Security:** The doors are designed to be lockable. A padlock (not included) can be attached to the integrated locking mechanism for enhanced security of your stored items.



Image: Close-up of the shed's door handle, showing the integrated locking mechanism where a padlock can be attached.

- **Wheeled Item Access:** An inclined threshold at the entrance facilitates the movement of wheeled items such as lawnmowers, wheelbarrows, or bicycles into and out of the shed.



Image: The inclined threshold at the shed entrance, designed for smooth passage of wheeled equipment.

- **Ventilation:** Integrated ventilation grilles ensure proper air circulation within the shed, helping to prevent condensation and maintain a suitable environment for stored items.



Image: Detail of the ventilation grille located near the roofline, ensuring airflow within the shed.

- **Interior Space:** The spacious interior provides ample room for organizing various garden tools, equipment, and outdoor furniture. The shed's walls are designed to support shelving (not included) for optimized storage.



Image: The interior of the Keter Artisan 117 shed with doors fully open, showing a person organizing items.



Image: An organized interior view of the shed, demonstrating potential storage solutions for various tools and equipment.

6. MAINTENANCE

The Keter Artisan 117 shed is designed for minimal maintenance due to its durable resin construction and UV treatment.

- **Cleaning:** Clean the shed periodically with mild soap and water. Avoid abrasive cleaners or harsh chemicals, as these can damage the material. Rinse thoroughly with clean water.
- **UV Protection:** The material is UV-treated to resist fading and degradation from sun exposure. No additional UV protection treatments are typically required.
- **Painting:** The DUOTECH™ walls can be painted if desired, allowing for personalization. Use a high-quality exterior paint suitable for plastic surfaces. Follow the paint manufacturer's instructions for application.
- **Inspection:** Periodically inspect the shed for any loose fasteners or signs of wear. Tighten any loose screws and address any damage promptly to maintain structural integrity and weather resistance.

7. TROUBLESHOOTING

If you encounter any issues with your Keter Artisan 117 shed, refer to the following common problems and solutions:

- **Doors do not close properly:**
 - Ensure the shed is assembled on a perfectly level surface. An uneven foundation can cause door misalignment.
 - Check that all wall panels and door hinges are securely fastened and correctly aligned according to the assembly manual.
- **Water leakage:**
 - Verify that all roof panels are correctly installed and sealed.
 - Check for any gaps or cracks in the wall panels or around windows.
 - Ensure the shed is on a level surface to prevent water pooling around the base.
- **Shed feels unstable:**
 - Re-check all fasteners and connections to ensure they are tight.
 - Confirm the shed is on a solid, level foundation.
 - Ensure the shed is properly anchored if required by local building codes or if located in a windy area.

For persistent issues or problems not listed here, please contact Keter customer support.

8. SPECIFICATIONS

Feature	Specification
Brand	Keter
Model Number	17208122
Product Type	Garden Shed
Color	Grey
Material	Polypropylene, Resin
Style	Wood Imitation (DUOTECH™)
External Dimensions (D x W x H)	2.18m x 3.42m x 2.26m (85.8" x 134.6" x 88.9")

Interior Dimensions (D x W x H)	2.01m x 3.27m x 2.198m (79.1" x 128.7" x 86.5")
Storage Area	7.4 m ²
Item Weight	69 Kilograms
Maximum Weight Capacity (Roof)	150 kg/m ²
Water Resistance Level	Waterproof
UV Protection	100%
Assembly Required	Yes
Door Style	Hinged Door
Country of Origin	Israel

9. WARRANTY AND SUPPORT

Keter products are manufactured to high standards and are designed for durability.

- **Spare Parts Availability:** Spare parts for this product are available for up to 10 years from the date of purchase.
- **Customer Support:** For any questions regarding assembly, missing parts, or product issues, please contact Keter customer support. Refer to your product packaging or the Keter website for contact information specific to your region.