

PreSonus Studio 26c

PreSonus Studio 26c USB Audio Interface User Manual

Model: Studio 26c

1. INTRODUCTION

The PreSonus Studio 26c is a 2x4, 192 kHz, USB-C compatible audio interface designed for high-quality audio recording and playback. It features two XMAX-L mic preamps, instrument/line inputs, MIDI I/O, and professional metering, making it suitable for musicians, DJs, and producers. This manual provides detailed instructions for setting up, operating, and maintaining your Studio 26c interface.



Image: Angled view of the PreSonus Studio 26c USB Audio Interface, showcasing its compact design and front panel controls.

2. PACKAGE CONTENTS

Verify that your PreSonus Studio 26c package contains the following items:

- PreSonus Studio 26c USB Audio Interface
- USB-C to USB-C cable
- USB-C to USB-A cable
- Quick Start Guide

- License for Studio One Artist DAW Software
- License for Studio Magic Plug-in Suite
- License for Ableton Live Lite DAW Software

3. SYSTEM REQUIREMENTS

To ensure optimal performance, your computer system should meet the following minimum requirements:

- **Operating System:** Windows 10 (64-bit) or macOS 10.13 or higher
- **Processor:** Intel Core i3 or better (or equivalent AMD processor)
- **RAM:** 4 GB RAM (8 GB or more recommended)
- **USB Port:** Available USB-C or USB-A port (USB 2.0 compatible)
- **Hard Drive:** 7200 RPM internal drive recommended for recording
- **Monitor:** 1366x768 resolution or higher

4. SETUP

4.1 Driver Installation

Before connecting your Studio 26c, it is recommended to download and install the latest drivers and Universal Control software from the official PreSonus website. This software ensures proper communication between your interface and computer, and provides access to advanced settings.

1. Visit the PreSonus website and navigate to the support section for the Studio 26c.
2. Download the latest Universal Control software package for your operating system (Windows or macOS).
3. Follow the on-screen instructions to complete the installation.
4. Restart your computer if prompted.

4.2 Hardware Connection

Once the drivers are installed, you can connect your Studio 26c and other audio equipment.

1. **Connect to Computer:** Use the provided USB-C to USB-C or USB-C to USB-A cable to connect the Studio 26c to an available USB port on your computer. The device is bus-powered, so no external power supply is needed.
2. **Connect Microphones/Instruments:** Plug your microphones into the combo XLR/TRS inputs 1 and 2 on the front panel. For instruments (guitars, basses), use a 1/4-inch TS cable and plug into inputs 1 or 2. Ensure the 'Line' button is disengaged for instruments.
3. **Connect Studio Monitors:** Connect your active studio monitors to the Main Out (L/R) 1/4-inch TRS jacks on the rear panel using balanced TRS cables.
4. **Connect Headphones:** Plug your headphones into the 1/4-inch stereo headphone jack on the front panel.
5. **MIDI Devices:** If using MIDI keyboards or controllers, connect them to the MIDI In/Out ports on the rear panel.

5. OPERATING THE STUDIO 26c

5.1 Front Panel Controls



Image: Front view of the PreSonus Studio 26c, highlighting the input jacks, gain knobs, metering, and headphone controls.

- **Mic/Inst/Line Inputs (1 & 2):** Combo jacks for XLR (microphones) or 1/4-inch TRS/TS (instruments/line-level sources).
- **48V Phantom Power:** Button to engage +48V phantom power for condenser microphones. An LED indicates when active.
- **Line Button:** Engages line-level input for 1/4-inch jacks. Disengage for instrument-level signals.
- **Input Gain Knobs (1 & 2):** Adjust the input level for each channel.
- **Input/Main Meters:** Ladder-style LED meters display input levels for channels 1 and 2, and main output levels (L/R).
- **Mon (Monitor) Button:** Toggles between direct monitoring and playback from the computer.
- **A/B Button (Cue Mix):** Allows toggling between two different mixes for headphone monitoring, useful for DJs.
- **Main Output Knob:** Controls the overall output level to your studio monitors.
- **Headphone Output Knob:** Adjusts the volume for the headphone output.
- **Headphone Jack:** 1/4-inch stereo output for headphones.



Image: Close-up view of the Studio 26c's front panel, showing the LED meters for inputs and main outputs, along with the 48V, Line, Mon, and A/B buttons.

5.2 Rear Panel Connections



Image: Rear view of the PreSonus Studio 26c, displaying the USB-C port, MIDI I/O, Line Outputs, Main Outputs, and Headphone jack.

- **USB-C Port:** Connects to your computer for data and power.
- **MIDI In/Out:** Standard 5-pin DIN connectors for connecting MIDI keyboards, controllers, and other MIDI devices.
- **Line Out (3 & 4):** Balanced 1/4-inch TRS line outputs for additional monitoring or routing.
- **Main Out (1/L & 2/R):** Balanced 1/4-inch TRS main outputs for connecting to studio monitors.

5.3 Software Integration

The Studio 26c comes bundled with powerful software to get you started with recording and production.

World-class recording software included



Studio One® Artist

Studio Magic
Software Suite



STUDIO MAGIC

Image: Visual representation of the software bundle included with the Studio 26c, featuring Studio One Artist and the Studio Magic Plug-in Suite.

- **Studio One Artist:** A comprehensive Digital Audio Workstation (DAW) for recording, mixing, and mastering. Use the provided license key to activate.
- **Ableton Live Lite:** A light version of the popular Ableton Live DAW, ideal for electronic music production and live performance.
- **Studio Magic Plug-in Suite:** A collection of virtual instruments and effects from various developers to enhance your productions.

Refer to the individual software documentation for detailed usage instructions.

6. MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your Studio 26c.

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the unit. Avoid abrasive cleaners or solvents.
- **Storage:** Store the interface in a cool, dry place away from direct sunlight and extreme temperatures.
- **Cable Management:** Ensure cables are not kinked or strained to prevent damage to connectors and ports.

- **Firmware Updates:** Periodically check the PreSonus website for firmware updates for your Studio 26c, which can improve performance and add new features.

7. TROUBLESHOOTING

If you encounter issues with your Studio 26c, try the following troubleshooting steps:

- **No Power/Connection:** Ensure the USB cable is securely connected to both the interface and your computer. Try a different USB port or cable.
- **No Audio Input:** Check input gain knobs, 48V phantom power (if using condenser mics), and ensure the 'Line' button is correctly set for your input source. Verify input selection in your DAW.
- **No Audio Output:** Check the Main Output and Headphone Output knobs. Ensure your studio monitors are powered on and connected correctly. Verify output routing in your DAW and system sound settings.
- **Distorted Audio:** Reduce input gain to prevent clipping (indicated by red LEDs on the meters). Check sample rate and buffer size settings in your DAW and Universal Control.
- **MIDI Issues:** Ensure MIDI cables are connected correctly (Out to In, In to Out). Verify MIDI device detection in your DAW.
- **Software Not Recognizing Interface:** Ensure Universal Control and drivers are installed correctly. Check your DAW's audio device settings to select the Studio 26c as the input/output device.

For further assistance, consult the comprehensive manual available on the PreSonus website or contact PreSonus technical support.

8. SPECIFICATIONS

Key technical specifications for the PreSonus Studio 26c USB Audio Interface:

Feature	Specification
Inputs	2 x Mic/Instrument/Line Combo (XLR/TRS)
Outputs	2 x Main Out (1/4-inch TRS balanced), 2 x Line Out (1/4-inch TRS balanced), 1 x Headphone Out (1/4-inch TRS stereo)
MIDI I/O	1 x MIDI In, 1 x MIDI Out (5-pin DIN)
Sample Rates	44.1, 48, 88.2, 96, 176.4, 192 kHz
Bit Depth	24-bit
Preamps	2 x XMAX-L solid-state mic preamps
Phantom Power	+48V (switchable)
Connectivity	USB-C (USB 2.0 compatible)
Bus Powered	Yes
Dimensions (HxDxW)	1.77 x 6.3 x 7.09 inches (approx.)
Weight	1 pound (approx.)

9. WARRANTY AND SUPPORT

PreSonus products are covered by a manufacturer's warranty. For specific warranty terms and conditions, please refer to the warranty information included with your product or visit the official PreSonus website. For technical support, driver downloads, and additional resources, please visit the PreSonus support page:

[PreSonus Support Website](#)


© 2025 PreSonus Audio Electronics, Inc. All Rights Reserved.
PreSonus and Studio One are registered trademarks of PreSonus Audio Electronics, Inc.

Related Documents - Studio 26c

Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces Owner's Manual  	PreSonus Studio 26c and Studio 68c: Owner's Manual A comprehensive owner's manual for the PreSonus Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces. This guide covers setup, connections, software integration with Studio One Artist, and technical specifications.
STUDIO24c 24-Bit, 192 kHz USB-C Audio Interface Owner's Manual  	PreSonus STUDIO24c 24-Bit, 192 kHz USB-C Audio Interface Owner's Manual Comprehensive owner's manual for the PreSonus STUDIO24c, a 24-bit, 192 kHz USB-C audio interface. This guide covers setup, connections, software integration with Studio One Artist, and technical specifications.
Studio 1824c and 1810c High-Definition USB-C Audio Interfaces Owner's Manual  	PreSonus Studio 1824c and 1810c High-definition USB-C Audio Interfaces Owner's Manual This owner's manual provides comprehensive details on the PreSonus Studio 1824c and 1810c high-definition USB-C audio interfaces, covering setup, connections, front and back panel controls, software integration with Studio One Artist and UC Surface, technical specifications, and warranty information.
User Manual of Product 1: PreSonus Studio 24c, 24-bit/192 kHz, USB-C audio interface with software bundle including Studio One Artist. Address Live Life DMX and more for recording, streaming and publishing. User Manual of Product 2: PreSonus Eris E3.5, 5.5 inch, 2-way, High Definition Multimedia Studio Monitors (Pair), Black, Black.	PreSonus Studio 24c Audio Interface & Eris E3.5 Studio Monitors User Manual Comprehensive user manual for the PreSonus Studio 24c USB-C audio interface and PreSonus Eris E3.5 high-definition media reference monitors, covering setup, connections, software, and specifications for recording, streaming, and content creation.

 Studio 1824c and 1810c High-definition USB-C Audio Interfaces Owner's Manual 1824c 1810c PreSonus	PreSonus Studio 1824c & 1810c: High-Definition USB-C Audio Interface User Manual This manual provides comprehensive instructions for setting up, connecting, and using the PreSonus Studio 1824c and 1810c high-definition USB-C audio interfaces, including software installation, studio integration, and technical specifications.
 Studio 1824c and 1810c High-definition USB-C Audio Interfaces Owner's Manual 1824c 1810c PreSonus	PreSonus Studio 1824c & 1810c USB-C Audio Interfaces: Owner's Manual Comprehensive owner's manual for PreSonus Studio 1824c and 1810c high-definition USB-C audio interfaces. Covers setup, connections, software (UC Surface, Studio One Artist), technical specifications, and warranty.


Documents - PreSonus – Studio 26c



[pdf] User Manual Quick Start Guide Guide

PreSonus STUDIO 26C Studio 26c Quick start Guide Desktop 2x4 USB Type C Audio MIDI 456658 bhphotovideo lit files |||

Studio 26c 24-bit, 192 kHz USB-C Audio Interface Getting Started Erste Schritte Cmo empezar Pour commencer Go online to my.presonus.com and register your serial number. The **Studio 26c** is loaded with professional features, such as high-headroom, Class A microphone preamplifiers; robust metering, ...
lang:es score:49 filesize: 289.5 K page_count: 2 document date: 2019-01-18



[pdf]

ManualsLib Makes it easy to find manuals online! Search through 700 000 online and instruction user service guides owners installation Provided By MANUALSLIB COM manualslib PreSonus Studio 26c инструкция Купить USB интерфейс по лучшей цене 5249a133215eaaac543cb543ee256b4aproduct 44347 0 muzcentre ru |||

Front panel mic/instrument inputs Entradas de micrfono/instrumento en el panel frontal Frontseitige Mikrofon-/Instrumenteneingnge Entres micro/instrument en face avant Line/Instrument switch Interruptor Inea/instrumento Line/Instrument-Umschaltung Slecteur ligne/instrument -- 48V phantom power swi...
lang:es score:45 filesize: 365.31 K page_count: 2 document date: 2018-12-08



[\[pdf\]](#) User Manual Owner's Manual Quick Start Guide Specifications Guide Warranty Diagram

Studio 26c and 68c search manual 3 1 Overview 4 What is in the Box Owner's Manual Your series package contains or 24-bit 192 kHz audio interface Quick Start Guide Audio Interface 1M USB-C to Cable A MIDI S PDIF breakout cable only External power supply presonus studio 2x4 usb type c midi 341978 user imagescdn junco uk 717592 01U B H Photo Throughout this you will find Power User Tips that can quickly make a expert 2 Companion PreSonus Products Thanks for choosing PreSonus! As solutions company we believe best way 456657 bhphotovideo lit files de 717593

Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces Owner's Manual
www.presonus.com English Table of Contents 1 Overview--1 1.1 Introduction--1 1.2 About This Manual--1 1.3 Summary of Studio-series Hardware Features--2 1.4 Summary of Studio One Artist Software Features--2 1.5 What ...

lang:en score:39 filesize: 8.21 M page_count: 35 document date: 2019-01-18



[\[pdf\]](#) User Manual Owner's Manual Quick Start Guide Specifications Guide Warranty Diagram

Studio 26c and 68c c3 zzounds 3 1 Overview 4 What is in the Box Owner's Manual Your Studio-series package contains: • or 24-bit 192 kHz audio interface Quick Start Guide Audio Interface 1M USB-C to C Cable A MIDI S PDIF breakout cable (Studio only) External power supply home httpd data media-data 8 11 media 11-88ba9f548e63ee1d6c256716c70ccced

Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces Owner's Manual
www.presonus.com English Table of Contents 1 Overview -- 1 1.1 Introduction -- 1 1.2 About This Manual -- 1 1.3 Summary of Studio-series Hardware Features -- 2 1.4 Summary of Studio One Artist Software Features -- 2...

lang:en score:37 filesize: 8.27 M page_count: 35 document date: 2021-08-03



[\[pdf\]](#) User Manual Owner's Manual Quick Start Guide Specifications Guide Warranty Diagram

Studio 26c and 68c soundpro 3 1 Overview 4 What is in the Box Owner's Manual Your Studio-series package contains or 24-bit 192 kHz audio interface Quick Start Guide Audio Interface 1M USB-C to C Cable A MIDI S PDIF breakout cable only External power supply OwnersManual content product-documents One Artist — 15 Installation Please consult User of your devices for help with

Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces Owner's Manual
www.presonus.com English Table of Contents 1 Overview -- 1 1.1 Introduction -- 1 1.2 About This Manual -- 1 1.3 Summary of Studio-series Hardware Features -- 2 1.4 Summary of Studio One Artist Software Features -- 2...

lang:en score:37 filesize: 8.24 M page_count: 35 document date: 2020-05-26



[\[pdf\]](#)

presonus studio 26c mode d emploi fr 72928 zikinf manuels |||

Studio 26c et Studio 68c Interfaces audio USB-C 24 bits, 192 kHz Mode d emploi
www.presonus.com Franais Table des matires 1 Prsentation--1 1.1 Introduction--1 1.2
propos de ce mode d emploi--1 1.3 Produits PreSonus complmentaires--2 1.4
Contenu de l emballage--3 2 Branchements--4 2.1 Connexion...
lang:fr **score:35** filesize: 7.41 M page_count: 35 document date: 2019-03-12



[\[pdf\]](#) User Manual Owner's Manual Specifications Warranty Diagram

Studio 26c and 68c Complete information on all aspects of One Artist is available in the Reference
Manual located within The this tutorial covers only basic equipped hardware such as keyboard controllers
can be used Windows ASIO driver Universal Control installer for macOS OwnersManual EN 18012019
mi7 co jp products presonus docs

Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces Owner s Manual
www.presonus.com English Table of Contents 1 Overview--1 1.1 Introduction--1 1.2
About This Manual--1 1.3 Summary of Studio-series Hardware Features--2 1.4
Summary of Studio One Artist Software Features--2 1.5 What ...
lang:en **score:35** filesize: 2.03 M page_count: 35 document date: 2019-01-24



[\[pdf\]](#) User Manual

Presonus Studio 6 8c handleiding DE 68c Bax Music studio 26c and ownersmanual de 26052020 bax
shop nl products 9000 0049 0905 |||

Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces
Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--
1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4
Lieferumfang--3 2 Verkabelung--4 2.1 Anschlsse auf der Vorderseite--4 2.2 Ansc...
lang:de **score:32** filesize: 8.8 M page_count: 36 document date: 2020-05-26

Studio 26c y Studio 68c
Interfaces de audio USB-C a 24-bit / 192 kHz
Manual del usuario



 **PreSonus** www.presonus.com

English

[\[pdf\]](#) User Manual Diagram

Presonus Studio 6 8c handleiding ES 68c Bax Music studio 26c and ownersmanual es 26052020 bax shop nl products 9000 0049 0905 |||

Studio 26c y Studio 68c Interfaces de audio USB-C a 24-bit / 192 kHz Manual del usuario www.presonus.com Espaol Tabla de contenidos 1 Vista General--1 1.1 Introduccin--1 1.2 Acerca de este manual--1 1.3 Productos PreSonus complementarios--2 1.4 Qu hay en la caja--3 2 Conexiones--4 2.1 Conexione...
lang:es **score:32** filesize: 8.25 M page_count: 36 document date: 2020-05-26

STUDIO26c и STUDIO68c
24-битови, 192 kHz USB-C аудио интерфейси
Руководство на собственика



 **PreSonus** www.presonus.com

[\[pdf\]](#) User Manual Owner's Manual

OM 2777700404 Studio 26c BG Owner s Manual 68c Bulgarian PreSonus® Interfaces 11112023
fmicassets Damroot Original 10021 |||

STUDIO26c STUDIO68c 24-, 192 kHz USB-C www.presonus.com 1 -- 1 1.1 -- 1 1.2 --
1 1.3 Studio -- 2 1.4 Studio One Artist -- 2 1.5 -- 3 2 -- 4 2.1 -- 4 2.2 -- 6 2.3 -- 8 2.3.1
STUDIO26c -- 8 2.3.2 STUDIO68c -- 9 3 -- 10 3.1 Windows -- 1...
lang:es **score:32** filesize: 21.66 M page_count: 32 document date: 2023-10-10

STUDIO26c ja STUDIO68c
24-bittiset, 192 kHz USB-C-ääniliitännät
Omistajan opas




 **PreSonus** www.presonus.com

[\[pdf\]](#) User Manual Owner's Manual

OM 2777700404 Studio 26c FI Owner s Manual 68c Finnish PreSonus® Interfaces 11112023 fmicassets
Damroot Original 10021 |||

STUDIO26c ja STUDIO68c 24-bittiset, 192 kHz USB-C-niliitntt Omistajan opas
www.presonus.com Sislysluettelo 1 Yleiskatsaus - 1 1.1 Johdanto - 1 1.2 Tietoja tst
kyttoppaasta -- 1 1.3 Yhteenveto Studio-sarjan laitteisto-ominaisuuksista -- 2 1.4
Yhteenveto Studio One Artist -ohjelmiston ominai...
lang:fi **score:31** filesize: 20.24 M page_count: 32 document date: 2023-11-08



[pdf] User Manual Quick Start Guide

Studio 26c Go online to my presonus and register your serial number The is loaded with professional features such as high headroom Class A microphone QSG Multilingual 15082019 pae web presonusmusic products |||

Studio 26c 24-bit, 192 kHz USB-CTM Compatible Audio Interface Getting Started Erste Schritte Cmo empezar Pour commencer Go online to my.presonus.com and register your serial number. The **Studio 26c** is loaded with professional features, such as high-headroom, Class A microphone preamplifiers; ro...

lang:es score:31 filesize: 359.31 K page_count: 2 document date: 2019-09-09

STUDIO26c en STUDIO68c
24-bits, 192 kHz USB-C-audio-interfaces
Gebruikershandleiding



[pdf] User Manual Owner's Manual

OM 2777700404 Studio 26c NL Owner s Manual 68c Dutch PreSonus® Interfaces 11112023 fmicassets Damroot Original 10021 |||


STUDIO26c en STUDIO68c 24-bits, 192 kHz USB-C-audio-interfaces

Gebruikershandleiding www.presonus.com Inhoudsopgave 1 Overzicht -- 1 1.1

Inleiding -- 1 1.2 Over deze handleiding -- 1 1.3 Samenvatting van hardwarefuncties

uit de Studio-serie -- 2 1.4 Samenvatting van de functies van de Studio ...

lang:nl score:31 filesize: 21.26 M page_count: 32 document date: 2023-10-16



[pdf] Instructions

presonus antares promo one sheet indd Tune Unlimited when you purchase a PreSonus interface or Get three free months of Auto Follow the instructions to redeem your offer Qualifying products Offer valid as outlined above end customers Limit per customer 053121 PRESONUS MIR static bhphotovideo FrameWork Rebates Promos

Get three free months of AutoTune Unlimited when you purchase a PreSonus interface or mixer. If you ... AudioBox Studio Ultimate AudioBox iOne AudioBox iTwo AudioBox iTwo Studio Studio Series Studio 24c **Studio 26c** Studio 68c Studio 1810c Studio 1824c Studio 192 Revelator ioStation 24c Quantum Series Q...

lang:en score:31 filesize: 857.84 K page_count: 1 document date: 2021-03-04

STUDIO26c ja STUDIO68c
24-bitised, 192 kHz USB-C heliliidesed
Omaniku manuaal



[\[pdf\]](#) User Manual Owner's Manual

OM 2777700404 Studio 26c ET Owner s Manual 68c Estonian PreSonus® Interfaces 11112023
fmicassets Damroot Original 10021 |||

STUDIO26c ja STUDIO68c 24-bitised, 192 kHz USB-C heliliidesed Omaniku
manuaal www.presonus.com Sisukord 1 levaade - 1 1.1 Sisese juhatus - 1 1.2 Teave
selle juhendi kohta -- 1 1.3 Studio-seeria riistvarafunktsioonide kokkuvõte -- 2 1.4
Studio One Artisti tarkvara funktsioonide kokkuvõte 2 1.5 Mis on...

lang:et **score:31** filesize: 20.32 M page_count: 32 document date: 2023-10-31

PreSonus




[\[pdf\]](#)

PreSonus StudioLive 64S 64 Channel Digital Mixer American Musical Supply PresonusStudioLiveSSeries
2019 americanmusical media manuals rebates |||

Studio Magic Software Suite for Select PreSonus Products Make your own magic.
Music creation is a ... o AudioBox iTwo Studio ioStation 24c Quantum Quantum 2
Quantum 2626 Quantum 4848 Studio 24c **Studio 26c** Studio 68c Studio 1810c Studio
1824c Studio 192 StudioLive 16.0.2USB StudioLive AR2...

lang:en **score:30** filesize: 3.14 M page_count: 8 document date: 2020-02-26



[\[pdf\]](#) User Manual Owner's Manual Specifications Diagram

Studio 26c and 68c OwnersManual EN 15022022 pae web presonusmusic products |||

Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces Owner s Manual
www.presonus.com English Table of Contents 1 Overview--1 1.1 Introduction--1 1.2
About This Manual--1 1.3 Summary of Studio-series Hardware Features--2 1.4
Summary of Studio One Artist Software Features--2 1.5 What ...

lang:en **score:29** filesize: 8.25 M page_count: 32 document date: 2022-02-15



[\[pdf\]](#) User Manual

Studio 26c and 68c OwnersManual DE 09082021 pae web presonusmusic products |||

Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces

Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--

1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4

Lieferumfang--3 2 Verkabelung--4 2.1 Anschlsse auf der Vorderseite--4 2.2 Ansc...

lang:de score:29 filesize: 8.82 M page_count: 36 document date: 2021-08-09



[\[pdf\]](#) User Manual

Studio 26c and 68c OwnersManual DE 12032019 pae web presonusmusic products |||

Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces

Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--

1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4

Lieferumfang--3 2 Verkabelung--4 2.1 Anschlsse auf der Vorderseite--4 2.2 Ansc...

lang:de score:29 filesize: 8.76 M page_count: 36 document date: 2019-03-12

[\[pdf\]](#) User Manual

Studio 26c und 68c Universal Control ist eine leistungsfähige Anwendung zur Hardware Steuerung aller PreSonus Interfaces Damit können Sie jedes Interface überwachen 302288 and OwnersManual DE 28042021 soundland de media 3d 8e a9 srsItid

AfmBOooatJErZGG5dg3AL0EyqSEWKldsW9KJ5A8uhfQYW5ji9xea5xLL 68cStudio 68cUniversal Antes operar su 6 8 primero debe registrarse online para descargar el software Manual usuario y video instructivo 1 Vaya a my presonus302288 28042021302288 28042021soundland

AfmBOooatJErZGG5dg3AL0EyqSEWKldsW9KJ5A8uhfQYW5ji9xea5xLLsoundland

AfmBOoFD9NXCFTegSMdT4m13vAUUvtMi ckBElaKgk4cSPOwPYLLBGy presonusAntes

ckBElaKgk4cSPOwPYLLBGysoundland AfmBOooS vZUBCtbiB9qwasJUlqG G9TAE46BwRx5l hTWT

sNGHmk3l presonusPreSonus Audio Electronics hat für die Herstellung der Series ausschließlich

hochwertige Bauteile verwendet sodass dieses Gerät Ihnen 302288 sNGHmk3lsoundland

AfmBOOpMkWl3rabb1NJQ 6rhqgwrFaUtFHc6iFk33XFilghmDu 4RdnL Ihnen Studio One Artist 3 DAW 7

Watch the Capture sind Warenzeichen oder eingetragene von Software Ltd302288 4RdnLsoundland

AfmBOoQqbdvZ4mDMNfcgn0MwaU0BG2T7k2WUYjSAs0bakqezy92lwFSr presonusAutorisierung

FireStudio Mobile 192 1824 1824c 1810 1810c 68 26 24 24c Quantum und PreSonus

AfmBOoqleuN3s6znQUa39W 6TzJu6jDQRb44OeqoZOlbz2 qIB5YlUKhsoundland SoundlandDer S PDF

Standard erlaubt Übertragung zwei Audiokanälen mit bis zu Bit 96 kHz USB AudioBox VSL 1818 44 22

FireStudio™ Project Universal AfmBOopkGjZS

jXHHXC6G3UaKvZsyqc17OmBoxSpEKUFhi9bEQHfaSXmsoundland SoundlandStudio

SoundlandPreSonus Ihnen Der AfmBOorUSncQA

XVRPuzJJ9YNuRVIHaZ0KuUAEbF6rHm35JSOFqCiRcdsoundland mit Über Durchsucht das Netzwerk sowie den lokalen Datenbus FireWire nach allen unterstützten ProduktenUniversal

AfmBOopr3uURARIXsYzd28Z5oFQEGazsY9kt9wJkdCh9FjR0oPSgoe6Nsoundland Produktenmit

AfmBOop0ZILcTQwTiqlwLBBvVl5ykY7R4hEgY9 UnLRXDf2ZMNuz9vyDmsoundland

ProduktenCongratulations on choosing You now own state of art 2 interface featuring our renowned

XMAX™ Class A microphone preamplifiers — and Universal AfmBOoo wB9Gd9TRC4OPflwzIW

FAhCOJd7dAfqzGpt Y74qQS4ASaHsoundland and Bitte lesen sich diese Bedienungsanleitung

vollständig durch um Funktionen Programmen ordnungsgemäßen Verkabelung vertraut

machen Universal AfmBOoosdbLhzR5ltL4RPMfpY63gMCO bTTdkFzhPG6jaMluJkdwFg3gsoundland

machen Bitte AfmBOor5J2Kw7NfcHwyouqOGqvUejg m6ZsDz zU21fcphpajlCvRNTmsoundland

AfmBOooxXa4aSHtSovsFoGOFs27Uh0sEwkgz gCYDamE1X6zgvCmR5Zvsoundland

AfmBOoqEySCW1R6 vPZMYAvrMU1zkWOdr3atvjrsgamGNvw20aw2gZksoundland ||| ||| Studio 26c

und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com

Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von

PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-

Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber

dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c

und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com

Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von

PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-

Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber

dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c

und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com

Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von

PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-

Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber

dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c

und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com

Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von

PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-

Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber

dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c

und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com

Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von

PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-

Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber

dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c

und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com

Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von

PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-

Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber

dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c

und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com

Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von

PreSonus--2 1.4 Lieferumfang--3 2 Verka ||| Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-

Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber

dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verka

Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces

Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--



1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4
Lieferumfang--3 2 Verkabelung--4 2.1 Anschlsse auf der Vorderseite--4 2.2 Ansc...
lang:de **score:29** filesize: 8.81 M page_count: 36 document date: 2021-04-28



[\[pdf\]](#) User Manual Diagram

Studio 26c and 68c OwnersManual ES 12032019 pae web presonusmusic products |||

Studio 26c y Studio 68c Interfaces de audio USB-C a 24-bit / 192 kHz Manual del
usuario www.presonus.com Espaol Tabla de contenidos 1 Vista General--1 1.1
Introduccin--1 1.2 Acerca de este manual--1 1.3 Productos PreSonus
complementarios--2 1.4 Qu hay en la caja--3 2 Conexiones--4 2.1 Conexione...
lang:es **score:29** filesize: 8.21 M page_count: 36 document date: 2019-03-12



[\[pdf\]](#) User Manual

Studio 26c and 68c OwnersManual FR 09082021 pae web presonusmusic products |||

Studio 26c et Studio 68c Interfaces audio USB-C 24 bits, 192 kHz Mode d emploi
www.presonus.com Franais Table des matires 1 Prsentation--1 1.1 Introduction--1 1.2
propos de ce mode d emploi--1 1.3 Produits PreSonus complmentaires--2 1.4
Contenu de l emballage--3 2 Branchements--4 2.1 Connexion...
lang:fr **score:29** filesize: 7.48 M page_count: 36 document date: 2021-08-09



[\[pdf\]](#) User Manual Owner's Manual Specifications Warranty Diagram

User Manual 32365 1 huss licht ton de images products |||

Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces Owner s Manual
www.presonus.com English Table of Contents 1 Overview--1 1.1 Introduction--1 1.2
About This Manual--1 1.3 Summary of Studio-series Hardware Features--2 1.4
Summary of Studio One Artist Software Features--2 1.5 What ...
lang:en **score:29** filesize: 2.18 M page_count: 35 document date: 2019-01-29



[\[pdf\]](#) User Manual

Studio 26c und 68c and OwnersManual DE 28042021 pae web presonusmusic products |||


Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces
Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--
1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4
Lieferumfang--3 2 Verkabelung--4 2.1 Anschlsse auf der Vorderseite--4 2.2 Ansc...
lang:de **score:29** filesize: 8.81 M page_count: 36 document date: 2021-04-28



[\[pdf\]](#) User Manual Diagram

Studio 26c y 68c and OwnersManual ES 09082021 pae web presonusmusic products |||

Studio 26c y Studio 68c Interfaces de audio USB-C a 24-bit / 192 kHz Manual del
usuario www.presonus.com Espaol Tabla de contenidos 1 Vista General--1 1.1
Introduccin--1 1.2 Acerca de este manual--1 1.3 Productos PreSonus
complementarios--2 1.4 Qu hay en la caja--3 2 Conexiones--4 2.1 Conexione...
lang:es **score:29** filesize: 8.27 M page_count: 36 document date: 2021-08-09



[\[pdf\]](#) User Manual Owner's Manual Specifications Warranty Diagram

Studio 26c and 68c OwnersManual EN 28042021 new centrmus product default attachment id 243 |||

Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces Owner s Manual
www.presonus.com English Table of Contents 1 Overview--1 1.1 Introduction--1 1.2
About This Manual--1 1.3 Summary of Studio-series Hardware Features--2 1.4
Summary of Studio One Artist Software Features--2 1.5 What ...
lang:en **score:29** filesize: 8.25 M page_count: 35 document date: 2021-04-28

Studio 26c 和 Studio 68c

24 bit, 192 kHz USB-C 音频接口

使用说明书



PreSonus

[\[pdf\]](#) User Manual

Ma Siqi Studio 26c Studio 68c and OwnersManual ZH 28042021 pae web presonusmusic products

Studio 26c Studio 68c 24 bit, 192 kHz USB-C www.presonus.com 1 -- 1 1.1 -- 1 1.2 -- 1 1.3 PreSonus -- 2 1.4 -- 2 5 -- 27 5.1 -- 27 2 -- 4 2.1 -- 4 2.2 -- 6 2.3 -- 8 2.3.1 **Studio 26c** -- 8 2.3.2 Studio 68c -- 9 3 -- 10 3.1 Windows -- 10 3.1.1 UniversalControl Windows -- 10 ...

lang:es **score:28** filesize: 2.71 M page_count: 32 document date: 2021-04-28

Studio 26c et Studio 68c

Interfaces audio USB-C 24 bits, 192 kHz

Mode d'emploi



PreSonus

[\[pdf\]](#) User Manual

de0bb5c489787c1722756458c82a48c0f9ab9348 Studio 26c and 68c OwnersManual FR 26052020

algam akeneo prod s3 amazonaws public products d e 0 b |||

Studio 26c et Studio 68c Interfaces audio USB-C 24 bits, 192 kHz Mode d emploi www.presonus.com Franais Table des matires 1 Prsentation--1 1.1 Introduction--1 1.2 propos de ce mode d emploi--1 1.3 Produits PreSonus complmentaires--2 1.4 Contenu de l emballage--3 2 Branchements--4 2.1 Connexion...

lang:fr **score:28** filesize: 7.45 M page_count: 35 document date: 2020-05-26

Studio 26c and Studio 68c

USB-C аудиointерфейсы 24 бит/96 кГц

Руководство пользователя



PreSonus


[\[pdf\]](#)

PreSonus Studio 68c инструкция Купить по лучшей цене

7f10ec0340ce86d7c92dc1224e7e17cdproduct 44348 0 muzcentre ru |||

Studio 26c and Studio 68c USB-C 24 /96 www.presonus.com 1 -- 1 1.1 -- 1 1.2 -- 1 1.3 Studio -- 2 1.4 Studio One Artist -- 2 1.5 -- 3 5 -- 27 5.1 -- 27 6 -- 29 6.1 -- 29 2 -- 4 2.1 -- 4 2.2 -- 6 2.3 -- 8 2.3.1 **Studio 26c** -- 8 2.3.2 Studio 68c -- 9...

lang:es **score:25** filesize: 7.87 M page_count: 32 document date: 2019-12-11



[PreSonus Studio 26c and Studio 68c: Owner's Manual](#)

A comprehensive owner's manual for the PreSonus Studio 26c and Studio 68c 24-Bit, 192 kHz USB-C Audio Interfaces. This guide covers setup, connections, software integration with Studio One Artist, and technical specifications.

lang:en score:24 filesize: 8.25 M page_count: 32 document date: 2021-12-07

PreSonus Studio 26c 2X4 UHD USB-C Audio Interface with 2 Mic Inputs/24-bit/192kHz	
General	
Control Rate	44.1, 48, 88.2, 96, 176.4, or 192 kHz
Converter Resolution	24-bit
Converter Dynamic Range	114 dB
Converter Dynamic Range	114 dB
Microphone Inputs	
Maximum Level	+4.5 dBu (balanced, min gain)
Gain Range	70 dB
Frequency Response	20 Hz - 20 kHz (±0.1 dB, min gain, 48 kHz)
Dynamic Range	114 dB (A-weight, min gain)
THD + N	0.009% (1 kHz, 0 dBFS, min gain)
SNR	125 dB (A-weight, 1000, A-weight)
Input Impedance	1.5 kΩ
Phantom Power	+48 VDC (12 mA total)
Line Inputs	
Maximum Level	+25.5 dBu (balanced, min gain)
Gain Range	80 dB
Frequency Response	20 Hz - 20 kHz (±0.1 dB, min gain, 48 kHz)
Dynamic Range	114 dB (A-weight, min gain)
THD + N	0.009% (1 kHz, 0 dBFS, min gain)
Input Impedance	20 kΩ
Instrument Inputs	
Maximum Level	+4.5 dBu (balanced, min gain)
Gain Range	70 dB
Frequency Response	20 Hz - 20 kHz (±0.1 dB, min gain, 48 kHz)
Dynamic Range	114 dB (A-weight, min gain)
THD + N	0.009% (1 kHz, 0 dBFS, min gain)
Input Impedance	10 kΩ
Line Outputs (Main)	
Type	1/8" TRS Stereo, DC Coupled
Maximum Level	+10 dBu (balanced)
Frequency Response	20 Hz - 20 kHz (±0.1 dB, unity gain, 48 kHz)
Dynamic Range	114 dB (A-weight)
THD + N	0.009% (1 kHz, 0 dBFS)
Line Outputs (Sub)	
Type	1/8" TRS Stereo, DC Coupled
Maximum Level	+10 dBu (balanced)
Frequency Response	20 Hz - 20 kHz (±0.1 dB, unity gain, 48 kHz)
Dynamic Range	114 dB (A-weight)
THD + N	0.009% (1 kHz, 0 dBFS)
Headphone Outputs	
Maximum Power	20 mW/channel (32 Ω load)
Frequency Response	20 Hz - 20 kHz (±0.2 dB, 1000 Hz, 48 kHz)

[\[pdf\]](#)

PreSonus Studio 26c 2X4 UHD USB C Audio Interface with 2 Mic Maximum Level 4.5 dBu balanced min gain Gain Range 70 dB Frequency Response 20 Hz kHz ±0.1 48 Dynamic spesc 48587 files bzbexpress attachments 2462832 |||

PreSonus **Studio 26c** 2X4 UHD USB-C Audio Interface with 2 Mic Inputs/24-bit/192kHz General Sample Rates 44.1, 48, 88.2, 96, 176.4, or 192 kHz Converter Resolution 24 bit Converter Dynamic Range 114 dB Converter Dynamic Range 114 dB Microphone Inputs Maximum Level Gain Range Frequency Respons...

lang:tl score:24 filesize: 30.87 K page_count: 2 document date: 2023-02-03



[\[pdf\]](#) User Manual

Français Studio 68c Downloads PreSonus 26c and OwnersManual FR 07022021 pae web
presonusmusic products |||

Studio 26c et Studio 68c Interfaces audio USB-C 24 bits, 192 kHz Mode d'emploi
www.presonus.com Franais Table des matires 1 Prsentation--1 1.1 Introduction--1 1.2
propos de ce mode d'emploi--1 1.3 Produits PreSonus complmentaires--2 1.4
Contenu de l'emballage--3 2 Branchements--4 2.1 Connexion...
lang:fr **score:24** filesize: 7.46 M page_count: 33 document date: 2021-12-07



[\[pdf\]](#) User Manual

Français Studio 68c Downloads PreSonus 26c and OwnersManual FR 150220221 pae web
presonusmusic products |||

Studio 26c et Studio 68c Interfaces audio USB-C 24 bits, 192 kHz Mode d'emploi
www.presonus.com Franais Table des matires 1 Prsentation--1 1.1 Introduction--1 1.2
propos de ce mode d'emploi--1 1.3 Produits PreSonus complmentaires--2 1.4
Contenu de l'emballage--3 2 Branchements--4 2.1 Connexion...
lang:fr **score:24** filesize: 7.46 M page_count: 33 document date: 2022-02-15



[\[pdf\]](#) User Manual Diagram

Español Studio 68c Downloads PreSonus 26c and OwnersManual ES 07022021 pae web presonusmusic
products |||

Studio 26c y Studio 68c Interfaces de audio USB-C a 24-bit / 192 kHz Manual del
usuario www.presonus.com Espaol Tabla de contenidos 1 Vista General--1 1.1
Introduccin--1 1.2 Acerca de este manual--1 1.3 Productos PreSonus
complementarios--2 1.4 Qu hay en la caja--3 2 Conexiones--4 2.1 Conexione...
lang:es **score:24** filesize: 8.25 M page_count: 33 document date: 2021-12-07



[\[pdf\]](#) User Manual Diagram

Español Studio 68c Downloads PreSonus 26c and OwnersManual ES 15022022 pae web presonusmusic products |||

Studio 26c y Studio 68c Interfaces de audio USB-C a 24-bit / 192 kHz Manual del usuario www.presonus.com España Tabla de contenidos 1 Vista General--1 1.1 Introduccin--1 1.2 Acerca de este manual--1 1.3 Productos PreSonus complementarios--2 1.4 Qu hay en la caja--3 2 Conexiones--4 2.1 Conexione... lang:es score:24 filesize: 8.25 M page_count: 33 document date: 2022-02-15



[\[pdf\]](#) User Manual

Deutsch Studio 68c Downloads PreSonus 26c and OwnersManual DE 07022021 pae web presonusmusic products |||


Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verkabelung--4 2.1 Anschlsse auf der Vorderseite--4 2.2 Ansc... lang:de score:24 filesize: 8.8 M page_count: 33 document date: 2021-12-07



[\[pdf\]](#) User Manual

Deutsch Studio 68c Downloads PreSonus 26c and OwnersManual DE 15022022 pae web presonusmusic products |||

Studio 26c und Studio 68c 24 Bit, 192 kHz USB-C Audio-Interfaces Bedienungsanleitung www.presonus.com Deutsch Inhalt 1 bersicht--1 1.1 Einleitung--1 1.2 ber dieses Handbuch--1 1.3 Weitere Produkte von PreSonus--2 1.4 Lieferumfang--3 2 Verkabelung--4 2.1 Anschlsse auf der Vorderseite--4 2.2 Ansc... lang:de score:24 filesize: 8.8 M page_count: 33 document date: 2022-02-15



Get three free months of Auto-Tune Unlimited when you purchase a PreSonus interface or mixer.

If you purchased and registered a new PreSonus interface or mixer between **March 1, 2021** and **May 31, 2021**, you're eligible to receive three free months of Auto-Tune Unlimited.


To take advantage of this offer, please follow these steps:

1. Login or create an account at MyProFusion.com and register your qualifying product.
2. Once you have completed your hardware registration, you will find your redemption code under Products / Add-ons in your MyProFusion account.
3. Copy the code and follow the link to the private landing page hosted at www.ardentech.com
4. Follow the instructions to redeem your offer.

Qualifying products

AudioLine Series	Studio Series	Preorder	StudioLine Afro Series	StudioLine Series II
AudioLine Studio 90	Studio 240	Initiation 240	StudioLine Afro	StudioLine 520C
AudioLine Studio 96	Studio 260	Quantum Series	StudioLine AF12c	StudioLine 520R
AudioLine Studio Ultimate	Studio 680c	Quantum 2620	StudioLine AF11c	StudioLine 520S
AudioLine One	Studio 1813c	Quantum		StudioLine 640
AudioLine Two	Studio 1824c	Quantum 6840		StudioLine 108
AudioLine Two Studio	Studio 192			StudioLine 168
				StudioLine 108

His ability to lead does not extend to his people, as he is not a good manager. His own behavior is not a good example for his people to follow, and he is not a good role model.



Get the full version of Ampire when you buy select PreSonus interfaces.


If you purchased and registered a new PreSonus interface between **July 1, 2020** and **August 31, 2021**, you're eligible to receive the full version of Ampire.

To take a discount of \$15 off, please follow these steps.

1. Login or create an account at My.PreSense.com and register your qualifying product.
2. Once you have completed your hardware registration, you will find your redemption code under Products I Add-ons in your My.PreSense.com account.
3. Follow the instructions to redeem your offer.

Qualifying product(s)

Available Series	Studio Series	Flexistar Series
Audiotape US600 (A 25th Anniversary Edition)	Studio 250	Flexistar 5
Audiotape US Studio (A 25th Anniversary Edition)	Studio 260	Flexistar 10/24
Audiotape Studio Ultimate (A 25th Anniversary Edition)	Studio 270	Flexistar 240
Audiotape Duo	Studio 280	Flexistar Series
Audiotape Trio	Studio 290	Quantum 20/25
Audiotape Four Studio	Studio 300	Quantum
		Quantum 4000



Get the full version of Ampire when you buy select PreSonus interfaces.

If you purchased and registered a new PreSonus interface between **July 1, 2021** and **August 31, 2021**, you're eligible to receive the full version of Ampire.

To take advantage of this offer, please follow these steps:

1. Login or create an account at My.Peterson.com and register your qualifying product.
2. Once you've completed your hardware registration, you will find your extension code under Products | Add-ons in your MyPeterson account.
3. Follow the instructions to extend your offer.

On 11th June 2002, the following was reported:

Qualifying products:		
Academic Series	Studio Series	Executive Series
Audiotape US900 (A 25th Anniversary Edition)	Studio 240	Executive
Audiotape ES Studio (A 25th Anniversary Edition)	Studio 260	Executive in 24
Audiotape Studio Ultimate (A 25th Anniversary Edition)	Studio 680	Academic 240
Audiotape One	Studio 1030C	Quantile Series
Audiotape Two	Studio 1034C	Quantum 2600
Audiotape Two Studio	Studio 1032	Quantum

AED
Donor
Program

[\[pdf\]](#) Instructions

presonus antares promo one sheet indd Get three free months of Auto Tune Unlimited when you purchase a PreSonus interface or mixer box shop nl images |||

Get three free months of AutoTune Unlimited when you purchase a PreSonus interface or mixer. If you ... AudioBox Studio Ultimate AudioBox iOne AudioBox iTwo AudioBox iTwo Studio Studio Series Studio 24c **Studio 26c** Studio 68c Studio 1810c Studio 1824c Studio 192 Revelator ioStation 24c Quantum Series Q...

lang:en score:22 filesize: 862.68 K page_count: 1 document date: 2021-02-23

[\[pdf\]](#) Instructions

ampire interface promo one sheet indd Presonus 174258 2021 06 30 075537 guitarcenter rebates Get the full version of Ampire when you buy select PreSonus interfaces If purchased and registered a new between July 1 |||

Get the full version of Ampire when you buy select PreSonus interfaces. If you purchased and registe ... 5th Anniversary Edition AudioBox iOne AudioBox iTwo AudioBox iTwo Studio Studio Series Studio 24c **Studio 26c** Studio 68c Studio 1810c Studio 1824c Studio 192 Revelator Series Revelator Revelator io2...


lang:en score:22 filesize: 742.56 K page_count: 1 document date: 2021-06-30

[\[pdf\]](#) Instructions

ampire interface promo one sheet indd Presonus 174378 2021 07 20 080946 guitarcenter rebates Get the full version of Ampire when you buy select PreSonus Once have completed your hardware registration will find redemption code under Products Add ons in MyPreSonus account |||

Get the full version of Ampire when you buy select PreSonus interfaces. If you purchased and registe ... 5th Anniversary Edition AudioBox iOne AudioBox iTwo AudioBox iTwo Studio Studio Series Studio 24c **Studio 26c** Studio 68c Studio 1810c Studio 1824c Studio 192 Revelator Series Revelator Revelator io2...

lang:en score:21 filesize: 742.56 K page count: 1 document date: 2021-07-20



[pdf] Instructions

ampire interface promo one sheet indd Get the full version of Ampire when you buy select PreSonus Login or create an account at My your hardware registration will find redemption code under Products Add ons in MyPreSonus home httpd data media 9 c3 zzounds 93316d990b4971514a1c4790fbb6901e Get the full version of Ampire when you buy select PreSonus interfaces. If you purchased and registe ... 5th Anniversary Edition AudioBox iOne AudioBox iTwo AudioBox iTwo Studio Studio Series Studio 24c **Studio 26c** Studio 68c Studio 1810c Studio 1824c Studio 192 Revelator Series Revelator Revelator io2... lang:en **score:19** filesize: 742.6 K page_count: 1 document date: 2021-06-23




[pdf]

Français Studio 68c Downloads PreSonus STUDIO26c et Mode demploi FR 25052022 pae web presonusmusic products ||| STUDIO26c et STUDIO68c Interfaces audio USB-C 24 bits, 192 kHz Mode d emploi www.presonus.com Fra ... n 2.3 Schmas de connexion 2.3.1 STUDIO26c STUDIO26c et STUDIO68c Mode d emploi Voir la bote de la **Studio 26c** pour les configurations informatiques requises 8 2 Branchements 2.3 Schmas de connexion... lang:fr **score:17** filesize: 7.46 M page_count: 33 document date: 2022-05-25



[pdf] User Manual Diagram

OM 2777700404 Studio 26c PT ESTUDIO26c e ESTUDIO68c Interfaces de áudio USB C 24 bits 192 kHz 68c 11112023 fmicassets Damroot Original 10021 ||| ESTDIO26c e ESTDIO68c Interfaces de udio USB-C de 24 bits e 192 kHz Manual do proprietario www.presonus.com ndice 1 Viso geral - 1 1.1 Introduo - 1 1.2 Sobre este manual -- 1 1.3 Resumo dos recursos de hardware da srie Studio -- 2 1.4 Resumo dos recursos do software Studio One Artist -- 2 1.5... lang:pt **score:17** filesize: 21.71 M page_count: 32 document date: 2023-10-13



[pdf]

Mischpulte Andy Keller Preislisten presonus gowild ch shop resources preislisten |||

Mixing Systems EARMIX EarMix 16M AVB Personal Monitoring Mixer, 16 Kanle, PoE C2 449. EarMix Moun ... UDIO SERIES USB INTERFACES Studio 24c 2In / 4Out USB2.0 Audio Interface, 24Bit/192KHz, USB-C C2 **Studio 26c** 2In / 6Out USB2.0 Audio Interface, 24Bit/192KHz, USB-C C2 Studio 68c 6In / 8Out USB2....

lang:de score:16 filesize: 955.93 K page_count: 10 document date: 2022-04-29



[pdf]

Mischpulte Andy Keller presonus0921 gowild ch de send 7 preislisten pro audio 210 presonus

Mixing Systems EARMIX EarMix 16M AVB Personal Monitoring Mixer, 16 Kanle, PoE C2 435. EarMix Moun ... 192KHz C2 Studio 24c 2In / 4Out USB2.0 Audio Interface, 24Bit/192KHz, USB-C C2 229. 915. 169. **Studio 26c** 2In / 6Out USB2.0 Audio Interface, 24Bit/192KHz, USB-C C2 229. Studio 68c 6In / 8Out...

lang:de score:16 filesize: 943.15 K page_count: 10 document date: 2021-08-31



[pdf] User Manual

SO 7 2 MANUAL Solved Studio One Pro vs User Forum UM EN pae web presonusmusic products |||

USER MANUAL Version 7.2 Table of Contents Table of Contents Introduction Installation and Activat ... ipment some time to avoid temperature drift. CV Instrument 567 Compatible PreSonus Interfaces I **Studio 26c** I Studio 68 and 68c I Studio 1810 and 1810c I Studio 1824 and 1824c I Quantum TB I Quantu...

lang:en score:16 filesize: 103.52 M page_count: 620 document date: 2025-06-02



[PreSonus Studio One Pro 7.1 Reference Manual - Comprehensive Guide to Music Production](#)

Explore the features and functionalities of PreSonus Studio One Pro 7.1 with this comprehensive reference manual. Learn about installation, setup, recording, mixing, mastering, and advanced workflows for music creation and production.


lang:en score:15 filesize: 104.19 M page_count: 615 document date: 2025-01-29



[\[pdf\]](#)

PresonusStudioLiveSSeries 2019 media americanmusical ItemFiles Rebate American Musical Supply Guitars Amps Drums and 39 01 2 *% 3 Music creation is a lot like magic show YouÖve got an audience to impress of tricks up your sleeve success requires combination real talent perhaps little bit smoke Studio Magic Software Suite for Select PreSonus Products Make your own magic. Music creation is a ... o AudioBox iTwo Studio ioStation 24c Quantum Quantum 2 Quantum 2626 Quantum 4848 Studio 24c **Studio 26c** Studio 68c Studio 1810c Studio 1824c Studio 192 StudioLive 16.0.2USB StudioLive AR2...


lang:en score:15 filesize: 3.14 M page_count: 8 document date: 2020-02-26



[\[pdf\]](#) Release Notes

UC 2 10 Milestone Release Notes1 pae web presonusmusic products release notes Universal Control 2.10 Milestone Release Notes 1/24/19 Version Information: Universal Control M ... green to blue unless AVB clock is locked Adds support for Studio 1824c, Studio 1810c, Studio 68c, **Studio 26c**, Studio 24c The Following Android devices should be Compatible with UC Surface: Any devi...

lang:en score:15 filesize: 102.44 K page_count: 4 document date: 0000-00-00



[\[pdf\]](#)

PIEC23 7592 Index of docs5 mxevenement |||

La 3me Harmonique Devis 548/951/1 MX EVENEMENT Rue de la Frm Saint-Ladre
10 95470 Saint-Witz 229, r ... VMIX Portable 15 350,00 1 40 2 Portable HD 2 15
ASUS TUF GAMING 2 Carte son Presonus **studio 26c** 2i/4o 300,00 1 15,00 1 40 2
Souris pour ordinateur 2,00 1 40 2 Carte d acquisiti...

lang:fr score:14 filesize: 79.2 K page_count: 2 document date: 2023-05-19