



Manuals.plus /

› Legrand /

› Legrand LEG95223 TV Socket Instruction Manual

Legrand LEG95223

Legrand LEG95223 TV Socket Instruction Manual

Model: LEG95223

INTRODUCTION

The Legrand LEG95223 BLC Compo Doxie TV Socket is designed to provide a high-quality connection for all types of televisions, including new UHD or 4K models. This Type F socket ensures optimal signal reception and a reliable, secure connection with its screw-on nozzle. It is engineered to limit signal weakening, with an attenuation of less than 1dB, reducing the need for additional amplification. This manual provides essential information for the safe and effective installation and use of your TV socket.

IMPORTANT SAFETY INFORMATION

- Always disconnect power at the main circuit breaker before installing or servicing electrical devices.
- Installation should be performed by a qualified electrician or in accordance with local electrical codes.
- Do not use this product if it appears damaged.
- Ensure all connections are secure to prevent electrical hazards and ensure optimal performance.
- This product is designed for indoor use only.

PACKAGE CONTENTS

Please check the package for the following items:

- 1 x Legrand LEG95223 BLC Compo Doxie TV Socket (Type F)
- *Note: The finish plate is not included and must be purchased separately.*

SETUP AND INSTALLATION

The Legrand LEG95223 TV Socket is designed for recessed installation. Follow these steps for proper setup:

1. **Prepare the Installation Area:** Ensure the power to the circuit is turned off at the main breaker. Prepare the wall box for recessed installation.

2. **Connect the Coaxial Cable:** Use a coaxial cable with a diameter of 5.5 to 7 mm. Strip the cable according to standard practices for F-type connectors. Insert the prepared coaxial cable into the screw-on nozzle of the TV socket. Ensure the central conductor is properly seated and the shield is securely connected. The optimized cable hold ensures a stable connection.
- 3.



Image: Front view of the Legrand LEG95223 TV socket, highlighting the F-type connector and the robust mounting frame. This image shows the socket ready for installation into a wall box.

4. **Mount the Socket:** Secure the TV socket assembly into the wall box using the provided mounting screws. Ensure it is flush with the wall surface.
- 5.




Image: Angled view of the Legrand LEG95223 TV socket, providing a clearer perspective of its side profile and the design of its connection points, which facilitate secure cable attachment.

6. **Install the Finish Plate:** Once the socket is securely mounted, attach your chosen finish plate (not included) to complete the installation and personalize the interior aesthetic.

7.




Image: Rear view of the Legrand LEG95223 TV socket, illustrating the cable entry mechanism and the robust mounting tabs designed for secure recessed installation.

8. **Restore Power:** Once installation is complete and all connections are secure, restore power at the main circuit breaker.

OPERATING INSTRUCTIONS

Using the Legrand LEG95223 TV Socket is straightforward:

1. **Connect Your TV:** Plug the coaxial cable from your television or set-top box into the F-type connector on the Legrand TV socket. Ensure the connection is finger-tight for optimal signal transfer.
2. **Signal Reception:** The socket is designed for optimal signal reception for UHD and 4K TVs, minimizing signal loss.

MAINTENANCE

The Legrand LEG95223 TV Socket requires minimal maintenance:

- **Cleaning:** Periodically wipe the surface of the socket and finish plate with a soft, dry cloth. Do not use abrasive

cleaners or solvents.

- **Inspections:** Occasionally check the coaxial cable connection to ensure it remains secure.
- No internal user-serviceable parts. Do not attempt to disassemble the unit.

TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|-----------------------------------|--|--|
| No signal or poor picture quality | Loose coaxial cable connection. Incorrect cable type or damage. Signal source issue. | Ensure the coaxial cable is securely tightened to the socket and the TV. Verify the coaxial cable is 5.5-7mm and undamaged. Check your antenna or cable TV provider for signal issues. |
| Socket feels loose in the wall | Mounting screws are not tight. | Turn off power at the breaker. Carefully re-tighten the mounting screws. Restore power. |

SPECIFICATIONS

| Feature | Detail |
|------------------------|-------------------------------|
| Brand | Legrand |
| Model Number | LEG95223 |
| Type | F-Type TV Socket |
| Color | White |
| Material | Plastic |
| Installation Type | Recessed |
| Coaxial Cable Diameter | Ø 5.5 to 7 mm |
| Attenuation | Less than 1dB |
| Product Dimensions | 6.3 x 3.94 x 3.94 inches |
| Item Weight | 2.71 ounces |
| Compatible Devices | Television (UHD/4K optimized) |

WARRANTY INFORMATION

Legrand products are manufactured to high standards and are backed by a manufacturer's warranty against defects in materials and workmanship. For specific warranty terms and conditions, please refer to the documentation included with your purchase or visit the official Legrand website. Keep your proof of purchase for warranty claims.

CUSTOMER SUPPORT

If you have any questions, require technical assistance, or need to report an issue with your Legrand LEG95223 TV Socket, please contact Legrand customer support. Contact information can typically be found on the official Legrand

website or on the product packaging.

For more information, visit: [Legrand Official Website](#)