

## yuwell B07LC23DX7

# yuwell Ultra Lightweight Transport Wheelchair User Manual

Model: B07LC23DX7

## 1. INTRODUCTION

Thank you for choosing the yuwell Ultra Lightweight Transport Wheelchair. This manual provides essential information for the safe and effective use, maintenance, and troubleshooting of your new transport wheelchair. Please read this manual thoroughly before initial use and keep it for future reference.

## 2. SAFETY INFORMATION

**WARNING: Failure to follow these safety instructions could result in serious injury or damage to the product.**

- This transport wheelchair is designed for individuals weighing up to 165 pounds. Do not exceed this weight limit.
- Always ensure the user is properly seated and secured with the seatbelt (if applicable) before moving.
- The wheelchair is intended for transport and should not be used for self-propulsion by the user.
- Always engage the hand brakes when the wheelchair is stationary, especially on inclines or declines.
- Be aware of obstacles and uneven surfaces. Small front wheels may get stopped by large cracks or holes.
- Do not attempt to modify the wheelchair. Use only genuine yuwell replacement parts.
- Keep hands and fingers clear of moving parts, especially during folding and unfolding.

*Legal Disclaimer: Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition.*

## 3. PRODUCT FEATURES

- **Ultra Lightweight Design:** Weighs approximately 16 pounds, making it easy to lift and transport.

- **Compact Folding:** Designed for super-light folding with an included carry bag, allowing for easy storage and portability (e.g., on planes, trains, or in car trunks).
- **Durable Construction:** Made of aluminum alloy, ensuring durability and resistance to oxidation.
- **Hand Brakes:** Equipped with hand brakes for easy control and enhanced safety.
- **Suitable for Smaller Users:** Ideal for body sizes up to 165 pounds, often suitable for the elderly and children.



Image: The Yuwell Ultra Lightweight Transport Wheelchair in its open, ready-to-use state, showcasing its plaid seat and backrest, aluminum frame, and hand brakes. This image highlights the compact and functional design of the wheelchair.

## 4. SETUP

### 1. Unfolding the Wheelchair:

Carefully remove the wheelchair from its carry bag. Hold the frame and gently pull the sides apart until the seat is fully extended and flat. Ensure all locking mechanisms click into place securely.



Image: A visual representation of the wheelchair's dimensions when unfolded (36" height, 19" seat height) and when folded (24" length, 19" width, 14" height). This illustrates the compact nature of the wheelchair for storage and transport.

### 2. Attaching Footrests:

If the footrests are detached, align them with the attachment points on the front frame and push down until they lock securely. Ensure they are firmly in place before use.

### 3. Checking Brakes:

Before first use, test the hand brakes to ensure they engage and disengage smoothly and effectively. Refer to the "Operating Instructions" section for proper brake usage.

## 5. OPERATING INSTRUCTIONS

### 5.1 Seating the User

- Ensure the wheelchair is on a flat, stable surface and the hand brakes are engaged.
- Assist the user to sit down carefully, ensuring they are centered on the seat.
- Adjust footrests to a comfortable height if adjustable (this model's footrests are fixed).
- Fasten the seatbelt if present and applicable.

### 5.2 Moving the Wheelchair

- Disengage the hand brakes.
- Push the wheelchair using the handles. Maintain a steady pace.
- When encountering small obstacles or uneven terrain, it may be necessary to slightly lift the front wheels by gently tilting the wheelchair backward to avoid getting stuck.

### 5.3 Using the Hand Brakes

- To slow down or stop, gently squeeze the hand brake levers on the push handles.
- To engage the parking brake, push the brake levers down until they lock into place. Ensure the wheelchair is stable before releasing the levers.
- To release the parking brake, pull the levers up.



Image: A collage of detailed images showing key features: a hand engaging the brake lever, a foot engaging the wheel lock, hands operating the folding mechanism, the seat folding up, 360-degree swivel front wheels, and the armrests folding down. This illustrates

the ease of use and compact design.

## 5.4 Folding the Wheelchair for Transport

1. Ensure the user has exited the wheelchair.
2. Engage the parking brakes.
3. Locate the folding mechanism (often a strap or lever under the seat) and pull upwards to collapse the seat.
4. Push the sides of the frame together until the wheelchair is fully folded.
5. Secure any locking arms or straps to keep it in the folded position.
6. Place the folded wheelchair into its carry bag for easy transport.

## 6. MAINTENANCE

- **Cleaning:** Wipe down the frame and seat fabric with a damp cloth and mild detergent. Do not use abrasive cleaners.
- **Wheel Inspection:** Regularly check wheels for wear and tear. Ensure they spin freely and are free of debris.
- **Brake Check:** Periodically test the hand brakes for proper function and adjustment. If brakes feel loose or ineffective, consult a qualified technician.
- **Fastener Check:** Ensure all screws, bolts, and fasteners are tight. Do not overtighten.
- **Storage:** Store the wheelchair in a dry, cool place, away from direct sunlight and extreme temperatures.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Wheelchair difficult to push.	Wheels may be dirty or have debris. Brakes may be partially engaged.	Clean wheels and axles. Ensure brakes are fully disengaged.
Brakes not holding securely.	Brake cables may be loose or worn.	Inspect brake cables. If loose, they may need adjustment by a qualified technician. If worn, replacement is necessary.
Wheelchair does not fold easily.	Folding mechanism obstructed or not fully released.	Ensure no items are obstructing the folding mechanism. Check if the seat is fully collapsed before attempting to fold the frame.
Front wheels get stuck on small bumps.	Common with small front wheels on uneven surfaces.	Slightly tilt the wheelchair backward to lift the front wheels over obstacles. Use caution.

If you encounter problems not listed here or if solutions do not resolve the issue, please contact yuwell customer support.

## 8. SPECIFICATIONS

- **Brand:** yuwell
- **Model:** B07LC23DX7
- **Material:** Aluminum Alloy
- **Item Weight:** Approximately 16 Pounds (7.26 kg)

- **Maximum User Weight:** 165 Pounds (75 kg)
- **Package Dimensions:** 25.8 x 19.5 x 16.1 inches (65.5 x 49.5 x 40.9 cm)
- **Color:** Plaid
- **Style:** Modern
- **Manufacturer:** YUWELL
- **Date First Available:** December 13, 2018

## 9. WARRANTY AND SUPPORT

---

For warranty information and customer support, please refer to the documentation included with your purchase or visit the official yuwell website. You may also contact the seller directly through the platform where the purchase was made.

**Seller:** yuwell@

**Amazon Store:** [Visit the yuwell Store on Amazon](#)

© 2024 yuwell. All rights reserved.

This manual is for informational purposes only. Product specifications are subject to change without notice.