

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [Elica](#) /

› Elica 40"x22" Professional Stainless Steel Insert Range Hood User Manual

Elica 40"x22" Insert Range Hood

Elica 40"x22" Professional Stainless Steel Insert Range Hood

USER MANUAL

Introduction

This user manual provides essential information for the safe and efficient operation, installation, and maintenance of your Elica 40"x22" Professional Stainless Steel Insert Range Hood. Please read this manual thoroughly before installation and use, and retain it for future reference.

Safety Information

Always adhere to the following safety precautions to reduce the risk of fire, electric shock, or injury.

- Ensure the range hood is properly grounded.
- Do not operate the hood with a damaged cord or plug.
- Always disconnect power before servicing or cleaning.
- Clean grease filters regularly to prevent grease fires.
- Do not flambé under the range hood.
- Use only for general ventilating purposes. Do not use to exhaust hazardous or explosive materials.

Setup and Installation

Professional installation is highly recommended for this appliance. Ensure proper ducting and electrical connections are in place before beginning installation.

- **Mounting Type:** This is an insert range hood designed for cabinet integration.
- **Dimensions:** The unit measures approximately 22"D x 40.5"W x 11.5"H. Ensure adequate space within your cabinetry.
- **Ducting:** Connect the exhaust outlet to appropriate ductwork. Consult local building codes for specific requirements.
- **Electrical Connection:** Ensure the electrical supply matches the hood's requirements (typically 120V, 60Hz).



The Elica range hood seamlessly integrated into a modern kitchen cabinet, demonstrating its insert design.



Another view of the Elica range hood installed above a cooktop, highlighting its discreet yet powerful presence.

Operating Instructions

Your Elica range hood is designed for intuitive operation with its knob controls and efficient lighting system.

- **Fan Control:** Use the fan speed knob to select desired ventilation power. The hood offers multiple speed settings to accommodate various cooking needs, up to 1200 CFM.
- **Light Control:** The separate light knob activates the integrated LED lighting, providing bright illumination for your cooking surface.
- **Optimal Use:** For best results, turn on the range hood a few minutes before cooking and leave it on for a few minutes after cooking to clear residual odors and steam.



Close-up view of the Elica range hood's control panel, featuring two illuminated rotary knobs for fan speed and lighting, and bright LED lights.



Detailed view of the recessed LED lighting fixtures on the Elica range hood, providing bright illumination for the cooking surface.

Maintenance

Regular maintenance ensures optimal performance and longevity of your range hood.

- **Grease Filter Cleaning:** The hood is equipped with stainless steel mesh filters. These should be cleaned regularly (monthly or more frequently depending on cooking habits) by hand with hot soapy water or in a dishwasher. Ensure they are completely dry before re-installing.
- **Surface Cleaning:** Clean the stainless steel surfaces with a soft cloth and a non-abrasive stainless steel cleaner. Avoid harsh chemicals or abrasive pads.
- **LED Lights:** The LED lights are designed for long life and typically do not require replacement. If a light fails, contact qualified service personnel.



An angled view from below the Elica range hood, showcasing the removable stainless steel mesh filters and the integrated LED lighting.

Troubleshooting

Refer to the table below for common issues and their potential solutions.

Problem	Possible Cause	Solution
Hood does not turn on	No power supply; tripped circuit breaker; loose wiring.	Check power connection; reset circuit breaker; consult an electrician.
Poor suction	Clogged grease filters; restricted ductwork; incorrect fan speed.	Clean or replace filters; check ducting for obstructions; increase fan speed.
Lights not working	Faulty LED module; loose connection.	Contact customer support for assistance.
Excessive noise	Loose components; fan obstruction; improper installation.	Check for loose parts; remove any obstructions; verify proper installation.

Specifications

Brand: Elica

Model: 40"x22" Professional Insert Range Hood

Product Dimensions: 22"D x 40.5"W x 11.5"H

Material: Stainless Steel

Color: Stainless Steel

Finish Type: Brushed

Air Flow Capacity: 1200 Cubic Feet Per Minute (CFM)

Mounting Type: Wall Mount (Insert)

Controls Type: Knob

Light Source Type: LED

Filter Type: Mesh

UPC: 190603002034

ASIN: B07LD1RGX1

Warranty and Support

Elica products are manufactured to the highest quality standards. For specific warranty details, please refer to the warranty card included with your product or visit the official Elica website. For technical support, parts, or service inquiries, please contact Elica customer service directly. Have your model number and purchase date ready when contacting support.