

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Seco-Larm](#) /

> [Seco-Larm Enforcer 12VDC Switching CCTV Power Supply \(9 Outputs, 10A\) Model PC-U0910-PULQ User Manual](#)

Seco-Larm PC-U0910-PULQ

Seco-Larm Enforcer 12VDC Switching CCTV Power Supply

MODEL: PC-U0910-PULQ USER MANUAL

1. Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of the Seco-Larm Enforcer 12VDC Switching CCTV Power Supply, Model PC-U0910-PULQ. This power supply is designed to efficiently power multiple Closed-Circuit Television (CCTV) devices.

The PC-U0910-PULQ model features nine individually adjustable outputs, each protected by a Positive Temperature Coefficient (PTC) fuse, and provides a total supply current of 10A.

2. Safety Precautions

- **Professional Installation:** This unit is intended for professional installation only.
- **Voltage Testing:** Always test the output voltage using a multimeter before connecting any devices to prevent damage.
- **Indoor Use Only:** The power supply is designed for indoor use. Do not expose it to weather, high humidity, or direct moisture.
- **Ventilation:** Ensure adequate ventilation around the unit to prevent overheating. Do not block ventilation openings.
- **Power Disconnection:** Disconnect power before performing any installation, maintenance, or troubleshooting.
- **Grounding:** Ensure the unit is properly grounded according to local electrical codes.

3. Package Contents

Verify that all items are present in the package:

- Seco-Larm Enforcer 12VDC Switching CCTV Power Supply (Model PC-U0910-PULQ)
- Power Cord (3.3 feet / 1 meter)
- (2) Rubber Rings
- (2) Keys
- Instruction Manual (this document)

4. Key Features

- Individually adjustable 11.0-13.8 VDC outputs for precise power delivery.
- Universal 90-120 VAC input for broad compatibility.
- Built-in short circuit and overheat protection for enhanced safety.
- Heavy-duty steel case with a removable cover for durability and security.
- Each output features an individual status LED and PTC fuse protection.

5. Setup and Installation

Carefully follow these steps for proper installation of your power supply. Ensure all safety precautions are observed.




Figure 1: Internal view of the Seco-Larm Enforcer 12VDC Switching CCTV Power Supply (Model PC-U0910-PULQ) with the cover open. The image displays the main power supply unit at the bottom right, connected to a red power distribution board with multiple output terminals and individual PTC fuses. Wiring connects the components, and a label with technical information is visible on the inside of the door.

5.1 Mounting the Unit

1. Select a suitable indoor location that is dry, well-ventilated, and protected from direct sunlight, extreme temperatures, and humidity.
2. Using appropriate fasteners (not included), securely mount the heavy-duty steel case to a wall or other stable surface. Ensure the mounting surface can support the weight of the unit and connected cables.

5.2 Wiring the Power Supply

1. **Input Power:** Connect the provided 3.3-foot (1m) power cord to the AC input terminals of the power supply unit. Ensure the input voltage is within the universal 90-120 VAC range.
2. **Output Connections:**

- Identify the nine output terminals on the power distribution board. Each output is clearly marked.
 - Connect the positive (+) and negative (-) wires from your CCTV devices to the corresponding terminals on the power distribution board.
 - Ensure proper polarity to avoid damage to your devices.
3. **Voltage Adjustment:** Before connecting devices, use a small screwdriver to adjust the voltage for each output individually. The adjustable range is 11.0-13.8 VDC. Use a multimeter to verify the desired output voltage for each connected device.
 4. **Secure Wiring:** Ensure all wire connections are tight and secure to prevent intermittent power or short circuits.

5.3 Initial Power-Up

1. Once all connections are made and verified, connect the power cord to a suitable electrical outlet.
2. Observe the LED indicators on the cover. A green LED indicates AC input power, and red LEDs indicate DC output power for each channel.
3. Confirm that all connected CCTV devices are receiving power and operating correctly.

6. Operation

The Seco-Larm Enforcer Power Supply operates automatically once connected to power and devices. Key operational aspects include:

- **Power Indicators:**
 - A **Green LED** on the cover indicates that the unit is receiving AC input power.
 - Individual **Red LEDs** on the Power Distribution Module (PDM) indicate that DC output power is being supplied to each respective channel. If a red LED is off for a particular channel, it may indicate a fault or a tripped PTC fuse for that output.
- **Output Voltage Adjustment:** The output voltage for each channel can be fine-tuned between 11.0-13.8 VDC using the adjustment potentiometers located near each output terminal. This allows for compensation of voltage drop over long cable runs or to meet specific device requirements.
- **PTC Fuses:** Each output is protected by a self-resetting PTC fuse. In case of an overload or short circuit on an output, the fuse will trip, cutting power to that specific channel. Once the fault is cleared, the PTC fuse will automatically reset, restoring power.

7. Maintenance

The Seco-Larm Enforcer Power Supply is designed for reliable operation with minimal maintenance. However, periodic checks are recommended:

- **Cleaning:** Periodically clean the exterior of the unit with a soft, dry cloth. Do not use liquid cleaners or aerosols. Ensure ventilation openings are free from dust and debris.
- **Connection Checks:** Annually, or as needed, inspect all wiring connections to ensure they remain secure and free from corrosion.
- **Environmental Check:** Confirm that the operating environment remains within the specified temperature and humidity ranges.
- **PTC Fuse Reset:** If an output LED is off, indicating a tripped PTC fuse, disconnect the device from that output, identify and resolve the cause of the overload or short circuit, and then reconnect the device. The PTC fuse should reset automatically.

8. Troubleshooting

Problem	Possible Cause	Solution
No power to any device, Green AC LED is OFF.	No AC input power.	Check the power cord connection to the outlet and the unit. Verify the electrical outlet is functional.
No power to a specific device, its Red DC LED is OFF.	Overload or short circuit on that output channel; PTC fuse tripped.	Disconnect the device from the affected output. Inspect the device and wiring for faults. Once the fault is cleared, reconnect the device. The PTC fuse should reset automatically.
Output voltage is incorrect.	Voltage adjustment setting is incorrect.	Using a multimeter, carefully adjust the individual output voltage potentiometer to the desired 11.0-13.8 VDC range.
Unit is overheating.	Poor ventilation; excessive load.	Ensure ventilation openings are clear. Reduce the total load if it exceeds the 10A capacity. Relocate the unit to a cooler, better-ventilated area.

9. Specifications

Model	PC-U0910-PULQ
Type	9 Outputs, 10A Total
Input Voltage	Universal 90-120 VAC (47~63 Hz)
Output Voltage	Individually adjustable 11.0-13.8 VDC
Total Supply Current	10A
Max. Current Per Output	1.6A
Output Fuse Type	PTC (Positive Temperature Coefficient)
LED Indicators	Green (AC Input), Red (DC Output per channel)
Operating Humidity	90% (non-condensing)
Operating Temperature	32°~104° F (0°~40° C)
Dimensions	9-7/16 x 10-1/4 x 2-3/8 inches (240 x 260 x 60 mm)
Weight	4 pounds, 7 ounces (approx. 2 kg)
Credentials	RoHS, UL, CE
UPC	676544019619


10. Warranty and Support

Warranty: This Seco-Larm product is covered by a 2-year limited warranty from the date of purchase against defects in material and workmanship under normal use.

Technical Support: For technical assistance, troubleshooting, or warranty claims, please contact Seco-

 <p>ENFORCER® SL Access® App User Manual For ENFORCER Bluetooth® Access Controllers</p> <p>Fully integrated Bluetooth® provides streamlined setup and management for managers and easy access for users</p> <p>The SL Access App and user interface are registered trademarks of Seco-Larm, LLC. All other trademarks are the property of their respective owners.</p> <p>SL / SECO-LARM®</p>	<p>ENFORCER SL Access App User Manual for Bluetooth Access Controllers</p> <p>This user manual guides users through the ENFORCER SL Access app, compatible with ENFORCER Bluetooth Access Controllers. Learn how to set up, manage access, and use features like basic and auto-unlock operations. Includes troubleshooting and settings information.</p>
 <p>ENFORCER® SL Access® App User Manual For ENFORCER Bluetooth® Access Controllers</p> <p>Fully integrated Bluetooth® provides streamlined setup and management for managers and easy access for users</p> <p>The SL Access App and user interface are registered trademarks of Seco-Larm, LLC. All other trademarks are the property of their respective owners.</p> <p>SL / SECO-LARM®</p>	<p>ENFORCER SL Access App User Manual for Bluetooth Access Controllers</p> <p>User manual for the ENFORCER SL Access app, detailing setup, operation, and troubleshooting for ENFORCER Bluetooth® Access Controllers. Learn how to manage access, use auto-unlock features, and configure settings.</p>
 <p>ENFORCER® Retro-Reflective Photoelectric Beam Sensor E-936-S45RRGQ Installation Manual</p> <p>The E-936-S45RRGQ Retro-Reflective Photoelectric Beam Sensor provides reliable, long-range detection for access control. The sensor is designed for use in a variety of applications, including perimeter security, parking management, and access control.</p> <p>SECO-LARM®</p>	<p>ENFORCER E-936-S45RRGQ Retro-Reflective Photoelectric Beam Sensor Installation Manual</p> <p>Installation manual for the ENFORCER E-936-S45RRGQ Retro-Reflective Photoelectric Beam Sensor. Features include 45ft range, IP66 weatherproof rating, and UL 325 compliance for gate operators. Provides specifications, installation, adjustment, and troubleshooting guides.</p>

Documents - Seco-Larm – PC-U0910-PULQ



ENFORCER®
12VDC Switching CCTV Power Supply
Manual

PC-U1820-PULQ shown

Model Number	Number of Outputs	Total Supply Current	Max. Current per Output
PC-U0405-PULQ	4	5A	1.6A
PC-U0810-PULQ	8	10A	1.6A
PC-U1810-PULQ	18	10A	1.1A
PC-U1820-PULQ	18	20A	1.6A
PC-U1830-PULQ	18	30A	1.85A

SECO-LARM® SL / 

[pdf] User Manual Parts List Specifications

Microsoft Word MI PC Uxxxx PULQ 190321 docx jhollifield 12VDC Switching CCTV Power Supply seco
larm image data A Documents 02 Manuals

12VDC Switching CCTV Power Supply Manual PC-U1820-PULQ shown Model
Number PC-U0405-PULQ **PC-U0910-PULQ** PC-U1810-PULQ PC-U1820-PULQ PC-
U1830-PULQ Number of Outputs 4 9 18 18 18 Total Supply Current 5A 10A 10A 20A
30A Max. Current per Output 1.6A 1.6A 1.1A 1.6A 1.85A ENFORCER 12VDC
Switching C...

lang:en score:50 filesize: 414.54 K page_count: 4 document date: 2019-07-25

ENFORCER®

12VDC Switching CCTV Power Supply
Manual

Model Number | Number of Outputs | Total Supply Current | Max. Current per Output

PC-U0405-PULQ	4	5A	1.6A
PC-U0910-PULQ	9	10A	1.6A
PC-U1810-PULQ	18	10A	1.1A
PC-U1820-PULQ	18	20A	1.6A
PC-U1830-PULQ*	18	30A	1.85A

*Special order item. Please contact SECO-LARM for details.

SECO-LARM® SLU®

[\[pdf\]](#) User Manual Parts List Specifications

Microsoft Word MI PC Uxxxx PULQ 180823 docx csung 12VDC Switching CCTV Power Supply SEPCUxxxxPULQ Manual homecontrols products s SE SecoLarm |||

12VDC Switching CCTV Power Supply Manual PC-U1820-PULQ shown Model Number Number of Outputs PC-U0405-PULQ 4 **PC-U0910-PULQ** 9 PC-U1810-PULQ 18 PC-U1820-PULQ 18 PC-U1830-PULQ* 18 *Special order item. Please contact SECO-LARM for details. Total Supply Current 5A 10A 10A 20A 30A Max. Curr... lang:en score:41 filesize: 494.31 K page_count: 4 document date: 2018-08-23

ENFORCER CCTV

12VDC Switching CCTV Power Supply

PC-U0405-PULQ
4 Outputs, Total supply current: 5A

PC-U0910-PULQ
9 Outputs, Total supply current: 10A

PC-U1810-PULQ
18 Outputs, Total supply current: 10A

PC-U1820-PULQ
18 Outputs, Total supply current: 20A

PC-U1830-PULQ
18 Outputs, Total supply current: 30A

The ENFORCER 12VDC Switching CCTV Power Supply is an efficient solution for powering CCTV installations. Each unit distributes power to multiple CCTV devices and provides short-circuit and overheat protection.

Features:

- 100-240VAC Input
- Adjustable output voltage to reduce voltage drop
- Each output individually protected by a PTC fuse
- Power factor >0.95 (typical)
- Individual output status LEDs
- Compatible for use with LED cameras
- Remote 400 kHz call with carrier
- Built-in short-circuit and overheat protection
- 1.5m (5ft) Power cord included

Specifications:

Model	PC-U0405-PULQ	PC-U0910-PULQ	PC-U1810-PULQ	PC-U1820-PULQ	PC-U1830-PULQ
Outputs	4	9	18	18	18
Current	5A	10A	10A	20A	30A
Max. Current per Output	1.6A	1.1A	1.1A	1.6A	1.85A
Input Voltage	100-240VAC (switchable)				
Output Voltage	12VDC (switchable)				
Power	40W / 90W / 180W / 240W / 360W				
Efficiency	85% (typical)				
Power Factor	>0.95 (typical)				
Dimensions (W x H x D)	100 x 100 x 100 mm (3.9 x 3.9 x 3.9 in)				
Weight	0.5 kg (1.1 lb)				

SECO-LARM® U.S.A., Inc.
16842 Millikan Avenue, Irvine, CA 92606
Phone: (949) 261-1988 | (800) 842-3880 | Fax: (949) 261-1928
Website: www.seco-larm.com | Email: sales@seco-larm.com

[\[pdf\]](#) Specifications

Microsoft Word PI PC Uxxxx PULQ 190724 docx jhollifield 12VDC Switching CCTV Power Supply SECO LARM LARM® U S A Inc 16842 Millikan Avenue Irvine CA 92606 Copyright © 2019 All rights reserved

12VDC Switching CCTV Power Supply PC-U0405-PULQ 4 Outputs, Total supply current: 5A **PC-U0910-PULQ** 9 Outputs, Total supply current: 10A PC-U1810-PULQ 18 Outputs, Total supply current: 10A PC-U1820-PULQ 18 Outputs, Total supply current: 20A PC-U1830-PULQ 18 Outputs, Total supply current: 30A PC-U181... lang:en score:40 filesize: 450.82 K page_count: 1 document date: 2019-07-24

ENFORCER CCTV

Fuente de Alimentación CCTV de Conmutación de 12 V.C.C.

PC-U0405-PULQ
4 Salidas, Corriente de suministro total: 5A

PC-U0910-PULQ
9 Salidas, Corriente de suministro total: 10A

PC-U1810-PULQ
18 Salidas, Corriente de suministro total: 10A

PC-U1820-PULQ
18 Salidas, Corriente de suministro total: 20A

PC-U1830-PULQ
18 Salidas, Corriente de suministro total: 30A

La fuente de alimentación CCTV de conmutación 12VDC/ENFORCER es una solución eficiente para alimentar instalaciones de CCTV. Cada unidad distribuye energía a múltiples dispositivos de CCTV y proporciona protección contra cortocircuitos y sobrecalentamiento.

Características:

- Entrada 100-240 V.C.C.
- Salidas de salida ajustable para reducir la caída de voltaje
- Cada salida protegida individualmente por un fusible PTC

Especificaciones:

Modelo	PC-U0405-PULQ	PC-U0910-PULQ	PC-U1810-PULQ	PC-U1820-PULQ	PC-U1830-PULQ
Salidas	4	9	18	18	18
Corriente	5A	10A	10A	20A	30A
Max. Corriente por Salida	1.6A	1.1A	1.1A	1.6A	1.85A
Entrada de Voltaje	100-240VAC (conmutable)				
Salida de Voltaje	12VDC (conmutable)				
Potencia	40W / 90W / 180W / 240W / 360W				
Eficiencia	85% (típico)				
Factor de Potencia	>0.95 (típico)				
Dimensiones (Ancho x Alto x Profundidad)	100 x 100 x 100 mm (3.9 x 3.9 x 3.9 in)				
Peso	0.5 kg (1.1 lb)				

SECO-LARM® U.S.A., Inc.
16842 Millikan Avenue, Irvine, CA 92606
Phone: (949) 261-1988 | (800) 842-3880 | Fax: (949) 261-1928
Website: www.seco-larm.com | Email: sales@seco-larm.com

[\[pdf\]](#)

Microsoft Word PI PC Uxxxx PULQ 190724 SP docx jhollifield Index of 2021 08 seco larm |||

Fuente de Alimentación CCTV de Conmutación de 12 V.C.C. PC-U0405-PULQ 4 Salidas, Corriente de suministro total: 5A **PC-U0910-PULQ** 9 Salidas, Corriente de suministro total: 10A PC-U1810-PULQ 18 Salidas, Corriente de suministro total: 10A PC-U1820-PULQ 18 Salidas, Corriente de suministro total: 20A PC-... lang:es score:40 filesize: 439.05 K page_count: 1 document date: 2019-07-24



[pdf] Flyer

Untitled HDCCTV Sales Flyer 230414 NP Index of 2023 04 seco larm |||
 HD 5MP 2.8mm 4-in-1 Turret Camera EV-Y2501-A2WWQ Replaces EV-Y2501-A2WQ True Wide Dynamic Range ... High-voltage and overcurrent protection Mounting bracket included 12VDC Switching CCTV Power Supply **PC-U0910-PULQ 9** Outputs, 10A cont. 100-220 VAC Input New lightweight, cost-effective design Adjus...
 lang:en score:39 filesize: 560.51 K page_count: 3 document date: 2023-04-18



[pdf] Flyer

HDCCTV Sales Flyer 230414 indd BDP Index of 2023 04 seco larm |||
 Prices Effective till 4/30/23 HD 5MP 2.8mm 4-in-1 Turret Camera EV-Y2501-A2WWQ Replaces EV-Y2501-A2 ... ting bracket included Sale 1530 Dist. Price: 16.50 MOQ: 10pcs 12VDC Switching CCTV Power Supply **PC-U0910-PULQ 9** Outputs, 10A cont. 100-220 VAC Input New lightweight, cost-effective design Adju...
 lang:en score:39 filesize: 602.85 K page_count: 3 document date: 2023-04-18



[pdf]


Haz clic aquí para descargar TodoCCTV SECO LARM USA Inc PC CCTV 241004 SP Web seco larm 2024 10 |||
 2024 Catlogo condensado de CCTV Todo CCTV Lo tenemos cubierto IP Cmaras NVR NVR Kits de Cmaras ... rtocircuitos y sobrecalentamiento Nmeros de Modelo PC-U0405-PULQ 4 Salidas, 5A cont., Fusibles PTC **PC-U0910-PULQ 9** Salidas, 10A cont., Fusibles PTC PC-U1810-PULQ 18 Salidas, 10A cont., Fusibles PTC P...
 lang:en score:38 filesize: 22.44 M page_count: 52 document date: 2024-10-08



[\[pdf\]](#) Specifications Catalog

2024 CCTV Catalog 240924 Web seco larm 09 |||

2024 CCTV Condensed Catalog Everything CCTV We ve got you covered IP Cameras NVR NVR Camera Kit ... erheat protection Specifications PC-U1820-PULQ shown PC-U0405-PULQ 4 Outputs, 5A cont., PTC fuses **PC-U0910-PULQ** 9 Outputs, 10A cont., PTC fuses PC-U1810-PULQ 18 Outputs, 10A cont., PTC fuses PC-U182... lang:en score:38 filesize: 26.11 M page_count: 52 document date: 2024-09-24



[\[pdf\]](#) Specifications

Microsoft Word PI PC Uxxxx PULQ 180920 docx csung Descargar Ficha Técnica U1820 DISELSA EL SALVADOR WEB Esta combinación no existe Inicia sesión para ver el precio seco larm image data A Documents 01 Sheets |||

12VDC Switching CCTV Power Supply PC-U0405-PULQ 4 Outputs, Total supply current: 5A **PC-U0910-PULQ** 9 Outputs, Total supply current: 10A PC-U1810-PULQ 18 Outputs, Total supply current: 10A PC-U1820-PULQ 18 Outputs, Total supply current: 20A The ENFORCER 12VDC Switching CCTV Power Supply is an efficie... lang:en score:38 filesize: 707.65 K page_count: 1 document date: 2018-09-20



[\[pdf\]](#) Flyer Warranty

July Sales Flyer 240614 Export indd seco larm 2024 07 |||

July Sales Flyer Prices Effective 1-31 July 2024 Compact, Secure, Anywhere SALE 2510 MOQ: 20pcs3ft 1m Power cord included Sale 3120 MOQ: 10pcs Sale 4235 MOQ: 20pcs 12VDC CCTV Power Supply **PC-U0910-PULQ** 9 Outputs, 10A 100-220 VAC Input Each output individually protected by a PTC fuse 3... lang:en score:34 filesize: 6.12 M page_count: 14 document date: 2024-07-01

ENFORCER
November Sales Flyer
Price Effective November 1-30 2024

<p>1,200-lb Single-Door Maglocks</p> <p>E-941SA-1200 • Avoided denture heating (US 26) • Dual-stage 12VDC Operation • No electrical degradation • Detachable bezel</p> <p>Sale \$62⁹⁹ Dist Price \$64.99 MOQ: 10pcs</p>	<p>1,200-lb Single-Door Maglocks with Bond Sensor</p> <p>E-941SA-1200S • Dual LED - Built-in 3-color LED • Bond sensor with 5-amp dry • No electrical degradation</p> <p>Sale \$75⁹⁹ Dist Price \$79.99 MOQ: 10pcs</p>	<p>1/4" Filter Plate for Electromagnetic Locks</p> <p>E-941S-1020P • 1/4" Filter Plate for Electromagnetic Locks</p> <p>Sale \$7⁹⁹ Dist Price \$7.99 MOQ: 100pcs</p>	<p>1/4" Filter Plate for Electromagnetic Locks</p> <p>E-941S-1020Q • 1/4" Filter Plate for Electromagnetic Locks</p> <p>Sale \$7⁹⁹ Dist Price \$7.99 MOQ: 100pcs</p>
<p>1,200-lb Single-Door Maglocks with Bond Sensor and Timer</p> <p>E-941SA-1200TS • Avoided denture heating (US 26) • Dual-stage 12VDC Operation • No electrical degradation • Detachable bezel</p> <p>Sale \$83⁹⁹ Dist Price \$87.99 MOQ: 10pcs</p>	<p>Glass Door U-Bracket for 1,200-lb Series Electromagnetic Locks</p> <p>E-941S-1020G • U-Bracket for glass doors • Adjustable for 1/2" trim gap</p> <p>Sale \$31⁹⁹ Dist Price \$32.99 MOQ: 100pcs</p>	<p>1/4" Filter Plate for Electromagnetic Locks</p> <p>E-941S-1020Q • 1/4" Filter Plate for Electromagnetic Locks</p> <p>Sale \$9⁹⁹ Dist Price \$9.99 MOQ: 100pcs</p>	<p>1/4" Filter Plate for Electromagnetic Locks</p> <p>E-941S-1020Q • 1/4" Filter Plate for Electromagnetic Locks</p> <p>Sale \$9⁹⁹ Dist Price \$9.99 MOQ: 100pcs</p>
<p>Twin Photobeam Sensor for Gates</p> <p>E-941D-0200 • Range: 15 to 200ft (50m) • 12-18V DC/AC, 10A, 200VA • Peak C-Load: 140W/200VA/200V • PFC Waveform</p> <p>Sale \$53⁹⁹ Dist Price \$56.99 MOQ: 10pcs</p>	<p>Twin Photobeam with Laser Beam Alignment</p> <p>E-941D-0200Q • Output Range up to 200ft (50m) • Twin infrared beams provide reliable perimeter security extending from alarm to twin safety laser, 10A, 1A</p> <p>Sale \$71⁹⁹ Dist Price \$74.99 MOQ: 10pcs</p>		

[pdf] Flyer

MSF November 241009 Export indd seco larm 2024 11 |||

November Sales Flyer Prices Effective 1-30 November 2024 1,200-lb Single-Door Maglocks E-941SA-1203ft 1m Power cord included Sale 3125 MOQ: 10pcs Sale 4235 MOQ: 20pcs 12VDC CCTV Power Supply PC-U0910-PULQ 9 Outputs, 10A 100-220 VAC Input Each output individually protected by a PTC fuse 3...

lang:en score:34 filesize: 5.88 M page_count: 13 document date: 2024-11-01

ENFORCER
July Sales Flyer
Price Effective July 1-31 2024

Compact, Secure, Anywhere

SALE \$28⁹⁹
Dist Price \$31.99

E-941SA-80Q

- 12VDC Operation
- Low voltage alarm
- MOV surge protection
- Detachable mounting bracket for easy installation
- Mounting kit for outdoor use (MSK)

For small, minimum security doors including cabinets and drawers

[pdf] Flyer

July Sales Flyer 240614 indd seco larm 2024 07 |||

July Sales Flyer Prices Effective 1-31 July 2024 Compact, Secure, Anywhere SALE 2825 Dist Price: ... 35 Dist. Price: 34.95 MOQ: 5pcs Sale 4385 Dist. Price: 47.40 MOQ: 10pcs 12VDC CCTV Power Supply PC-U0910-PULQ 9 Outputs, 10A 100-220 VAC Input Each output individually protected by a PTC fuse 3...

lang:en score:33 filesize: 6.15 M page_count: 14 document date: 2024-07-01

ENFORCER
Everything CCTV
We've got you covered!

IP Camera | NVR & Camera Kits
HD Camera | Brackets | Accessories

SECO-LARM Offers a Complete Line of ENFORCER CCTV Products

SECO-LARM | HDMI | CVI/1080P | ONDA COMPLIANT

[pdf] Installation Guide Catalog

Untitled Learn More SECO LARM USA Inc 2023 CCTV Catalog 230301 Web seco larm 04 |||

NVR and Camera Kits DRN-K104-04 4K 4-Channel NVR 4 IP 5MP Cameras 2TB HDD DRN-K108-06 4K 8-Chan ... on Specifications PC-U1820-PULQ shown Model Numbers PC-U0405-PULQ 4 Outputs, 5A cont., PTC fuses PC-U0910-PULQ 9 Outputs, 10A cont., PTC fuses PC-U1810-PULQ 18 Outputs, 10A cont., PTC fuses PC-U182...

lang:en score:33 filesize: 4.22 M page_count: 40 document date: 2023-04-25

ENFORCER
November Sales Flyer
Price Effective November 1-30 2024


<p>1,200-lb Single-Door Maglocks</p> <p>E-941SA-1200 • Avoided denture heating (US 26) • Dual-stage 12VDC Operation • No electrical degradation • Detachable bezel</p> <p>Sale \$71⁹⁹ Dist Price \$73.99 MOQ: 10pcs</p>	<p>1,200-lb Single-Door Maglocks with Bond Sensor</p> <p>E-941SA-1200S • Dual LED - Built-in 3-color LED • Bond sensor with 5-amp dry • No electrical degradation</p> <p>Sale \$86⁹⁹ Dist Price \$89.99 MOQ: 10pcs</p>	<p>1/4" Filter Plate for Electromagnetic Locks</p> <p>E-941S-1020P • 1/4" Filter Plate for Electromagnetic Locks</p> <p>Sale \$8⁹⁹ Dist Price \$8.99 MOQ: 100pcs</p>	<p>1/4" Filter Plate for Electromagnetic Locks</p> <p>E-941S-1020Q • 1/4" Filter Plate for Electromagnetic Locks</p> <p>Sale \$8⁹⁹ Dist Price \$8.99 MOQ: 100pcs</p>
<p>1,200-lb Single-Door Maglocks with Bond Sensor and Timer</p> <p>E-941SA-1200TS • Avoided denture heating (US 26) • Dual-stage 12VDC Operation • No electrical degradation • Detachable bezel</p> <p>Sale \$96⁹⁹ Dist Price \$100.99 MOQ: 10pcs</p>	<p>Glass Door U-Bracket for 1,200-lb Series Electromagnetic Locks</p> <p>E-941S-1020G • U-Bracket for glass doors • Adjustable for 1/2" trim gap</p> <p>Sale \$34⁹⁹ Dist Price \$36.99 MOQ: 100pcs</p>	<p>1/4" Filter Plate for Electromagnetic Locks</p> <p>E-941S-1020Q • 1/4" Filter Plate for Electromagnetic Locks</p> <p>Sale \$11⁹⁹ Dist Price \$12.99 MOQ: 100pcs</p>	<p>1/4" Filter Plate for Electromagnetic Locks</p> <p>E-941S-1020Q • 1/4" Filter Plate for Electromagnetic Locks</p> <p>Sale \$11⁹⁹ Dist Price \$12.99 MOQ: 100pcs</p>
<p>Twin Photobeam Sensor for Gates</p> <p>E-941D-0200 • Range: 15 to 200ft (50m) • 12-18V DC/AC, 10A, 200VA • Peak C-Load: 140W/200VA/200V • PFC Waveform</p> <p>Sale \$59⁹⁹ Dist Price \$62.99 MOQ: 10pcs</p>	<p>Twin Photobeam with Laser Beam Alignment</p> <p>E-941D-0200Q • Output Range up to 200ft (50m) • Twin infrared beams provide reliable perimeter security extending from alarm to twin safety laser, 10A, 1A</p> <p>Sale \$73⁹⁹ Dist Price \$76.99 MOQ: 10pcs</p>		

[pdf] Flyer

Untitled MSF November 241009 seco larm 2024 11 |||

November Sales Flyer Prices Effective 1-30 November 2024 1,200-lb Single-Door Maglocks E-941SA-120 ... 5 Dist. Price: 34.95 MOQ: 10pcs Sale 4385 Dist. Price: 47.40 MOQ: 10pcs 12VDC CCTV Power Supply PC-U0910-PULQ 9 Outputs, 10A 100-220 VAC Input Each output individually protected by a PTC fuse 3...

lang:en score:33 filesize: 6.4 M page_count: 13 document date: 2024-11-01



ENFORCER
12VDC Switching CCTV Power Supply
Manual

PC-U0910-PULQ shown

Model Number	Number of Outputs	Total Supply Current	Max. Current per Output
PC-U0405-PULQ	4	5A	1.6A
PC-U0910-PULQ	9	10A	1.6A
PC-U1810-PULQ	18	10A	1.1A
PC-U1820-PULQ	18	20A	1.6A
PC-U1830-PULQ	18	30A	1.85A

SECO-LARM SLI CE

[pdf] User Manual Parts List Specifications

Microsoft Word MI PC Uxxxx PULQ 190321 docx jhollifield ManualSeco Larm SLM U1810 Switching CCTV Power Supply 18 Outpu UHS HardwareMI 2cdn shopify s files 1 0052 5395 5651 2 v 1678735417 ManualManualSeco HardwareSeco U1820 12VDC 2MI 3cdn 1678735417cdn 3 1678735539 ManualManualManualSeco U0910 9 Output 3MI 1cdn 1678735539cdn 1678735319 ManualManualManualManualSeco U1830 1MI 4cdn 1678735319cdn 4 1678735697 ManualManualManualManualManualManualSeco U0405 1678735697cdn 1678735225 ||| 12VDC Switching CCTV Power Supply Manual PC-U1820-PULQ shown Model Number PC-U0405-PULQ **PC-U0910-PULQ** PC-U1810-PULQ PC-U1820-PULQ PC-U1830-PULQ Number of Outputs 4 9 18 18 18 Total Supply Current 5A 10A 10A 20A 30A Max. Current per Output 1.6A 1.6A 1.1A 1.6A 1.85A ENFORCER 12VDC Switching C...

lang:en score:33 filesize: 414.55 K page_count: 4 document date: 2019-07-25



ENFORCER
Everything CCTV
We've got you covered!
IP Cameras | NVR | NVR & Camera Kits
HD Cameras | Brackets | Accessories

SECO-LARM Offers a Complete Line of ENFORCER CCTV Products

SECO-LARM® HDMI Conviv® NDAA COMPLIANT

[pdf] Installation Guide Catalog

Untitled 2023 CCTV Catalog 230301 Index of 04 seco larm ||| NVR and Camera Kits DRN-K104-04 4K 4-Channel NVR 4 IP 5MP Cameras 2TB HDD DRN-K108-06 4K 8-Chan ... on Specifications PC-U1820-PULQ shown Model Numbers PC-U0405-PULQ 4 Outputs, 5A cont., PTC fuses **PC-U0910-PULQ** 9 Outputs, 10A cont., PTC fuses PC-U1810-PULQ 18 Outputs, 10A cont., PTC fuses PC-U182...

lang:en score:32 filesize: 5.1 M page_count: 40 document date: 2023-04-05



ENFORCER
December Sales Flyer
Professionally Printed and Shipped to You December 31st, 2023

New & Improved
5MP IP CCTV Cameras
Now with License Plate Detection & License Plate Recognition!

IP 5MP 2.8mm Bullet Camera
E1-5M20-28102 2.8mm Lens
127° FOV
1080P Resolution (30FPS)
Night Vision (IR LEDs)
Digital Noise Reduction (DNR)
Digital Image Stabilization (DIS)
Wide Dynamic Range (WDR)
Motion Detection
IP67 Weatherproof
IP Range: 10-120m

IP 5MP Motorized 2.8-12mm Bullet Camera
E1-5M20-28102 2.8-12mm Lens
127° FOV
1080P Resolution (30FPS)
Night Vision (IR LEDs)
Digital Noise Reduction (DNR)
Digital Image Stabilization (DIS)
Wide Dynamic Range (WDR)
Motion Detection
IP67 Weatherproof
IP Range: 10-120m

IP 5MP Full Color 2.8mm Bullet Camera
E1-5M20-28102 Full Color 2.8mm Lens
127° FOV
1080P Resolution (30FPS)
Night Vision (IR LEDs)
Digital Noise Reduction (DNR)
Digital Image Stabilization (DIS)
Wide Dynamic Range (WDR)
Motion Detection
IP67 Weatherproof
IP Range: 10-120m

IP 5MP Motorized 2.8-12mm Vandal Dome Camera
E1-5M20-28102 2.8-12mm Lens
127° FOV
1080P Resolution (30FPS)
Night Vision (IR LEDs)
Digital Noise Reduction (DNR)
Digital Image Stabilization (DIS)
Wide Dynamic Range (WDR)
Motion Detection
IP67 Weatherproof
IP Range: 10-120m

[pdf] Flyer

December Sales Flyer 231127 indd seco larm 2023 12 ||| New Improved 5MP IP CCTV Cameras Now with License Plate Detection License Plate Recognition IP ... mounting or stacking on a shelf Sale 8900 Dist. Price: 99.00 MOQ: 2pcs 12VDC CCTV Power Supply **PC-U0910-PULQ** 9 Outputs, 10A 100-220 VAC Input Each output individually protected by a PTC fuse P... lang:en score:31 filesize: 5.67 M page_count: 11 document date: 2023-12-01

ENFORCER December Sales Flyer

Periods of 14 days from 12/01/2023 to 12/14/2023 December 31st, 2023

New & Improved
5MP IP CCTV Cameras
Now with License Plate Detection & License Plate Recognition!

IP 5MP 2.8mm Bullet Camera
EV1006-28MM 2.8mm Lens

- 1/3" CMOS Progressive Scan Sensor
- 12MP Resolution (2880x1600)
- High Speed Shutter @ 1/1000s @ 2880x1600
- True Wide Dynamic Range (WDR)
- Supports Motion Detection (MD)
- Supports License Plate Detection (LPD)
- Supports License Plate Recognition (LPR)
- IP66 Weatherproof
- IP Range: 10' (3m)

NEW! **Sale \$449**
MSRP \$599

IP 5MP Motorized 2.8-12 mm Bullet Camera
EV1056-MW20 2.8-12mm Lens

- 1/3" CMOS Progressive Scan Sensor
- 12MP Resolution (2880x1600)
- High Speed Shutter @ 1/1000s @ 2880x1600
- True Wide Dynamic Range (WDR)
- Supports Motion Detection (MD)
- Supports License Plate Detection (LPD)
- Supports License Plate Recognition (LPR)
- IP66 Weatherproof
- IP Range: 10' (3m)

NEW! **Sale \$699**
MSRP \$999

IP 5MP 2.8mm Turret Camera
EV1006-28MM 2.8mm Lens

- 1/3" CMOS Progressive Scan Sensor
- 12MP Resolution (2880x1600)
- High Speed Shutter @ 1/1000s @ 2880x1600
- True Wide Dynamic Range (WDR)
- Supports Motion Detection (MD)
- Supports License Plate Detection (LPD)
- Supports License Plate Recognition (LPR)
- IP66 Weatherproof
- IP Range: 10' (3m)

NEW! **Sale \$449**
MSRP \$599

IP 5MP Motorized 2.8-12 mm Turret Camera
EV1056-MW20 2.8-12mm Lens

- 1/3" CMOS Progressive Scan Sensor
- 12MP Resolution (2880x1600)
- High Speed Shutter @ 1/1000s @ 2880x1600
- True Wide Dynamic Range (WDR)
- Supports Motion Detection (MD)
- Supports License Plate Detection (LPD)
- Supports License Plate Recognition (LPR)
- IP66 Weatherproof
- IP Range: 10' (3m)

NEW! **Sale \$699**
MSRP \$999

IP 5MP Full Color 2.8mm Turret Camera
EV1006-28MM 2.8mm Lens

- 1/3" CMOS Progressive Scan Sensor
- 12MP Resolution (2880x1600)
- High Speed Shutter @ 1/1000s @ 2880x1600
- True Wide Dynamic Range (WDR)
- Supports Motion Detection (MD)
- Supports License Plate Detection (LPD)
- Supports License Plate Recognition (LPR)
- IP66 Weatherproof
- IP Range: 10' (3m)

NEW! **Sale \$519**
MSRP \$699

IP 4K (5MP) 2.8mm Turret Camera
EV1006-28MM 2.8-12mm Lens

- 1/3" CMOS Progressive Scan Sensor
- 12MP Resolution (2880x1600)
- High Speed Shutter @ 1/1000s @ 2880x1600
- True Wide Dynamic Range (WDR)
- Supports Motion Detection (MD)
- Supports License Plate Detection (LPD)
- Supports License Plate Recognition (LPR)
- IP66 Weatherproof
- IP Range: 10' (3m)

NEW! **Sale \$799**
MSRP \$999

IP 5MP 2.8mm Mini Vandal Dome Camera
EV1006-28MM 2.8mm Lens

- 1/3" CMOS Progressive Scan Sensor
- 12MP Resolution (2880x1600)
- High Speed Shutter @ 1/1000s @ 2880x1600
- True Wide Dynamic Range (WDR)
- Supports Motion Detection (MD)
- Supports License Plate Detection (LPD)
- Supports License Plate Recognition (LPR)
- IP66 Weatherproof
- IP Range: 10' (3m)

NEW! **Sale \$499**
MSRP \$599

IP 5MP Motorized 2.8-12 mm Vandal Dome Camera
EV1056-MW20 2.8-12mm Lens

- 1/3" CMOS Progressive Scan Sensor
- 12MP Resolution (2880x1600)
- High Speed Shutter @ 1/1000s @ 2880x1600
- True Wide Dynamic Range (WDR)
- Supports Motion Detection (MD)
- Supports License Plate Detection (LPD)
- Supports License Plate Recognition (LPR)
- IP66 Weatherproof
- IP Range: 10' (3m)

NEW! **Sale \$719**
MSRP \$999

[pdf] Flyer

Untitled December Sales Flyer 231127 Export seco larm 2023 12 |||

New Improved 5MP IP CCTV Cameras Now with License Plate Detection License Plate Recognition IP ... ach output For rack mounting or stacking on a shelf Sale 8465 MOQ: 4pcs 12VDC CCTV Power Supply **PC-U0910-PULQ** 9 Outputs, 10A 100-220 VAC Input Each output individually protected by a PTC fuse P...

lang:en score:31 filesize: 4.05 M page_count: 11 document date: 2023-12-04

[pdf] Specifications Datasheet

Microsoft Word PI PC Uxxxx PULQ 190724 docx jhollifield SpecificationsSeco Larm SLM U1810 Switching CCTV Power Supply 18 Outpu UHS HardwarePI 2cdn shopify s files 1 0052 5395 5651 2 v 1678735417 SpecificationsSpecificationsSeco HardwareSeco U1820 12VDC 2PI 3cdn 1678735417cdn 3 1678735539 Download data sheetSpecificationsSpecificationsSECO LARM U0910 12V DC 9 Outputs PAM Distributing CoSeco 0478 8893 1710421142cdn sheetSpecificationsSpecificationsSpecificationsSECO U1830 3PI 4cdn 1678735539cdn 4 1678735697 sheetSpecificationsSpecificationsSpecificationsSpecificationsSECO Output 1PI 1678735319cdn sheetSpecificationsSpecificationsSpecificationsSpecificationsSECO U0405 1678735697cdn 1678735225 |||

12VDC Switching CCTV Power Supply PC-U0405-PULQ 4 Outputs, Total supply current: 5A **PC-U0910-PULQ** 9 Outputs, Total supply current: 10A PC-U1810-PULQ 18 Outputs, Total supply current: 10A PC-U1820-PULQ 18 Outputs, Total supply current: 20A PC-U1830-PULQ 18 Outputs, Total supply current: 30A PC-U181... lang:en score:30 filesize: 450.82 K page_count: 1 document date: 2019-07-24

ENFORCER CCTV

12VDC Switching CCTV Power Supply

PC-U0405-PULQ
4 Outputs, Total supply current: 5A

PC-U0910-PULQ
9 Outputs, Total supply current: 10A

PC-U1810-PULQ
18 Outputs, Total supply current: 18A

PC-U1820-PULQ
18 Outputs, Total supply current: 20A

PC-U1830-PULQ
18 Outputs, Total supply current: 30A

The ENFORCER 12VDC Switching CCTV Power Supply is an advanced solution for powering CCTV installations. Each unit distributes power to multiple CCTV devices and provides short circuit and overheat protection.

Features:

- 100-220VAC input
- Adjustable output voltages to reduce voltage drop
- Each output individually protected by a PTC fuse
- Power input ON/OFF switch
- Individual output status LEDs
- Connect AC input and DC output status LEDs on cover
- Heavy duty steel case with cover
- Full in short circuit and overheat protection
- 3.3kV (1kV Power cord isolated)

Specifications:

Model	Input Voltage (V)	Output Voltage (V)	Output Current (A)	Total Output Current (A)
PC-U0405-PULQ	100-220	12	1.25	5.0
PC-U0910-PULQ	100-220	12	1.11	10.0
PC-U1810-PULQ	100-220	12	1.11	18.0
PC-U1820-PULQ	100-220	12	1.11	20.0
PC-U1830-PULQ	100-220	12	1.67	30.0



PC-U0910-PULQ



PC-U1830-PULQ

SECO-LARM U.S.A., Inc.
1800 Wilson Station, Suite 100 #1000
Phila: (800) 351-7888 | (800) 882-0800 Fax: (800) 361-7128
Website: www.enforcer.com Email: sales@enforcer.com

[pdf] Catalog

SECO LARM USA Inc 2024 SLI FullGate 240318 Final seco larm 04 |||

About SECO-LARM SECO-LARM has long been the best choice for distributors and dealers around the wor ... TV 12VDC Switching CCTV Power Supplies Model Numbers PC-U0405-PULQ 4 Outputs, 5A cont., PTC fuses **PC-U0910-PULQ** 9 Outputs, 10A cont., PTC fuses PC-U1810-PULQ 18 Outputs, 10A cont., PTC fuses PC-U182...

lang:en score:29 filesize: 78.63 M page_count: 144 document date: 2024-03-20

ENFORCER

2024 CATALOG

For All Your Security Needs


Wireless • Access • Sensors
Security • CCTV • Audio/Video
Vehicle





54
years of
experience

Celebrating 54 years of Security Innovation **SECO-LARM**




[\[pdf\]](#) Catalog

SECO LARM USA Inc 2024 SLI FullCate 231004 seco larm 2023 10 |||

About SECO-LARM SECO-LARM has long been the best choice for distributors and dealers around the wor ... TV 12VDC Switching CCTV Power Supplies Model Numbers PC-U0405-PULQ 4 Outputs, 5A cont., PTC fuses **PC-U0910-PULQ** 9 Outputs, 10A cont., PTC fuses PC-U1810-PULQ 18 Outputs, 10A cont., PTC fuses PC-U182...

lang:en score:29 filesize: 77.82 M page_count: 144 document date: 2023-10-19



[\[pdf\]](#) Catalog

Page Not Found SECO LARM USA Inc 2022 SLI FullCate 210908 web dev seco larm 05 |||

About SECO-LARM SECO-LARM has long been the best choice for distributors and dealers around the wor ... M** Operating humidity Operating temperature Dimensions Weight PC-U1820-PULQ shown PC-U0405-PULQ **PC-U0910-PULQ** PC-U1810-PULQ PC-U1820-PULQ PC-U1830-PULQ 4 9 18 18 18 5A 10A 10A 20A 30A...

lang:en score:27 filesize: 34.11 M page_count: 132 document date: 2022-03-30



[\[pdf\]](#) Accessories Catalog

2019 SLI FullCate 190522 SECO LARM Our new completely redesigned website is much more intuitive informative and easier to use Everything right at your fingertips seco larm image data A Documents 05 Catalogs Catalog

ADDRESS 16842 Millikan Avenue Irvine, CA 92606 PHONE/FAX 800 662-0800 949 261-2999 Fax: 949 ... t-in short circuit and overheat protection * UL listed for 90-120 VAC ** Power distribution module **PC-U0910-PULQ** shown Specifications Model Outputs Total supply current Max. current per output Outpu...

lang:en score:27 filesize: 17.32 M page_count: 128 document date: 2019-05-30



[\[pdf\]](#)

PC 2025 SLI SP 241120 seco larm 2024 11 |||

Para Todas sus Necesidades de Seguridad Inalmbriico Acceso Sensores Seguridad CCTV Audio/Video Ve ... tacin Conmutadas CCTV de 12VDC Nmeros de modelo PC-U0405-PULQ 4 salidas, 5A continuo, fusibles PTC **PC-U0910-PULQ** 9 salidas, 10A continuo, fusibles PTC PC-U1810-PULQ 18 salidas, 10A continuo, fusibles...

lang:es score:25 filesize: 56.17 M page_count: 144 document date: 2024-11-20



[\[pdf\]](#) Catalog

2023 SLI FullCate 230306 SP Web Index of 03 seco larm |||


elebrando 50 aos de innovacin en segur Para Todas sus Necesidades de Seguridad C CATALOGAR Inalambri ... oteccin contra sobrecalentamiento Nmero de Modelos PC-U0405-PULQ 4 Salidas, 5A cont., PTC fusibles **PC-U0910-PULQ** 9 Salidas, 10A cont., PTC fusibles PC-U1810-PULQ 18 Salidas, 10A cont., PTC fusibles P... lang:es score:25 filesize: 34.95 M page_count: 144 document date: 2023-03-06



[\[pdf\]](#)

2023 SLI FullCate 230306 SP Web 1 Index of 03 seco larm |||


elebrando 50 aos de innovacin en segur Para Todas sus Necesidades de Seguridad C CATLOGO Inalambrico ... oteccin contra sobrecalentamiento Nmero de Modelos PC-U0405-PULQ 4 Salidas, 5A cont., PTC fusibles **PC-U0910-PULQ** 9 Salidas, 10A cont., PTC fusibles PC-U1810-PULQ 18 Salidas, 10A cont., PTC fusibles P... lang:es score:25 filesize: 33.35 M page_count: 144 document date: 2023-03-06



[\[pdf\]](#) Catalog

2022 SLI FullCate 210908 Hi 1 seco larm image data A Documents 05 Catalogs Catalog

About SECO-LARM SECO-LARM has long been the best choice for distributors and dealers around the wor ... M** Operating humidity Operating temperature Dimensions Weight PC-U1820-PULQ shown PC-U0405-PULQ **PC-U0910-PULQ** PC-U1810-PULQ PC-U1820-PULQ PC-U1830-PULQ 4 9 18 18 18 18 5A 10A 10A 20A 30A... lang:en score:24 filesize: 77.96 M page_count: 132 document date: 2021-09-08



[pdf] Catalog

New Products 7 lug 2025 — 4-in-1 HD TVI CVI AHD Analog Wall-Plate Camera ENFORCER Vandal-Resistant Cameras can be installed inconspicuously in many different locav1static6 arrow aro conversion 6aadfbbb188c27e35e51f7d70d7f3c0096a7499 pgurl 3051219633822400 |||

Downloaded from Arrow.com. LANGUAGE ENGLISH Search Model number or keyword ACCESS CCTV CATAL ... NFORCER 12VDC Switching CCTV Power Supply is an efficient solution for powering CCTV installati... **PC-U0910-PULQ** 12VDC Switching CCTV Power Supply, 9 Outputs, 10A total The ENFORCER 12VDC Switching C...

lang:en score:24 filesize: 585.61 K page_count: 6 document date: 2022-03-25



[pdf] Accessories Catalog

O Electronic System Products Our new completely redesigned website is much more intuitive informative and easier to use Everything right at your fingertips 2019 SLI FullCate 190319 Low seco larm image data A Documents 05 Catalogs Catalog

ADDRESS 16842 Millikan Avenue Irvine, CA 92606 PHONE/FAX 800 662-0800 949 261-2999 Fax: 949 ... t-in short circuit and overheat protection * UL listed for 90-120 VAC ** Power distribution module **PC-U0910-PULQ** shown Specifications Model Outputs Total supply current Max. current per output Outpu...

lang:en score:23 filesize: 11.59 M page_count: 128 document date: 2019-03-20



[pdf] Catalog

Download Catalogs 2022 SLI FullCate 220211 SP web seco larm image data A Documents 05 Catalog ||| Sobre SECO-LARM SECO-LARM ha sido durante mucho tiempo la mejor opcin para los distribuidores y con ... * Humedad de funcionamiento Temperatura de funcionamiento Dimensiones Peso **PC-U0405-PULQ** 4 5A **PC-U0910-PULQ** PC-U1810-PULQ PC-U1820-PULQ PC-U1830-PULQ 9 18 18 18 10A 10A 20A 30A 1.6A ...

lang:es score:23 filesize: 50.41 M page_count: 132 document date: 2022-07-07



[SECO-LARM ENFORCER 2019 Condensed Catalog](#)

A comprehensive catalog of SECO-LARM ENFORCER security products for 2019, covering access control, CCTV, wireless devices, sensors, burglar and security systems, audio/video equipment, stand-alone security solutions, and vehicle security.
 lang:en score:23 filesize: 13.54 M page_count: 32 document date: 2019-05-30



[\[pdf\] Catalog](#)

Download SECO LARM About via VR switch streamlined app based setup management using integrated Bluetooth ® wireless Can serve as Wiegand output reader or controller has long been the best choice for distributors and dealers around world when it comes to business side of security this is true today more than ever Just compare catalog our 2020 SLI FullCate 200225 Web seco larm image data A Documents 05 Catalogs Catalog
 About SECO-LARM SECO-LARM has long been the best choice for distributors and dealers around the wor ... M** Operating humidity Operating temperature Dimensions Weight PC-U1820-PULQ shown PC-U0405-PULQ **PC-U0910-PULQ** PC-U1810-PULQ PC-U1820-PULQ PC-U1830-PULQ 4 9 18 18 18 5A 10A 10A 20A 30A...
 lang:en score:23 filesize: 31.61 M page_count: 136 document date: 2020-02-26



[Catálogo SECO-LARM 2020: Soluciones Integrales de Seguridad y Control de Acceso](#)

Explore el catálogo completo 2020 de SECO-LARM, líder en seguridad comercial. Descubra una amplia gama de productos para control de acceso, CCTV, sensores, alarmas y más.
 lang:es score:23 filesize: 32.16 M page_count: 136 document date: 2020-04-07