Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

VASAGLE ULCR13AX

VASAGLE ULCR13AX Wall-Mounted Coat Rack Instruction Manual

Model: ULCR13AX | Brand: VASAGLE

Introduction

This manual provides detailed instructions for the assembly, installation, operation, and maintenance of your new VASAGLE ULCR13AX Wall-Mounted Coat Rack. Please read all instructions carefully before assembly and use to ensure safe and correct installation.

Safety Information

- Always follow the assembly instructions precisely.
- Ensure all screws and fasteners are securely tightened before use. Periodically check for tightness.
- Do not exceed the maximum weight capacities specified in the 'Specifications' section. Overloading can cause damage or injury.
- Mount this item to a solid wall. If mounting to drywall, use appropriate wall anchors (not included) suitable for the weight capacity and wall type. Consult a hardware store for correct screws and anchors if needed.
- Keep small parts away from children during assembly.

Package Contents

Verify that all components are present before beginning assembly.

- 1 x Wall-Mounted Coat Rack (Rustic Brown shelf, Bronze metal frame)
- 5 x Removable Hooks
- 1 x Accessory Bag (containing screws, wall anchors, and Allen key)
- 1 x Instructions Manual

Tools Required for Assembly

- Screwdriver (Phillips head recommended)
- Spirit Level
- Electric Drill (for wall mounting)
- Hammer (for wall anchors)
- Pencil (for marking drill points)

Setup and Assembly Instructions

Follow these steps to assemble and mount your coat rack.

1. **Unpack and Identify Parts:** Carefully remove all components from the packaging. Lay them out on a clean, soft surface to prevent scratches. Refer to the included accessory bag for labeled parts.
2. **Assemble the Frame:** Attach the metal support brackets to the rustic brown shelf using the provided screws. Ensure they are aligned correctly.
3. **Attach the Hanging Rail:** Secure the main hanging rail to the assembled frame using the designated screws.
4. **Install Removable Hooks:** Slide the 5 removable hooks onto the lower bar. These hooks can be adjusted horizontally to suit your needs.
5. **Prepare for Wall Mounting:** Choose a suitable location on a solid wall. Use a spirit level to ensure the rack will be mounted straight. Mark the drill points for the mounting screws.
6. **Drill Holes:** Using an electric drill, create pilot holes at the marked points. Insert the wall anchors (if using the provided ones for solid walls, or your own for drywall) into the drilled holes.
7. **Mount the Rack:** Align the rack with the drilled holes and secure it to the wall using the provided mounting screws. Tighten all screws firmly but do not overtighten.



Figure 1: Assembly diagram illustrating the components and their connection points for the VASAGLE ULCR13AX coat rack.



Figure 2: Detailed view of the coat rack's features, including the reinforced bar for stability, adjustable hooks for flexible placement, and the main hanging bar.

Operating Instructions

The VASAGLE ULCR13AX Wall-Mounted Coat Rack is designed for organizing various items in your entryway, bedroom, bathroom, or kitchen.

- **Shelf Usage:** Use the top shelf for decorative items, small storage boxes, plants, or frequently accessed items like keys and wallets. Ensure items do not exceed the shelf's weight capacity.
- **Hanging Rail:** The main rail is suitable for hanging clothes on hangers, scarves, or towels.
- **Hooks:** The five removable hooks can be used for coats, bags, hats, umbrellas, or other accessories. Adjust their position along the bar as needed.



Figure 3: Example of the coat rack in an entryway, demonstrating its use for coats, bags, and decorative items.



Figure 4: Example of the coat rack in a bathroom, used for towels and bathroom accessories.

Maintenance

Regular maintenance will help preserve the appearance and functionality of your coat rack.

- **Cleaning:** Wipe the surfaces with a soft, damp cloth. Avoid using harsh chemicals or abrasive cleaners, which can damage the finish.
- **Inspection:** Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.
- **Weight Distribution:** Distribute weight evenly across the shelf, hanging rail, and hooks to prevent stress on any single point.

Troubleshooting

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Rack feels unstable after mounting.	Screws are not fully tightened or incorrect wall anchors were used.	Ensure all mounting screws are securely tightened. If mounted to drywall, verify that appropriate drywall anchors were used and installed correctly. Consider using stronger anchors if necessary.
Items slide off the shelf.	Shelf is not level.	Re-check the mounting with a spirit level and adjust if needed. Ensure the wall surface is flat.
Hooks are difficult to move or fall off.	Hooks may be misaligned or the bar is obstructed.	Ensure the hooks are correctly seated on the bar. Check for any debris or damage on the bar that might impede movement.

Specifications

Feature	Detail
Model Number	ULCR13AX
Color	Rustic Brown, Bronze
Material	Particleboard, Steel
Product Size (L x W x H)	26" x 11.8" x 10.6" (66 x 30 x 27 cm)
Product Weight	7.9 lb (3.6 kg)
Max. Static Load Capacity of Shelf	33 lb (15 kg)
Max. Static Load Capacity of Hanging Rail	22 lb (10 kg)
Max. Static Load Capacity of Each Hook	5.1 lb (2.3 kg)
Mounting Type	Wall Mount



Figure 5: Product dimensions of the VASAGLE ULCR13AX wall-mounted coat rack.



Figure 6: Maximum static load capacities for the shelf, hanging rail, and individual hooks.

Warranty and Support

For warranty information or customer support, please refer to the contact details provided at the point of purchase or visit the official VASAGLE website. Keep your purchase receipt for any warranty claims.

© 2026 VASAGLE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07MCZN6J8

More documents and user manuals: **https://manuals.plus/**