

Vacmaster VBVA1010PF

Vacmaster 10 Gallon 4 HP Wet/Dry Vacuum with Detachable Blower (Model VBVA1010PF) User Manual

Your comprehensive guide to safe and effective operation.

1. INTRODUCTION

Thank you for choosing the Vacmaster 10 Gallon 4 Peak HP Wet/Dry Vacuum with Detachable Blower, model VBVA1010PF. This manual provides essential information for the safe assembly, operation, maintenance, and troubleshooting of your new appliance. Please read all instructions carefully before use and retain this manual for future reference.

2. IMPORTANT SAFETY INSTRUCTIONS

WARNING: To reduce the risk of fire, electric shock, or injury, read and understand all instructions before using this appliance.

- Do not leave the appliance unattended when plugged in. Unplug from outlet when not in use and before servicing.
- Do not use outdoors or on wet surfaces.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Use only as described in this manual. Use only manufacturer's recommended attachments.
- Do not use with damaged cord or plug. If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center.
- Do not pull or carry by cord, use cord as a handle, close a door on cord, or pull cord around sharp edges or corners. Do not run appliance over cord. Keep cord away from heated surfaces.
- Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- Do not handle plug or appliance with wet hands.
- Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
- Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.

- Do not use without filters in place.
- Turn off all controls before unplugging.
- Use extra care when cleaning on stairs.
- Do not use to pick up toxic, carcinogenic, combustible or other hazardous materials like asbestos, arsenic, barium, beryllium, lead, pesticides or other health endangering materials.
- Do not use to pick up soot, cement, plaster or drywall dust without a cartridge filter and filter bag in place. These are very fine particles that may affect the performance of the motor or be exhausted back into the air.
- To reduce the risk of electric shock, this appliance has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician to install the proper outlet. Do not change the plug in any way.

3. PACKAGE CONTENTS

Verify that all components listed below are included in your package. If any parts are missing or damaged, please contact customer support.

- Vacmaster Wet/Dry Vacuum Unit (10 Gallon Tank, Motor Head)
- Detachable Blower Unit
- Flexible Hose (7 ft)
- Extension Wands (2 pieces)
- Floor Nozzle
- Crevice Tool
- Utility Nozzle
- Cartridge Filter (for dry pickup)
- Foam Filter (for wet pickup)
- User Manual (this document)



Image: Various accessories for the Vacmaster Wet/Dry Vacuum, including the flexible hose, two extension wands, a floor nozzle, a crevice tool, a utility nozzle, and both cartridge and foam filters.

4. SETUP INSTRUCTIONS

4.1 Unpacking

1. Remove all contents from the packaging.
2. Ensure all parts are present and undamaged.

4.2 Attaching Casters

1. Invert the tank.
2. Insert the four caster feet into the slots on the bottom of the tank.
3. Press firmly until each caster foot clicks securely into place.

4.3 Filter Installation

The correct filter must be installed for the type of cleaning you are performing.

For Dry Vacuuming: Cartridge Filter

1. Ensure the foam filter is removed.
2. Slide the cartridge filter over the filter cage on the motor head.
3. Secure the filter with the filter cap by twisting it clockwise until tight.

For Wet Vacuuming: Foam Filter

1. Remove the cartridge filter and filter cap.
2. Slide the foam filter over the filter cage on the motor head.
3. Ensure the foam filter completely covers the filter cage.

4.4 Attaching the Hose and Accessories

1. Insert the large end of the flexible hose into the vacuum port on the tank and twist to lock.
2. Attach desired accessories (extension wands, floor nozzle, crevice tool, utility nozzle) to the other end of the hose.



Image: The Vacmaster Wet/Dry Vacuum fully assembled, showing the main unit, flexible hose, and floor nozzle ready for use.

5. OPERATING INSTRUCTIONS

5.1 General Operation

1. Ensure the vacuum is properly assembled with the correct filter for your task.
2. Plug the power cord into a suitable 120V grounded outlet.
3. Turn the power switch located on the motor head to the 'ON' position to start the vacuum.
4. To stop operation, turn the power switch to the 'OFF' position.

5.2 Dry Vacuuming

Use the cartridge filter for dry debris pickup.

- Ensure the cartridge filter is securely installed.

- Use appropriate accessories for the type of dry debris (e.g., floor nozzle for large areas, crevice tool for tight spaces).
- Regularly check and clean the cartridge filter to maintain optimal suction.

5.3 Wet Vacuuming

Use the foam filter for liquid pickup.

- Ensure the foam filter is securely installed and the cartridge filter is removed.
- Do not overfill the tank. The vacuum is equipped with an automatic shut-off float mechanism that will stop suction when the tank is full. If suction stops, turn off the vacuum, unplug it, and empty the tank.
- After wet pickup, always empty and clean the tank thoroughly to prevent mold and odors.

5.4 Detachable Blower Function

Your Vacmaster unit features a detachable blower for versatile use.

1. **Detaching the Blower:** Locate the release latches on the motor head. Unlatch them and lift the motor head from the tank. The motor head itself functions as the blower unit.
2. **Attaching Blower Nozzle:** Attach the desired blower nozzle to the air outlet port on the motor head.
3. **Operation:** Plug the blower unit into a 120V grounded outlet. Turn the power switch to 'ON' to operate the blower.
4. **Reattaching to Vacuum:** To convert back to a vacuum, place the blower unit (motor head) back onto the tank, aligning the latches, and secure them.



Image: A person demonstrating the detachment of the blue blower unit from the main vacuum tank, highlighting the versatility of the product.



Image: The detached blower unit, a compact blue device with a black handle and a long black nozzle, ready for use as a standalone blower.

6. MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your Vacmaster wet/dry vacuum.

6.1 Filter Cleaning and Replacement

Always unplug the vacuum before performing any maintenance.

Cartridge Filter (Dry Pickup)

- Remove the filter cap and cartridge filter from the filter cage.
- Gently tap the filter against the inside of a trash can to remove loose dirt.
- For thorough cleaning, rinse the filter under running water. Allow it to air dry completely before reinstallation. Do not use the filter if it is still wet.
- Replace the cartridge filter if it is damaged or if suction performance significantly decreases after cleaning.

Foam Filter (Wet Pickup)

- Remove the foam filter from the filter cage.
- Rinse the foam filter under running water to remove debris.
- Squeeze out excess water and allow it to air dry completely before storage or reinstallation.

6.2 Tank Cleaning

1. After each use, especially wet pickup, empty the tank of all debris and liquids.
2. Rinse the inside of the tank with water and mild detergent if necessary.
3. Wipe the tank dry or allow it to air dry completely before storing to prevent odors and mildew.

6.3 Hose and Accessory Care

- Inspect the hose and accessories for blockages or damage before and after each use.
- Clean accessories with water and mild detergent as needed.
- Store the hose and accessories neatly to prevent kinking or damage. The vacuum unit has integrated storage for the hose and some accessories.



Image: The Vacmaster Wet/Dry Vacuum with its hose wrapped around the top and accessories stored in designated slots, demonstrating compact storage.

7. TROUBLESHOOTING

If you encounter issues with your Vacmaster wet/dry vacuum, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Vacuum does not start.	No power to outlet. Power cord not plugged in. Defective power switch.	Check circuit breaker/fuse. Ensure cord is firmly plugged into a working outlet. Contact customer support.
Loss of suction.	Hose or accessory clogged. Filter is dirty or clogged. Tank is full (wet pickup). Lid not sealed properly.	Clear any blockages from hose or accessories. Clean or replace the filter. Empty the tank. Ensure motor head latches are securely fastened.
Motor runs, but no suction.	Hose not connected to inlet. Hose or accessory clogged. Tank is full (wet pickup).	Ensure hose is securely attached to the vacuum port. Clear any blockages. Empty the tank.
Dust escapes from exhaust.	Filter is missing or damaged. Filter not installed correctly.	Install or replace the correct filter. Ensure filter is properly seated and secured.

8. SPECIFICATIONS

Feature	Detail
Brand	Vacmaster
Model	VBVA1010PF
Capacity	10 Gallons
Motor	4 Peak HP, 120V
Wattage	270 watts
Amperage	10 Amps
Hose Length	7 Feet
Cord Length	10 Feet
Product Dimensions (L x W x H)	18 x 18 x 24 inches
Item Weight	26.2 pounds
Filter Type	Cartridge (Dry), Foam (Wet)
Special Features	Wet/Dry Functionality, Detachable Blower
Global Trade Identification Number (GTIN)	00814953015406
Universal Product Code (UPC)	814953015406

9. WARRANTY INFORMATION

This Vacmaster product is covered by a **1-year manufacturer's warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from misuse, abuse, accident, commercial use, or unauthorized repairs. Please retain your proof of purchase for warranty claims.



10. CUSTOMER SUPPORT




For technical assistance, replacement parts, or warranty inquiries, please contact Vacmaster customer support. Refer to the official Vacmaster website or your product packaging for the most current contact information.

When contacting support, please have your model number (VBVA1010PF) and proof of purchase readily available.

© 2025 Vacmaster. All rights reserved.

Related Documents - VBVA1010PF

 <p>Vacmaster PROFESSIONAL Wet/Dry Vacuum</p> <p>Operator's Manual</p> <p>5 Gallon Wet/Dry Vacuum Model: VFB511B 0201</p> <p>Read and understand this manual before use. Keep this manual for future reference.</p> <p>© 2025 Vacmaster, Inc. All rights reserved. Printed in the USA</p> <p>Replacement Parts & Accessories available at Vacmaster.com</p>	<p>Vacmaster VFB511B 0201 5 Gallon Wet/Dry Vacuum Operator's Manual</p> <p>Operator's manual for the Vacmaster VFB511B 0201 5 Gallon Wet/Dry Vacuum. Includes safety instructions, operating procedures for dry, wet, and blower modes, maintenance, troubleshooting, and parts list.</p>
 <p>Vacmaster PROFESSIONAL Wet/Dry Vacuum</p> <p>Operator's Manual</p> <p>14 Gallon Wet/Dry Vacuum Model: VJE1412SW 0201</p> <p>Read and understand this manual before use. Keep this manual for future reference.</p> <p>© 2025 Vacmaster, Inc. All rights reserved. Printed in the USA</p> <p>Replacement Parts & Accessories available at Vacmaster.com</p>	<p>Vacmaster VJE1412SW 0201 Wet/Dry Vacuum Operator's Manual: Safety, Operation, Maintenance Guide</p> <p>Download the Vacmaster VJE1412SW 0201 Wet/Dry Vacuum Operator's Manual. Get detailed instructions on safe operation, assembly, dry/wet vacuuming, blower use, maintenance, and troubleshooting. Find official Vacmaster accessories and parts at Vacmaster.com.</p>
 <p>Vacmaster PROFESSIONAL Wet/Dry/Shampoo Vacuum</p> <p>Operator's Manual</p> <p>8 Gallon Wet/Dry/Shampoo Vacuum Model: VK809PIWR</p> <p>Read and understand this manual before use. Keep this manual for future reference.</p> <p>© 2025 Vacmaster, Inc. All rights reserved. Printed in the USA</p> <p>Replacement Parts & Accessories available at Vacmaster.com</p>	<p>Vacmaster VK809PIWR 8 Gallon Wet/Dry/Shampoo Vacuum Operator's Manual</p> <p>Comprehensive operator's manual for the Vacmaster VK809PIWR 8 Gallon Wet/Dry/Shampoo Vacuum. Includes safety instructions, assembly, operation, maintenance, troubleshooting, and parts list.</p>

	<p>Vacmaster VWM510 5 Gallon Wet/Dry Vacuum Operator's Manual</p> <p>Operator's manual for the Vacmaster VWM510 5 Gallon Wet/Dry Vacuum. Includes safety instructions, assembly, operation guides for dry, wet, and blower modes, maintenance, troubleshooting, and parts list.</p>
	<p>Troubleshoot High-Pitched Motor Noise on Vacmaster EasyClean Home Carpet Cleaner</p> <p>A comprehensive guide to troubleshooting and resolving high-pitched motor noise issues with your Vacmaster EasyClean Home carpet cleaner (model CA0701UK). Follow these simple steps to restore optimal performance.</p>
	<p>Vacmaster VJF608PF 0201 6 Gallon Wet/Dry Vacuum Operator's Manual</p> <p>Operator's manual for the Vacmaster VJF608PF 0201 6 Gallon Wet/Dry Vacuum, covering safety instructions, assembly, operation, maintenance, and troubleshooting.</p>

Documents - Vacmaster – VBVA1010PF



[\[pdf\]](#) User Manual Instructions Warranty Accessories

Untitled Christopher Komuves Download Manual Vacmaster VBVA1010PF Wet Dry Shop Vacuum
vacmaster vbva1010pf wet dry vac manuals |||

Wet/Dry Vacuum Operator s Manual 10 Gallon Model No. **VBVA1010PF** FOR YOUR SAFETY Read and understand this manual before use. Keep this manual for future reference. Distributed By Cleva North America, Inc. 601 Regent Park Court Greenville, SC 29607 Replacement Filters Accessories available at: Va...
lang:en score:44 filesize: 3.55 M page_count: 18 document date: 2023-04-04



[\[pdf\]](#) User Manual Instructions Warranty Accessories

Vacmaster VBVA1010PF Manual Operator s VBVA1010PFManual Cleve North America Inc 601 Regent Park Court Greenville SC 29607 Replacement Filters Accessories available at FOR YOUR SAFETY vacmaster product images manuals content

Wet/Dry Vacuum Operator s Manual 10 Gallon Model No. **VBVA1010PF** FOR YOUR SAFETY Read and understand this manual before use. Keep this manual for future reference. Distributed By Cleve North America, Inc. 601 Regent Park Court Greenville, SC 29607 Replacement Filters Accessories available at: Va...
lang:en score:39 filesize: 4.53 M page_count: 17 document date: 2018-10-17



[\[pdf\]](#) User Manual Instructions Warranty Accessories

Operator s Manual Read and understand this manual before use Keep for future reference 10 Gallon Model No VBVA1010PF Wet Dry Vacuum 88364 northerntool images manuals

Wet/Dry Vacuum Operator s Manual 10 Gallon Model No. **VBVA1010PF** FOR YOUR SAFETY Read and understand this manual before use. Keep this manual for future reference. Distributed By Cleve North America, Inc. 601 Regent Park Court Greenville, SC 29607 Replacement Filters Accessories available at: Va...
lang:en score:36 filesize: 4.23 M page_count: 16 document date: 2019-08-14



[\[pdf\]](#) User Manual Installation Guide Instructions Warranty Accessories

Vacmaster VBVA1010PF ManualRemove the cartridge filter then carefully install foam wet over cage and place power head back on collection tank For wet Vacmaster Manualvacmaster product images manuals Manual srsltid AfmBOooF3W89YIR 9DmwU HNTWuFVJN9a1fQUBvvYMhk7vt1mcR0FpzY ManualOperator s ManualVacmaster HNTWuFVJN9a1fQUBvvYMhk7vt1mcR0FpzYvacmaster AfmBOooeaT72Fbi198fmfW5IHCf8aVTelJfKAjKa1meDB0EVD QCIHc QCIHcvacmaster AfmBOopcVF1qb445EVyEguM1N2tE 63P1 MVQLuO xVqDjmkG9tdC4H0 xVqDjmkG9tdC4H0vacmaster AfmBOor U3hQiLdpv7uO4OPzalzMdAgdorl6PMHdS88ufLbCl7IKvvmr wet We take pride in producing a high quality durable This Vacmaster® carries limited two 2 year warranty against defects workmanship Vacmaster AfmBOoo 5eFVS2NNNVirGUadASHPSBhZKupq47jhfMjTxsXIT3sO xvvacmaster |||

Wet/Dry Vacuum Operator s Manual 10 Gallon Model No. **VBVA1010PF** FOR YOUR SAFETY Read and understand this manual before use. Keep this manual for future reference. Distributed By Cleve North America, Inc. 601 Regent Park Court Greenville, SC 29607 Replacement Filters Accessories available at: Va... lang:en score:33 filesize: 4.53 M page_count: 17 document date: 2018-10-17



[\[pdf\]](#) User Manual Installation Guide Instructions Warranty Accessories Catalog Label

Operator s Manual When using an extension cord with your Wet Dry Vac refer to the following table determine required A W G wire size Before vacuum cleaner Read and understand this operator manual all labels on Vacuum before operating Safety is a combination of common sense staying alert FOR FUTURE REFERENCE TO REDUCE THE RISK OF FIRE ELECTRIC SHOCK OR INJURY READ AND UNDERSTAND ALL INSTRUCTIONS BEFORE USING THIS VACUUM For wet cleaning install supplied foam filter Fig 7 installation instructions see page 13 8 Place power head back the 25457716 e4f5 457c bf63 6c09576f5f2b owner images homedepot static catalog Images 25 secure img1 ag wfcdn dm document 1a90b03f d373 4299 9491 6571f608e4d1

Wet/Dry Vacuum Operator s Manual 10 Gallon Model No. **VBVA1010PF** FOR YOUR SAFETY Read and understand this manual before use. Keep this manual for future reference. Distributed By Cleve North America, Inc. 601 Regent Park Court Greenville, SC 29607 Replacement Filters Accessories available at: Va... lang:en score:32 filesize: 4.23 M page_count: 16 document date: 2018-01-16



[\[pdf\]](#) User Manual Instructions Warranty Accessories Catalog

Operator s Manual Use this Wet Dry Vac only as described in manual To reduce the risk Before using vacuum cleaner make sure power cord and extension are a0a78e7b de7c 4295 bdde 3193885741d1 images homedepot static catalog Images a0

Wet/Dry Vacuum Operator s Manual 10 Gallon Model No. **VBVA1010PF** FOR YOUR SAFETY Read and understand this manual before use. Keep this manual for future reference. Distributed By Cleve North America, Inc. 601 Regent Park Court Greenville, SC 29607 Replacement Filters Accessories available at: Va... lang:en score:26 filesize: 8.46 M page_count: 32 document date: 0000-00-00

[\[pdf\]](#) User Manual Owner's Manual Installation Guide Instructions Specifications
Warranty Accessories Catalog

Wet Dry Vacuum Acme Tools Remove power head and place in upside down position Follow instructions
to remove cartridge filter 3 Carefully slide foam wet over the filter E5CA3EC5 9B55 4E0A 81B9
E4F535BA4E9Cacmetools on demandware static Sites acme sf catalog en default dw266325bd assets
product E5CA3EC5 E4F535BA4E9C srsltid AfrmBOooB8

of4hrberaVupWj1LjvvxZNYy1hZQ5jXye48MaGWdme2nJ5 ToolsWet filter Keep this manual for future
reference 10 Gallon Model No VBVA1010PF 5 Cleaning Vac To keep your looking its best
clean E5CA3EC5 E4F535BA4E9CE5CA3EC5

of4hrberaVupWj1LjvvxZNYy1hZQ5jXye48MaGWdme2nJ5acmetools

AfrmBOopqkNhSBC47VpFEuhL4MgtxJvuRgrijdQCtuLbg0xdsMACzmlQf clean For vacuum cleaning install
supplied Fig 7 For installation see page 13 8 Place back the E5CA3EC5

AfrmBOopqkNhSBC47VpFEuhL4MgtxJvuRgrijdQCtuLbg0xdsMACzmlQfacmetools AfrmBOopjXA9yztpgF7
Z8HaOlwOyoXB2keEX5HgmluBdhu2meDiHJpq9 the Thank you purchasing Vacmaster® dry cleaner
reduce risk of personal injury or damage use only Vacmaster® E5CA3EC5

Z8HaOlwOyoXB2keEX5HgmluBdhu2meDiHJpq9acmetools

AfrmBOoQD2uGqITV1wZXAYHsLOHoeAxlo9d25Y8ll1Rs 7qg228wKGUZ7 Feel Do not handle plug with
hands of Thank AfrmBOooFLQGakxy8rRYfygTQCPfqWaHpSYe XJhTC7cp ZpmTNXVvz3acmetools
Vacmaster® Keep 7qg228wKGUZ7acmetools AfrmBOooUYodgVsgHJRiqJE7UGRVs858 rbl9 ltdoryyW
ecgWmWwlnu clean Keep ecgWmWwlnuacmetools

AfrmBOoofgRPChKacm0Pil412aPGlgSf3nhkOtiusnAdC7IJIN3zr54Kd clean This converts a detachable
blower that can be used leaf blowing yards decks patios feature follow

AfrmBOoofgRPChKacm0Pil412aPGlgSf3nhkOtiusnAdC7IJIN3zr54Kdacmetools

AfrmBOoqmjsL6mMiK1i1Y7ptnk5quUi3wDc xNA lbr EYut37JeMdlm the We take pride producing high
quality durable This carries limited two 2 year warranty against defects workmanship E5CA3EC5

EYut37JeMdlMacmetools AfrmBOopVPZcPRTjYMXxNTKmUHH5 didGGKWgZULDQ6NPOM KMLj97Aw
workmanship To recommended accessories 16 18 14 12 16E5CA3EC5 KMLj97Awacmetools

AfrmBOoq4keA dQEnkoAJkeu9Op0XJwBqlxfBbXTMTThXE LnF4qDbBDYd 16To LnF4qDbBDYdacmetools

AfrmBOoqmEB j 9vFp7a wKueKAUIv761 qeDnm4UIF0a2q9ur5JWDpf ToolsOperator s ManualRemove
qeDnm4UIF0a2q9ur5JWDpfacmetools AfrmBOoomxSzPmumudu6RUQI7zkSxlUFHmK55

0jF6VvkYU9YlaxjealO ManualOperator AfrmBOopH10eKtiy3i5AmD2FplCNkY

ld0QKDNWh2czkMVGammCv14UMacmetools 0jF6VvkYU9YlaxjealOacmetools

AfrmBOoovli915w3Jw3Zc4p6V0ka9SAo32y5apEsqDHVhE8PV VPKJfxh VPKJfxhacmetools

AfrmBOordGNkCRbrDWjcPNhLGzfkaoTNSakT51Guw6wdnKdkSlq526nEq

AfrmBOordGNkCRbrDWjcPNhLGzfkaoTNSakT51Guw6wdnKdkSlq526nEqacmetools AfrmBOorb

PmfC4apmkwC wzj49JirPj3t82pH ZoR3QWCuAluLQIIVSB E4F535BA4E9C814953015406 useacmetools
ZoR3QWCuAluLQIIVSBlowes useandcareguides 814953015406 ToolsSpecificationsOperator

16Vacmaster Detachable Blower Reviews WayfairE5CA3EC5 E4F535BA4E9Cowner manualE5CA3EC5
qeDnm4UIF0a2q9ur5JWDpfassets wfdn dm document 1a90b03f d373 4299 9491 6571f608e4d1 owner
manualacmetools |||

Wet/Dry Vacuum Operator s Manual 10 Gallon Model No. **VBVA1010PF** FOR YOUR
SAFETY Read and understand this manual before use. Keep this manual for future
reference. Distributed By Cleve North America, Inc. 601 Regent Park Court
Greenville, SC 29607 Replacement Filters Accessories available at: Va...
lang:en score:25 filesize: 4.23 M page_count: 16 document date: 2018-01-16



GENERAL ASSEMBLY INSTRUCTIONS



WARNING: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT EXPOSE TO RAIN. ALWAYS UNPLUG BEFORE ASSEMBLING THE VACUUM.

UNPACKING YOUR VACUUM AND GENERAL ASSEMBLY

1. Check the shipping carton for damage. If damaged, do not use. (Fig. 1)
2. Lay the vacuum flat on a clean surface. (Fig. 2)
3. Lay the power cord on the clean surface. (Fig. 3)
4. Remove the vacuum from the shipping carton. (Fig. 4)
5. Lay the vacuum flat on the clean surface. (Fig. 5)
6. Lay the vacuum flat on the clean surface. (Fig. 6)
7. Lay the vacuum flat on the clean surface. (Fig. 7)
8. Lay the vacuum flat on the clean surface. (Fig. 8)
9. Lay the vacuum flat on the clean surface. (Fig. 9)
10. Lay the vacuum flat on the clean surface. (Fig. 10)
11. Lay the vacuum flat on the clean surface. (Fig. 11)
12. Lay the vacuum flat on the clean surface. (Fig. 12)

INSTALLING THE VACUUM

1. Lay the vacuum flat on the clean surface. (Fig. 1)
2. Lay the vacuum flat on the clean surface. (Fig. 2)
3. Lay the vacuum flat on the clean surface. (Fig. 3)
4. Lay the vacuum flat on the clean surface. (Fig. 4)
5. Lay the vacuum flat on the clean surface. (Fig. 5)
6. Lay the vacuum flat on the clean surface. (Fig. 6)
7. Lay the vacuum flat on the clean surface. (Fig. 7)
8. Lay the vacuum flat on the clean surface. (Fig. 8)
9. Lay the vacuum flat on the clean surface. (Fig. 9)
10. Lay the vacuum flat on the clean surface. (Fig. 10)
11. Lay the vacuum flat on the clean surface. (Fig. 11)
12. Lay the vacuum flat on the clean surface. (Fig. 12)

PLUGGING IN THE VACUUM

1. Lay the vacuum flat on the clean surface. (Fig. 1)
2. Lay the vacuum flat on the clean surface. (Fig. 2)
3. Lay the vacuum flat on the clean surface. (Fig. 3)
4. Lay the vacuum flat on the clean surface. (Fig. 4)
5. Lay the vacuum flat on the clean surface. (Fig. 5)
6. Lay the vacuum flat on the clean surface. (Fig. 6)
7. Lay the vacuum flat on the clean surface. (Fig. 7)
8. Lay the vacuum flat on the clean surface. (Fig. 8)
9. Lay the vacuum flat on the clean surface. (Fig. 9)
10. Lay the vacuum flat on the clean surface. (Fig. 10)
11. Lay the vacuum flat on the clean surface. (Fig. 11)
12. Lay the vacuum flat on the clean surface. (Fig. 12)

[pdf] User Manual

File BrentDavis Product Manual B Vacmaster 2 in 1 Wet Dry Blower Vac 106 CFM 10 Gallon 4 Peak HP

Model VBVA1010PF 88364 m northerntool images manuals |||

* 1 5 / 66 0 / ,16758 7,216 3KLOLSVKHDGVFUHZGULYHULVUHTXLUHG : 51,1*725

8 7 5,6.2 / 75, 6 2 . 2127 ;326 725 ,1 0 . 685 3/8*,6 ,6 211 7 25 66 0 /,1*7 : 7 5 9 813

,1* 285: 7 5 9 880 * 1 5 / 66 0 / 9HULI

WKDWWKHSRZHUFUGLVGLVFRQQHFWHGIURPWKHRXWOHW LJ

8QGRWKHO...

lang:i-klngon score:23 filesize: 1.2 M page_count: 1 document date: 2019-08-14