Glacier Bay Aragon Single-Handle 1-Spray Tub and Shower Faucet (Model: 0c1d1322-5eea-464a-bc41-f7cadbe67501)

Glacier Bay Aragon Single-Handle 1-Spray Tub and Shower Faucet User Manual

Model: 0c1d1322-5eea-464a-bc41-f7cadbe67501
Brand: Glacier Bay

Introduction

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your Glacier Bay Aragon Single-Handle 1-Spray Tub and Shower Faucet. Please read all instructions carefully before beginning installation and retain this manual for future reference. Proper installation and maintenance will ensure optimal performance and longevity of your faucet.

Safety Information

Observe all local plumbing and building codes. Always turn off the main water supply before installing or servicing the faucet. Wear safety glasses and gloves during installation. If you are unsure about any part of the installation, consult a qualified plumber.

- Ensure water supply is turned off before installation.
- Protect finished surfaces during installation.
- Do not overtighten connections, as this may cause damage.
- Keep small parts away from children.

Package Contents

Verify that all components are present before beginning installation.

- Showerhead
- Shower Arm and Flange
- Single-Handle Faucet Trim (Handle, Escutcheon Plate)
- Pressure Balance Valve Body
- Tub Spout with Diverter
- Mounting Hardware

Specifications

Feature	Specification
Brand	Glacier Bay
Model Number	0c1d1322-5eea-464a-bc41-f7cadbe67501
Material	Acrylic (Handle), Brass (Valve Body)
Finish Type	Chrome
Number of Handles	1
Mounting Type	Wall Mount
Flow Rate	1.8 GPM (Gallons Per Minute)
Valve Type	Washerless, Pressure Balanced
Item Weight	3.2 Pounds
Product Dimensions	11.1 x 7 x 6.5 inches

Installation

Before starting, ensure you have all necessary tools and components. Turn off the main water supply to your home.

Tools Required

- Adjustable Wrench
- Pipe Thread Tape
- Screwdriver (Phillips and Flathead)
- Pliers
- Sealant (Plumber's Putty or Silicone)

Installation Steps

1. **Prepare the Rough-In Valve:** Install the pressure balance valve body into the wall according to the manufacturer's instructions and local plumbing codes. Ensure the valve is securely mounted and plumb. Connect the hot and cold water supply lines to the appropriate inlets on the valve.
2. **Install the Tub Spout:** Apply pipe thread tape to the threads of the tub spout pipe extending from the wall. Thread the tub spout onto the pipe, ensuring it is hand-tight, then tighten with a wrench until secure and facing forward. Apply a bead of sealant around the base of the tub spout where it meets the wall.
3. **Install the Shower Arm and Showerhead:** Apply pipe thread tape to both ends of the shower arm. Thread one end into the shower outlet in the wall. Tighten securely. Thread the shower flange onto the shower arm until it sits flush against the wall. Thread the showerhead onto the other end of the shower arm.
4. **Install the Faucet Trim:** Place the escutcheon plate over the valve body, aligning the screw holes. Secure the escutcheon plate to the valve body using the provided screws. Attach the faucet handle to the valve stem, securing it with the set screw.
5. **Test for Leaks:** Once all components are installed, slowly turn on the main water supply. Check all connections for leaks. If leaks are detected, turn off the water supply and tighten the connections as needed.



This image displays the main components of the Glacier Bay Aragon Tub and Shower Faucet: the showerhead, the single-handle control with its escutcheon plate, and the tub spout with a diverter.

Operation

The Glacier Bay Aragon faucet features a single handle for controlling both water flow and temperature.

- **To Turn On/Off:** Lift the handle to turn on the water. Push the handle down to turn off the water.
- **To Adjust Water Temperature:** Rotate the handle left for hotter water and right for colder water.
- **To Divert Water to Showerhead:** Pull up the diverter knob located on the tub spout. Push it down to return water flow to the tub spout.

Maintenance

Cleaning

To maintain the finish of your faucet, clean it regularly with a soft cloth and a mild, non-abrasive cleaner. Avoid using harsh chemicals, abrasive cleaners, or scouring pads, as these can damage the chrome finish. Rinse thoroughly with water after cleaning and wipe dry.

Washerless Valve Care

The faucet features a durable washerless valve designed for smooth operation and long life. No routine maintenance is typically required for the valve itself. If you experience issues with water flow or temperature control, refer to the troubleshooting section.

Troubleshooting

Problem	Possible Cause	Solution
Low Water Flow	Clogged showerhead or aerator; partially closed shut-off valve.	Clean showerhead nozzles. Ensure shut-off valves are fully open.
Leaking from Handle Base	Loose connections; worn O-rings or seals within the valve.	Ensure handle screws are tight. If leaking persists, the valve cartridge may need inspection or replacement by a qualified plumber.
Water Temperature Issues	Improperly adjusted temperature limit stop; issues with hot/cold water supply.	Consult a plumber to check the temperature limit stop setting or water supply lines.
Tub Spout Diverter Not Working	Debris in diverter mechanism; worn diverter seal.	Clean the diverter mechanism. If necessary, the tub spout may need replacement.

Warranty and Support

Glacier Bay products are manufactured to high-quality standards and are backed by a limited warranty. For specific warranty details, please refer to the documentation included with your purchase or visit the official Glacier Bay website.
For technical assistance, replacement parts, or further support, please contact Glacier Bay customer service. Contact information can typically be found on the product packaging or the brand's official website.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question