

## Cumbor S7V2

# Cumbor Baby Gate Instruction Manual

Model: S7V2  
Brand: Cumbor

## 1. SAFETY INFORMATION

**IMPORTANT:** Read all instructions before assembly and use of the gate. Keep instructions for future use.

Failure to follow these warnings and instructions could result in serious injury or death.

- This safety barrier is for domestic use only.
- This safety barrier is suitable for use with children from 6 to 24 months.
- This safety barrier is suitable for pets including dogs and cats.
- Never leave child unattended.
- The gate must be securely installed according to the manufacturer's instructions.
- The safety barrier must be checked regularly to ensure it is secure and functioning in accordance with the instructions.
- Do not use the safety barrier if any components are damaged or missing.
- This safety barrier has a manual closing system. Always ensure the gate is closed and latched securely.
- The gate is designed to prevent falls down stairs and restrict access to dangerous areas for children and pets.

## 2. PRODUCT OVERVIEW

The Cumbor Baby Gate is designed for safety and convenience, featuring durable metal construction and versatile installation options.

### Key Features:

- **Adjustable Width:** Fits openings from 29.7 to 46 inches wide.
- **Height:** 30.5 inches tall.
- **Double-Lock Safety Release:** Enhanced security mechanism to prevent accidental openings by children.

- **Auto-Close Function:** Gate automatically closes when opened less than 90 degrees.
- **180° Door Swing:** Allows the gate to open in both directions for convenience.
- **Stay-Open Feature:** Gate stays open when pushed past 90 degrees.
- **Two Installation Options:** Pressure Mounted (no tools, no wall damage) and Hardware Mounted (maximum stability).
- **Durable Construction:** Sturdy steel withstands impacts up to 150 lbs (pressure mount) or 210 lbs (hardware mount).
- **Accessible Ramp:** Optional ramp for easy passage.
- **Y Pressure Mount:** Adapters available for rounded banisters.

### Components:

Familiarize yourself with the gate's components before installation.



Figure 2.1: Cumbor Baby Gate in a home setting.



Figure 2.2: Gate dimensions and initial gap.



## Double-lock safety release

Enhanced security prevents unwanted gate openings by children or pets

Figure 2.3: Double-lock safety release mechanism.

### 3. SETUP AND INSTALLATION

The Cumbor Baby Gate offers two installation methods: Pressure Mounted and Hardware Mounted. Choose the method that best suits your needs and location.

#### 3.1 Pressure Mounted Installation (No Tools Required)

This method is ideal for hallways and doorways where drilling is not desired. It provides a secure fit without damaging walls.

1. **Unpack and Assemble:** Remove all components from the packaging. The gate may appear bent or have a gap at the latch initially; this is normal and will be resolved upon tightening.

2. **Insert Tension Bolts:** Insert the four tension bolts into the holes at each corner of the gate frame.
3. **Position Gate:** Place the gate in the desired opening. Ensure the bottom bar is flush with the floor or step.
4. **Tighten Tension Bolts:** Rotate the adjustment wheels on the tension bolts clockwise until the gate is securely held in place. Tighten evenly on all four sides. The gap at the latch will gradually close as you tighten.
5. **Remove Zip Tie:** Once the gate is firmly secured and the latch gap is closed, carefully cut and remove the zip tie that holds the gate door in place during shipping.
6. **Install Accessible Ramp (Optional):** If desired, attach the accessible ramp to the bottom bar of the gate as per the separate ramp instructions.
7. **Install Y Pressure Mount (Optional for Rounded Banisters):** If installing on a rounded banister, replace the standard tension bolt cups with the Y pressure mount adapters. Rotate to secure.



Figure 3.1: Pressure-mount installation details, including Y-mount option.



Figure 3.2: Pressure Mounted vs. Hardware Mounted strength comparison.

### 3.2 Hardware Mounted Installation (Tools Required)

This method provides maximum stability and is recommended for high-traffic areas like staircases.

1. **Mark Wall Positions:** Place the gate in the desired location. Use a pencil to mark the positions for the wall cups where the tension bolts will connect.
2. **Install Wall Anchors:** Using a drill, create pilot holes at the marked positions. Insert the provided wall anchors into

the holes and gently tap them flush with a hammer.

3. **Attach Wall Cups:** Secure the wall cups to the wall using screws and a screwdriver or drill.
4. **Insert and Tighten Tension Bolts:** Insert the four tension bolts into the gate frame and place the gate into the wall cups. Rotate the adjustment wheels on the tension bolts clockwise until the gate is firmly secured.
5. **Remove Zip Tie:** Once the gate is firmly secured and the latch gap is closed, carefully cut and remove the zip tie that holds the gate door in place during shipping.

## 4. OPERATING INSTRUCTIONS

The Cumbor Baby Gate is designed for easy and secure operation.

### 4.1 Opening the Gate:

1. **Locate Latch:** Identify the double-lock safety release mechanism on the top of the gate door.
2. **Slide and Lift:** Simultaneously slide the button on the latch and lift the gate door handle upwards.
3. **Push Open:** Gently push the gate door in the desired direction (inward or outward). The gate features a 180° door swing.

### 4.2 Closing the Gate:

- **Auto-Close:** If the gate is opened less than 90 degrees, it will automatically swing shut and latch securely.
- **Manual Close:** If the gate is opened past 90 degrees (stay-open feature activated), gently push the gate door back towards the closed position until it latches.




Figure 4.1: Gate auto-close and stay-open features.

## 5. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your Cumbor Baby Gate.

- **Cleaning:** Wipe the gate regularly with a damp cloth and mild soap. Do not use abrasive cleaners or harsh chemicals.
- **Inspection:** Periodically check all components for wear, damage, or loose parts. Ensure all tension bolts are tight and the latch mechanism is functioning correctly.
- **Lubrication:** If the hinge or latch mechanism becomes stiff, apply a small amount of silicone-based lubricant.
- **Storage:** If storing the gate, ensure it is clean and dry. Store in a cool, dry place away from direct sunlight.

## 6. TROUBLESHOOTING

If you encounter any issues with your Cumbor Baby Gate, refer to the following common problems and solutions:

| Problem                                            | Possible Cause                             | Solution                                                                                                                    |
|----------------------------------------------------|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Gate appears bent or has a large gap at the latch. | This is normal before full tensioning.     | Continue tightening the tension bolts evenly until the gap closes and the gate is secure.                                   |
| Gate is not secure/wobbles.                        | Tension bolts are not tight enough.        | Tighten all four tension bolts further until the gate is firm. Ensure wall cups are properly installed if hardware mounted. |
| Gate door does not latch properly.                 | Insufficient tension or misalignment.      | Adjust tension bolts to ensure the gate frame is square and the latch aligns correctly. Check for obstructions.             |
| Gate is difficult to open/close.                   | Latch mechanism stiff or too much tension. | Apply silicone lubricant to the latch mechanism. Slightly loosen tension bolts if too tight, then re-test.                  |

## 7. SPECIFICATIONS

| Attribute               | Detail                             |
|-------------------------|------------------------------------|
| Model Number            | S7V2                               |
| Brand                   | Cumbor                             |
| Material                | Metal                              |
| Color                   | White                              |
| Adjustable Width        | 29.7 - 46 inches                   |
| Height                  | 30.5 inches                        |
| Mounting Type           | Pressure Mounted, Hardware Mounted |
| Target Species          | Baby, Dogs, Pets, Cats, Child      |
| Age Range (Description) | 6-24 Months                        |
| Item Weight             | 13.5 pounds                        |
| UPC                     | 696177813125                       |

## 8. CONTACT AND SUPPORT

For further assistance, product inquiries, or warranty information, please contact Cumbor customer support.

- **Manufacturer:** Cumbor
- **User Guide (PDF):** [Download User Guide](#)
- **Online Store:** [Visit Cumbor Store on Amazon](#)

*Please refer to the official Cumbor website or your purchase documentation for the most up-to-date contact information and warranty details.*

© 2025 Cumbor. All rights reserved.

### ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

#### Name

Anonymous

#### Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

#### Question

Example: How do I reset this device or fix this error?

#### Details

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**