

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [PUR](#) /

› [PUR PLUS Vertical Faucet Mount Water Filtration System User Manual](#)

## PUR FM2500V

# PUR PLUS Vertical Faucet Mount Water Filtration System User Manual

Model: FM2500V | Brand: PUR

## INTRODUCTION

---

The PUR PLUS Vertical Faucet Mount Water Filtration System is designed to provide clean, great-tasting water directly from your kitchen faucet. This system utilizes advanced 3-in-1 filtration technology, certified to reduce lead, microplastics, chlorine, and other chemical and physical substances commonly found in tap water. Its convenient design allows for easy installation and operation, ensuring a continuous supply of filtered water for drinking and cooking.



Image: The PUR PLUS Vertical Faucet Mount Water Filtration System, including the faucet unit and a replacement filter box.

## WHAT'S IN THE BOX

Upon opening the package, verify that all components are present:

- PUR PLUS Vertical Faucet Mount Water Filtration System Unit
- PUR PLUS Faucet Mount Filter (pre-installed or separate)
- Various Faucet Adapters
- User Manual (this document)

## SETUP AND INSTALLATION

The PUR PLUS Faucet Mount System is designed for quick and easy installation without the need for tools. It is compatible with most standard faucets but is not suitable for pull-out or handheld models.

### Installation Steps:

- 1. Prepare Faucet:** Remove the existing aerator from your faucet. If necessary, use a wrench for stubborn aerators.
- 2. Select Adapter:** Choose the appropriate adapter from the provided selection that fits your faucet's threading. Screw the adapter onto the faucet until it is secure. Ensure a tight seal to prevent leaks.
- 3. Attach Filter Unit:** Align the PUR PLUS Faucet Mount System unit with the installed adapter. Push the unit firmly onto the adapter until you hear a "click," indicating it is securely attached. The unit can be rotated for optimal positioning.
- 4. Flush Filter:** Before first use, turn on the cold water and switch the lever to the filtered water setting. Allow water to run through the filter for approximately 5 minutes to flush out any carbon fines and prepare the filter for use.

# #1 Selling **Brand** that **Filters Lead** Water\*



NSF certified to  
reduce Lead and  
microplastics



Reduces chlorine  
for great taste

\*Based on Nielsen sales data for lead reducing filters in the pitcher and faucet mount segments for 52 weeks ending 10/26/2024.

Image: Visual guide illustrating the three-step installation process: 1. Remove aerator, 2. Attach adapter, 3. Attach filter unit with one click.

## OPERATING INSTRUCTIONS

The PUR PLUS Faucet Mount System features a simple lever to switch between filtered and unfiltered water.

- **Unfiltered Water:** To dispense unfiltered water for washing dishes or other non-drinking purposes, ensure the lever is in the position that directs water directly from the faucet without passing through the filter.
- **Filtered Water:** To dispense filtered water for drinking or cooking, move the lever to the position that engages the filtration system. Water will flow through the PUR PLUS filter.


The system is equipped with a filter change light indicator to help you monitor filter life:

- **Green Light:** Indicates the filter is working optimally.
- **Yellow/Orange Light:** Signals that it is time to change the filter soon.
- **Red Light:** Indicates the filter has reached the end of its life and needs immediate replacement.


## 3 STEP EASY INSTALLATION



1. Remove aerator



2. Attach adapter



3. Attach with 1 Click

Image: Illustration of the filter change light indicator, showing green for optimal, yellow for change soon, and red for end of life.

### MAINTENANCE

#### Filter Replacement:

The PUR PLUS Faucet Mount Filter has a lifespan of up to 3 months or 100 gallons, whichever comes first. The filter

change light indicator will alert you when replacement is necessary.

- 1. Remove Old Filter:** Twist the filter housing counter-clockwise to detach it from the faucet mount unit. Remove the old filter cartridge.
- 2. Insert New Filter:** Unpack a new Genuine PUR PLUS Faucet Mount Replacement Filter. Insert it into the filter housing, ensuring it is seated correctly.
- 3. Reattach Housing:** Screw the filter housing back onto the faucet mount unit by twisting clockwise until secure.
- 4. Flush New Filter:** As with initial setup, run cold water through the new filter for 5 minutes to flush out any carbon fines.

**Note:** Only Genuine PUR Faucet Mount Replacement Filters are certified to work with the PUR PLUS Faucet Mount Water Filtration System.

## Enjoy cleaner, better-tasting water, right from your tap.



Image: A genuine PUR filter, emphasizing the importance of using authentic replacement filters for optimal performance.

### **Cleaning:**

Periodically, you may wish to clean the exterior of the faucet mount unit. The unit can be easily unclipped from the adapter

for thorough cleaning. Use a soft cloth and mild soap. Do not use abrasive cleaners or put the unit in a dishwasher.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Water leaking from unit connection.	Unit not securely attached to adapter, or adapter not tight on faucet.	Ensure adapter is tightly screwed onto faucet. Re-attach filter unit, ensuring it clicks into place. Check O-rings for damage.
Slow filtered water flow.	Filter is clogged or nearing end of life.	Check filter change light. If yellow or red, replace the filter. Ensure proper flushing of new filter.
Filter change light not working.	Battery issue or unit malfunction.	Contact PUR customer support for assistance.
Water tastes or smells unusual after filtration.	Filter not properly flushed, or filter needs replacement.	Ensure filter was flushed for 5 minutes upon installation. If issue persists, replace filter.

## SPECIFICATIONS

Feature	Detail
Product Dimensions	6.4" L x 2.8" W x 5.4" H
Item Model Number	FM2500V
Item Weight	1.2 Pounds
Manufacturer	PUR
Installation Type	Faucet Mount
Special Feature	Change Filter Indicator
Lower Temperature Rating	34 Degrees Fahrenheit
Upper Temperature Rating	100 Degrees Fahrenheit

## WARRANTY AND SUPPORT

For warranty information, technical support, or to purchase genuine replacement filters, please visit the official PUR website or refer to the contact information provided in your product packaging.

You can also find additional resources and a downloadable PDF version of the user manual at [PUR User Manual \(PDF\)](#)