

EdgeStar CBR902SG

EdgeStar CBR902SG Beverage Cooler User Manual

Model: CBR902SG

Brand: EdgeStar

1. INTRODUCTION

Thank you for choosing the EdgeStar CBR902SG 15 Inch Wide 80 Can Built-In Beverage Cooler. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your new appliance. Please read this manual thoroughly before use and retain it for future reference.

This beverage cooler is designed to store and cool a variety of beverages, offering both built-in and free-standing installation options. Its compact design and advanced features ensure optimal performance and convenience.

2. IMPORTANT SAFETY INFORMATION

To reduce the risk of fire, electrical shock, or injury when using your appliance, follow these basic precautions:

- Read all instructions before using the appliance.
- Connect to properly grounded outlets only.
- Do not remove the grounding prong, bypass the grounding adapter, or use an extension cord.
- It is recommended that a separate circuit, serving only your appliance, be provided.
- Never clean appliance parts with flammable fluids. The fumes can create a fire hazard or explosion.
- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- Before proceeding with cleaning and maintenance operations, make sure the unit's power line is disconnected.
- Do not connect or disconnect the electric plug when your hands are wet.
- Do not attempt to repair or replace any part of your appliance unless it is specifically recommended in this manual. All other servicing should be referred to a qualified technician.
- This appliance is CFC- and HFC-free and contains small quantities of Isobutane (R600a) which is

environmentally friendly but flammable. Care must be taken during handling and moving the appliance to avoid damaging the cooling system or increasing the chance of a leak.

- **Proposition 65 Warning:** This product can expose you to chemicals including Di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

3. PRODUCT FEATURES

The EdgeStar CBR902SG beverage cooler is equipped with several features designed for optimal beverage storage and user convenience:

- **Temperature Range:** Maintains temperatures between 38 and 50 degrees Fahrenheit (3-10°C), ideal for various beverages.
- **Security Lock:** Includes a security lock to keep contents secure.
- **Stainless Steel Flat Bar Handle:** A sleek and durable handle for easy door access.
- **High/Low Temperature Alarm:** Alerts you if the internal temperature deviates significantly from the set point.
- **Door Ajar Alarm:** Sounds an alarm if the door is left open, preventing temperature fluctuations and energy waste.
- **Automatic Defrost:** Eliminates the need for manual defrosting, ensuring consistent performance.
- **Adjustable Soft-Touch Electronic Thermostat:** Allows for precise temperature control with easy-to-use buttons and a digital display.
- **Front-Vented Design:** Enables versatile installation as either a built-in or free-standing unit.
- **Fan-Forced Ventilation:** Ensures even cooling throughout the interior, preventing cold spots.
- **Compressor-Based Cooling System:** Provides efficient and rapid cooling performance.
- **Three Glass Shelves:** Durable and easy-to-clean shelves for organized storage.
- **Blue Internal LED Lighting:** Illuminates the interior for clear visibility of contents.
- **Reversible Door:** The door hinge can be reversed to open from either the left or right side, adapting to your space.
- **Rubber Bushings:** Designed to dampen vibration and reduce operational noise.



Figure 3.1: Front view of the EdgeStar CBR902SG Beverage Cooler, showcasing its glass door and internal blue LED lighting with various beverages stored on shelves.





Figure 3.2: Detailed front view of the beverage cooler, illustrating its capacity to hold multiple soda cans on its glass shelves.

4. INSTALLATION

4.1 Pre-Installation Considerations

- **Location:** Choose a location with a stable, level surface capable of supporting the unit's weight when fully loaded. Avoid direct sunlight or heat sources.
- **Ventilation:** Ensure adequate air circulation around the unit. For built-in installations, the front ventilation grille must not be obstructed.
- **Power Supply:** Connect the unit to a dedicated, grounded 115 Volt, 60 Hz AC outlet. Do not use extension cords or adapter plugs.

4.2 Built-In vs. Free-Standing Installation

This unit is designed for both built-in and free-standing installations. For built-in installations, ensure the following clearances:

- Allow a minimum of 1" to 2" of clearance at the back for proper ventilation and service access.
- The unit must be installed in an area protected from the elements (wind, rain, etc.).
- Ensure the unit can be pulled forward for servicing if necessary.



Figure 4.1: Diagram showing the external dimensions of the EdgeStar CBR902SG: 32 inches height, 15 inches width, and 23.75 inches depth.



Figure 4.2: The beverage cooler seamlessly integrated into kitchen cabinetry, demonstrating a typical built-in installation.

4.3 Door Reversal

The unit is shipped with the door hinged on the right side. If your installation requires the door to open from the left, the door is reversible. Refer to the detailed instructions in the full owner's manual for the step-by-step process of reversing the door swing.

5. OPERATION

5.1 Initial Startup

After installation, allow the unit to stand upright for at least 2-4 hours before plugging it into a power outlet. This allows the refrigerant to settle. Once plugged in, the unit will begin cooling to the factory preset temperature.

5.2 Temperature Control

The temperature is controlled via the soft-touch electronic thermostat located at the top of the interior. Use the UP and DOWN arrows to adjust the desired temperature between 38°F and 65°F (3°C and 18°C). The digital

display will show the set temperature.

5.3 Internal LED Lighting

The unit features blue internal LED lighting. This light can be turned on or off using the light button on the control panel. The light will automatically turn on when the door is opened.

5.4 Door Ajar Alarm

If the door is left open for an extended period, the door ajar alarm will sound to alert you, helping to maintain internal temperature and conserve energy.

5.5 Security Lock

The beverage cooler is equipped with a security lock located at the bottom of the door. Use the provided keys to lock or unlock the unit, securing your beverages.



Figure 5.1: The two keys provided for the integrated security lock on the beverage cooler.



Figure 5.2: View inside the cooler, highlighting the digital control panel at the top and the blue LED lighting illuminating the contents.

6. MAINTENANCE

6.1 Cleaning

- **Exterior:** Clean the exterior surfaces with a mild detergent and warm water. Wipe dry with a soft cloth. Avoid abrasive cleaners.
- **Interior:** Clean the interior with a solution of baking soda and water (2 tablespoons of baking soda to 1 quart of water). Rinse thoroughly and dry.
- **Door Gasket:** Regularly clean the door gasket to ensure a proper seal.
- **Shelves:** Glass shelves can be removed and washed with mild soap and water.

6.2 Automatic Defrost

The unit features an automatic defrost system. During operation, frost may accumulate on the evaporator. This frost will automatically melt during the compressor's off-cycle and drain into a drip tray at the back of the unit,

where it evaporates. There is no need for manual defrosting.

6.3 Power Interruption

In case of a power interruption, the unit will automatically resume operation with the last set temperature once power is restored. For prolonged power outages, consider removing contents to prevent spoilage.

7. TROUBLESHOOTING

Before contacting customer service, please review the following common issues and their potential solutions:

Problem	Possible Cause / Solution
Unit does not operate	Check if the power cord is properly plugged in. Verify the circuit breaker or fuse. Ensure the power switch is on.
Unit is not cold enough	Temperature setting is too high. Door is not closed properly or is opened too frequently. Door gasket is not sealing properly. Unit is located near a heat source or in direct sunlight. Insufficient clearance around the unit.
Excessive noise	Unit is not leveled. Loose parts. Compressor cycling on/off frequently (some users report this as normal for the unit, but ensure proper ventilation).
Vibrations	Ensure the unit is on a level surface. Adjust leveling legs.
Door will not close properly	Unit is not leveled. Door gasket is dirty or damaged. Shelves are out of position, obstructing the door.
Internal light not working	Light switch is off. LED bulb may need replacement (contact service).

If the problem persists after checking these points, please contact EdgeStar customer support.

8. SPECIFICATIONS

Detailed specifications for the EdgeStar CBR902SG Beverage Cooler:

Specification	Value
Model Number	CBR902SG
Brand	EdgeStar

Specification	Value
External Dimensions (H x W x D)	32" x 15" x 23.75" (25.25" with handle)
Internal Dimensions (H x W x D)	25.5" x 12" x 18"
Weight	79.8 lbs
Capacity (12 oz. cans)	80 cans
Temperature Range	38°F - 65°F (3°C - 18°C)
Installation Type	Built-In or Free Standing
Voltage	115 Volts
Wattage	120 watts
Defrost Type	Automatic
Number of Shelves	3 (Glass)
Door Material	Glass
Color	Stainless Steel
Included Components	REFRIGERATOR

9. WARRANTY AND CUSTOMER SUPPORT


For detailed warranty information, please refer to the warranty card included with your product or visit the official EdgeStar website. In the event of issues not covered in the troubleshooting section, or for parts and service, please contact EdgeStar customer support directly.

Note on Videos: No official seller videos were found in the provided product data for this model. For visual guides or demonstrations, please refer to the manufacturer's official website or support channels.

Related Documents

 <p>EDGESTAR® Beverage Refrigerator CBR902SG Owner's Manual www.edgestar.com V2.04082021</p>	<p><u>EdgeStar CBR902SG Beverage Refrigerator Owner's Manual</u> Comprehensive owner's manual for the EdgeStar CBR902SG Beverage Refrigerator, covering installation, operation, safety, troubleshooting, and warranty information.</p>
 <p>EDGESTAR® Built-In Wine Refrigerator CWR1552DD Owner's Manual www.edgestar.com V2.04082021</p>	<p><u>EdgeStar CWR1552DD Built-In Wine Refrigerator Owner's Manual</u> This owner's manual provides detailed instructions for the installation, operation, cleaning, and maintenance of the EdgeStar CWR1552DD Built-In Wine Refrigerator. It includes important safety information, parts identification, troubleshooting tips, and specifications.</p>
 <p>EDGESTAR® Freestanding Wine Refrigerator CWF440SZ Owner's Manual www.edgestar.com V2.04082021</p>	<p><u>EdgeStar CWF440SZ Freestanding Wine Refrigerator Owner's Manual</u> Comprehensive owner's manual for the EdgeStar CWF440SZ Freestanding Wine Refrigerator, covering installation, operation, maintenance, troubleshooting, and warranty information.</p>
 <p>EDGESTAR® COMMERCIAL BEVERAGE MERCHANDISER MODEL VBM101SS FEATURES: • Commercial design ready • Approved for commercial use • 10.1 cu. ft. capacity • 2 doors for maximum visibility • Removable wire shelving • Removable wire back panel • Removable door panels • Removable door handles • Removable door gaskets • Left side 2/3 swing spring • Right side 1/3 swing spring • 2 doors close on each other • Spills collect in floor drain • www.edgestar.com V2.04082021</p>	<p><u>EdgeStar VBM101SS Commercial Beverage Merchandiser - Features, Dimensions, and Specifications</u> Detailed information on the EdgeStar VBM101SS commercial beverage merchandiser, including its features, cutout dimensions, exterior and interior dimensions, door swing, specifications, and warranty.</p>

Documents - EdgeStar – CBR902SG



[\[pdf\] Specifications Dimension Guide Guide Warranty](#)

CWR302SZ CWR263DZ CBR902SG Dimensional Guide V2.0 12092019 Administrator edgestar
cbr902sg specification sheet s1 img b mediabase specifications 1546129 |||


Document Type: Dimensional Drawing Model: CWR302SZ, CWR263DZ, **CBR902SG**

Version: V2.0 12092019 15 381 mm 14 7/8 378 mm 25 1/4 641 mm 23 1/2 597 mm

21 5/8 550 mm Exterior Dimensions 32 813 mm 31 3/8 797 mm 20 / 526 mm 27 7/8

708 mm Front View Side View EdgeSta...

lang:en score:53 filesize: 306.81 K page_count: 3 document date: 2019-12-09



[pdf] Dimension Guide Warranty

CWR302SZ CWR263DZ CBR902SG Drawing V1 1 12182018 Administrator edgestar


9541ff34d741ff8574bf1ae15c9562ef powerequipmentdirect manuals |||

Document Type: Dimensional Drawing Model: CWR302SZ, CWR263DZ, **CBR902SG**

Version: V1.1 12182018 15 381 mm 14 7/8 378 mm 25 1/4 641 mm 23 1/2 597 mm

21 5/8 550 mm Exterior Dimensions 32 813 mm 31 3/8 797 mm 20 / 526 mm 27 7/8 708 mm Front View Side View EdgeStar...

lang:en score:49 filesize: 352.5 K page_count: 3 document date: 2018-12-18



[pdf] Dimension Guide Application Guide Warranty

CWR302SZ CWR263DZ CBR902SG Drawing V1 0 11192018 Administrator Application Guide EdgeStar

15 Inch Wide 25 Bottle Built In Wine Cooler Appliances 81 kX4MI0PL m media amazon images I |||

Document Type: Dimensional Drawing Model: CWR302SZ, CWR263DZ, **CBR902SG**

Version: V1.0 11192018 14 / 380 mm 14 7/8 378 mm 25 1/4 642 mm 23 / 595 mm 21 5/8 550 mm Exterior Dimensions 32 813 mm 31 3/8 797 mm 20 / 526 mm 27 7/8 708 mm Front View Side View EdgeStar...

lang:en score:47 filesize: 357.72 K page_count: 3 document date: 2018-11-20



[pdf] User Manual Owner's Manual Instructions Specifications Warranty Label

CBR902SG s2 img b 4 First Time Operating Instructions Before use make sure all packaging labels and materials are removed from the unit Be to keep track of included parts pieces before discarding edgestar cbr902sg installation sheet mediabase specifications 1546129 |||

Built-in Beverage Cooler **CBR902SG** Owner's Manual For more information on other great EdgeStar products on the web, go to <http://www.edgestar.com> To use the EdgeStar self-diagnostic tool, go to <https://support.edgestar.com> V2.2-12192018 Important Safety Information Improper handling can cause serio...

lang:en score:41 filesize: 1.16 M page_count: 22 document date: 2019-01-02



[pdf] User Manual Owner's Manual Warranty Label

EdgeStar CBR902SG Owner's Manual V2 3 06022021 edgestar cbr902sgdual beverage center owners manual 30 W Freestanding 160 Cans 12 oz Beverage Cooler with Reversible Glass Door eget1142 CBR902SGDUAL EdgeStar CBR902SGDUAL secure img1 ag wfcdn dm document 4d3c8e93 d132 418b 86df 15d44a8a0f1a |||

Beverage Refrigerator **CBR902SG** Owner's Manual www.edgestar.com V2.3-06022021 Important Safety Information Improper handling can cause serious damage to the EdgeStar refrigerator and / or injury to the user. This refrigerator is designed for domestic indoor use only. Do not use the unit for indu...


lang:en score:41 filesize: 909.23 K page_count: 21 document date: 2021-09-28



[EdgeStar CBR902SG Beverage Refrigerator Owner's Manual](#)

Comprehensive owner's manual for the EdgeStar CBR902SG Beverage Refrigerator, covering installation, operation, safety, troubleshooting, and warranty information.

lang:en score:38 filesize: 909.23 K page_count: 21 document date: 2021-09-28




[\[pdf\] User Manual Owner's Manual Warranty Label](#)

Owner Manual Improper handling can cause serious damage to the EdgeStar Beverage Cooler and or injury user This is designed for domestic indoor Query ASSET ID 7201426 USE TYPE AND CARE PRODUCT 7690883 api ferguson dar step service edgestar 381826f08d9fccc07a8d65c4123ab914 powerequipmentdirect manuals

Built-in Beverage Cooler **CBR902SG** Owner's Manual For more information on other great EdgeStar products on the web, go to <http://www.edgestar.com> To use the EdgeStar self-diagnostic tool, go to <https://support.edgestar.com> V2.0-08062018 Important Safety Information Improper handling can cause serio...

lang:en score:35 filesize: 1.54 M page_count: 22 document date: 2018-08-30



[\[pdf\] Dimension Guide Warranty](#)

CWR302SZ CWR263DZ CBR902SG Drawing V1.1 12182018 Administrator Dimensions EdgeStar Single Zone 15 Built In 30 Bottle Wine Refrigerator with Reversible Door eget1104 CWR302SZDimensions Dual 26 eget1103 CWR263DZEdgeStar CWR302SZEdgeStar CWR263DZdimensionsdimensionssecure img1 ag wfcdn dm document 7437e2ff 1b64 406b a116 29401fe59554 dimensionssecure dimensions ||| Document Type: Dimensional Drawing Model: CWR302SZ, CWR263DZ, **CBR902SG** Version: V1.1 12182018 15 381 mm 14 7/8 378 mm 25 1/4 641 mm 23 1/2 597 mm 21 5/8 550 mm Exterior Dimensions 32 813 mm 31 3/8 797 mm 20 / 526 mm 27 7/8 708 mm Front View Side View EdgeStar...

lang:en score:33 filesize: 352.5 K page_count: 3 document date: 2018-12-18