

Genie QuietLift Connect Model 3053-TKV

Genie QuietLift Connect Smart Garage Door Opener User Manual

Model: 3053-TKV

PRODUCT OVERVIEW

The Genie QuietLift Connect is a smart belt drive garage door opener designed for quiet operation and smart home integration. It features a DC motor with a steel-reinforced belt, making it suitable for garages attached to living spaces. Integrated Aladdin Connect Wi-Fi technology allows for remote monitoring and control via a smartphone app, and it is compatible with voice assistants like Alexa and Google Assistant.

This system includes Intellicode rolling code technology for security, two pre-programmed 3-button remotes, a wireless exterior keypad, and a wall control panel with an independent light button and vacation lock. Safety is ensured by Safe-T-Beam garage door safety sensors.



Figure 1: Genie QuietLift Connect Garage Door Opener and Included Accessories. This image displays the main opener unit, two remote controls, a wireless keypad, and the Safe-T-Beam sensors, alongside a smartphone screen showing the Aladdin Connect app interface.

SAFETY INFORMATION

WARNING: Garage door openers can cause serious injury or death if not installed and operated properly. Read and follow all instructions carefully.

- Always keep the garage door area clear of persons and objects.
- Do not allow children to operate the garage door opener.
- Regularly inspect the garage door system, including springs, cables, rollers, and other hardware, for signs of wear, damage, or imbalance.
- Ensure the Safe-T-Beam sensors are properly aligned and free from obstruction.
- In California, as of July 1, 2019, all garage door openers sold or installed at any residence must include a battery backup system. This model does not include a battery backup.

SETUP AND INSTALLATION

The Genie QuietLift Connect is designed for easy installation. A strong 5-piece rail system snaps together, and pre-programmed remotes are ready for immediate use.

Pre-Installation Checklist:

- Verify your garage door is a residential sectional door, weighing up to 500 lbs and up to 7 ft in height. An extension kit (sold separately) is required for 8 ft high doors.
- Ensure you have all included components: smart Wi-Fi belt drive opener, two 3-button pre-programmed remotes, wireless keyless keypad, wall control, safety sensors, hardware, and batteries.
- Gather necessary tools for installation.

Easy To Install

Included assembly poster, color coded bags, interactive 3D Instructions through BILT® app, and 5 piece rail system makes installation easy.



Figure 2: Installation Process. This image shows a person installing the garage door opener unit on the ceiling of a garage, demonstrating the ease of setup.

Detailed Instructions:

For comprehensive 3D instructions, download the free BILT app. This app provides interactive guidance for assembly and installation.

FOR QUICK &
EASY ASSEMBLY
FIND 3D INSTRUCTIONS
FOR THIS PRODUCT IN

BILT[®]

DOWNLOAD
THE **FREE APP**



Download on the
App Store

GET IT ON
Google Play




Figure 3: BILT App for Installation. This image highlights the BILT app, which offers detailed 3D instructions for product assembly and setup.

[Download the BILT App](#)


Door Compatibility:

The Genie QuietLift Connect is designed for specific garage door configurations. Ensure your door meets the following criteria:



Supported Door Configurations

For use on residential sectional garage doors, up to a maximum of **500 lbs** in weight, and 7 ft in height out of box. Extension available for 8 ft high garage doors.



Acceptable Door Styles

500lb
MAX

- ✓ PAN STYLE DOORS
- ✓ SINGLE WIDE DOORS
- ✓ NON-INSULATED DOORS
- ✓ DOUBLE WIDE DOORS WITH OR WITHOUT WINDOWS
- ✓ DOUBLE WIDE DOORS WITH OR WITHOUT INSULATION

RESIDENTIAL SECTIONAL DOORS

Up to 500 lbs in weight and 7 ft in height.

For 8 ft high doors – use of extension kit is required (sold separately)



Unsupported Door Configurations

- ✗ HIGH LIFT DOORS
- ✗ VERTICAL LIFT DOORS
- ✗ DOORS LARGER THAN 8 FT IN HEIGHT
- ✗ ONE-PIECE DOORS

Figure 4: Supported Door Configurations. This image details the types of residential sectional doors compatible with the opener, including weight and height limitations, and lists unsupported configurations.

Connecting to Wi-Fi (Aladdin Connect):

The integrated Aladdin Connect technology allows you to monitor, open, and close your garage door from anywhere using your smartphone. Follow the instructions provided in the Aladdin Connect app to set up your device.

OPERATING INSTRUCTIONS

Using Remotes and Keypad:

The system comes with two pre-programmed 3-button remotes and a wireless keypad for convenient access. Refer to the included quick start guide for programming additional remotes or setting up custom keypad codes.

Using Aladdin Connect App:

The Aladdin Connect app provides full control and monitoring features:

- **Open/Close:** Remotely operate your garage door from anywhere.
- **Status Monitoring:** Check if your garage door is open or closed in real-time.
- **Notifications:** Receive real-time alerts when the door is opened/closed or left open for an extended period.
- **Virtual Keys:** Set up virtual keys for individual users with customized access schedules.
- **Rules:** Create rules to automatically close the door at specific times or after a set timeframe.

Alerts On Your Phone

Real time notifications will notify you when someone has opened/closed the garage door, if the garage door has been left open for a long period of time or is open late at night.




Figure 5: Aladdin Connect App Interface. This image shows the Aladdin Connect app displaying real-time notifications and door status, indicating when the garage door is opened or closed.

Voice Control Integration:

The QuietLift Connect is compatible with Amazon Alexa and Google Assistant. Enable the Aladdin Connect custom skill or action in your voice assistant app to control your garage door with voice commands.

How Genie® Connects




Figure 6: Smart Home Ecosystem. This image illustrates how the Genie garage door opener integrates into a broader smart home ecosystem, including voice control devices and other connected appliances.

[Check Latest Compatibility List](#)

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your Genie QuietLift Connect garage door opener.

- **Monthly:** Test the Safe-T-Beam system by placing an object in the path of the sensor. The door should reverse.
- **Monthly:** Check the auto-reverse safety feature. Place a 2x4 board flat on the floor in the path of the door. The door should reverse upon contact.

- **Annually:** Lubricate moving parts of the garage door (not the opener itself) such as rollers, hinges, and springs, with a garage door lubricant.
- **Periodically:** Inspect the belt drive for any signs of wear or damage. The steel-reinforced belt is designed for durability.
- **Light Bulbs:** The unit uses standard light bulbs. Replace them as needed.

Ultra-Quiet, Ultra-Powerful Belt Drive

Steel-reinforced belt drive system makes Genie® belt drive openers perfect for garages attached to living spaces.




Figure 7: Steel-Reinforced Belt Drive. This image provides a close-up view of the steel-reinforced belt drive system, highlighting its robust construction for quiet and powerful operation.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Door does not close completely.	Travel limits need adjustment.	Refer to the programming guide for adjusting the open and close travel limits.

Problem	Possible Cause	Solution
Door reverses when closing.	Safe-T-Beam sensors are misaligned or obstructed.	Check for obstructions in the sensor path. Realign sensors until both indicator lights are solid.
Opener is noisy.	Loose hardware or lack of lubrication on door parts.	Tighten any loose bolts or screws. Lubricate garage door rollers, hinges, and springs. The belt drive itself is designed for quiet operation.
Remote/Keypad not working.	Dead batteries or programming issue.	Replace batteries in the remote/keypad. Re-program the remote/keypad following the instructions in the manual.
Aladdin Connect app not connecting.	Wi-Fi connectivity issues or app configuration.	Ensure your home Wi-Fi is active and the opener is within range. Check app settings and re-attempt connection. Consult Aladdin Connect support if issues persist.

SPECIFICATIONS

Feature	Detail
Model Number	QuietLift Connect Model 3053-TKV
Motor Horsepower	3/4 HPc
Drive Type	Steel-Reinforced Belt Drive
Door Compatibility	Residential sectional garage doors up to 7 ft high (8 ft with extension kit, sold separately)
Max Door Weight	500 lbs
Smart Technology	Integrated Aladdin Connect Wi-Fi, compatible with Alexa, Google Assistant, SmartThings, Brilliant Smart Home, URC, Control4
Included Accessories	2 x 3-button pre-programmed remotes, wireless keyless keypad, multi-function wall console, Safe-T-Beam sensors, hardware, batteries
Voltage	120 Volts
Dimensions (L x W x H)	19.4" x 3" x 5"
Certifications	UL Listed

WARRANTY INFORMATION

The Genie QuietLift Connect comes with the following limited warranties:

- **Motor:** Limited Lifetime Warranty
- **Belt:** 15-year Warranty
- **Parts:** 5-year Warranty
- **Accessories:** 1-year Warranty

Please retain your proof of purchase for warranty claims. For full warranty terms and conditions, refer to the documentation included with your product or visit the official Genie website.

SUPPORT

For technical assistance, troubleshooting, or general inquiries, please contact Genie customer support.

- **Online Support:** Visit the Genie website for FAQs, product registration, and additional resources.
- **Phone Support:** US-based technical support representatives are available by phone or chat. Refer to your product packaging or the Genie website for current contact information.

You can also visit the official Genie Store on Amazon for more products and information:

[Visit the Genie Store](#)