

Franke 115.0521.438

Franke 115.0521.438 Atlas Neo Pull-Out Kitchen Faucet Instruction Manual

Model: 115.0521.438 | Brand: Franke

1. INTRODUCTION

This instruction manual provides essential information for the safe and efficient installation, operation, and maintenance of your Franke 115.0521.438 Atlas Neo Pull-Out Kitchen Faucet. Please read this manual thoroughly before installation and retain it for future reference.



Figure 1: Franke Atlas Neo Pull-Out Kitchen Faucet, showcasing its stainless steel finish and L-type spout.

Product Overview

The Franke Atlas Neo Pull-Out Kitchen Faucet (Model 115.0521.438) is designed for modern kitchens, featuring a durable stainless steel construction and a convenient pull-out spout. Its innovative design ensures ease of use and a compact, splash-free water flow.

Key Features

- **Material:** High-quality stainless steel 304 for durability and hygiene.
- **Pull-Out Spout:** Features an L-type spout with mobile articulation for extended reach and flexibility.
- **Laminar Jet:** Special aerator design provides a compact, crystal-clear, and splash-free water stream.
- **Ceramic Cartridge:** Equipped with a reliable ceramic cartridge for precise water flow and temperature control.
- **Lever Movement:** Mixer lever offers a 0° to 90° range of motion, facilitating control even when positioned close to a wall.

- **Spout Rotation:** The spout can rotate up to 180° for versatile use.

2. SAFETY INFORMATION

Please observe the following safety precautions during installation and operation to prevent injury or damage to the product.

- Always turn off the main water supply before beginning any installation or maintenance work.
- Ensure all connections are secure and watertight to prevent leaks.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use abrasive cleaners or harsh chemicals on the faucet's surface, as this may damage the finish.
- Keep small parts out of reach of children.

3. COMPONENTS AND DIMENSIONS

The Franke Atlas Neo Pull-Out Kitchen Faucet includes the main faucet body, a pull-out spout with a nylon hose, and necessary installation hardware. Refer to the diagram below for detailed dimensions.



Figure 2: Technical drawing illustrating the dimensions and rotation capabilities of the faucet. Key dimensions include a 35mm installation hole diameter, 297mm spout height, and 225mm spout depth.

Key Dimensions:

- **Installation Hole Diameter:** 35 mm
- **Cartridge Size:** 35 mm
- **Spout Height:** 297 mm
- **Spout Depth:** 225 mm
- **Connection Hoses Length:** 450 mm
- **Connection Type:** 3/8"

4. INSTALLATION INSTRUCTIONS

Follow these steps for proper installation of your Franke Atlas Neo Pull-Out Kitchen Faucet. Professional installation is recommended.

1. **Prepare the Installation Area:** Ensure the main water supply is turned off. Clear the area under the sink and ensure the sink hole is clean and free of debris. The required installation hole diameter is 35 mm.
2. **Mount the Faucet:** Insert the faucet body into the prepared hole on the sink or countertop. Ensure the base gasket is correctly positioned to prevent water ingress.
3. **Secure the Faucet:** From underneath the sink, slide the rubber washer, metal washer, and then the body nut onto the threaded rod of the faucet. Tighten the body nut securely using an appropriate wrench until the faucet is stable.
4. **Connect Water Supply Lines:** Connect the hot and cold water supply lines (450 mm length, 3/8" connection) from the faucet to your home's water supply. Use appropriate sealing tape or compound on threaded connections to prevent leaks. Ensure hot and cold lines are connected to the correct inlets.
5. **Install the Pull-Out Hose:** Connect the pull-out hose to the designated port on the faucet body underneath the sink. Ensure the hose moves freely and does not kink.
6. **Attach Counterweight (if applicable):** If a counterweight is provided, attach it to the pull-out hose at a suitable height to ensure smooth retraction of the spout.
7. **Test for Leaks:** Once all connections are made, slowly turn on the main water supply. Check all connections for any signs of leaks. Operate the faucet, including the pull-out function, to ensure proper water flow and retraction.




Figure 3: An example of the Franke Atlas Neo Faucet installed in a kitchen environment, demonstrating its aesthetic integration.

5. OPERATING INSTRUCTIONS

Your Franke Atlas Neo Pull-Out Kitchen Faucet is designed for intuitive operation.

Water Flow and Temperature Control

- The single lever handle, located on the right side, controls both water flow and temperature.
- Lift the lever to increase water flow. Push it down to decrease or stop the flow.
- Move the lever left for hot water and right for cold water. The lever has a 0° to 90° range of motion.

Using the Pull-Out Spout

- Gently pull the L-type spout head from its housing to extend the hose.
- The mobile articulation allows for flexible movement and extended reach for various tasks, such as rinsing vegetables or cleaning the sink basin.
- After use, guide the spout head back into its housing. The counterweight (if installed) will assist in smooth retraction.



Figure 4: Detail of the pull-out spout mechanism, showing the flexible connection for extended reach.

Laminar Water Jet

- The faucet is equipped with a laminar aerator, which produces a compact, non-aerated, and splash-free water stream. This is ideal for filling pots and general rinsing tasks.

6. MAINTENANCE AND CARE

Regular cleaning and proper care will ensure the longevity and appearance of your Franke Atlas Neo Faucet.

Cleaning the Faucet

- Clean the stainless steel surface regularly with a soft cloth and mild soap or a specialized stainless steel cleaner.
- Rinse thoroughly with clean water and dry immediately to prevent water spots.
- **Do not use:** Abrasive sponges, scouring pads, harsh detergents, acidic cleaners, or cleaners containing chlorine or ammonia, as these can damage the finish.

Aerator Maintenance

- If water flow becomes restricted, the aerator may be clogged with mineral deposits.
- Unscrew the aerator from the tip of the spout.
- Rinse the aerator under running water and gently brush away any debris. For stubborn deposits, soak the aerator in a solution of equal parts white vinegar and water for a few hours.
- Reattach the aerator securely.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your faucet.

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator, partially closed shut-off valve, kinked supply line.	Clean the aerator (see Maintenance). Ensure shut-off valves are fully open. Check supply lines for kinks.
Leaks from Spout	Worn ceramic cartridge, loose aerator.	Ensure aerator is tight. If leaking persists, the ceramic cartridge may need replacement. Contact Franke support.
Leaks from Base	Loose mounting nut, damaged O-rings or gaskets.	Tighten the mounting nut under the sink. If leaks continue, inspect and replace O-rings or gaskets.

Problem	Possible Cause	Solution
Pull-Out Spout Does Not Retract Smoothly	Hose obstruction, counterweight dislodged or missing.	Check under the sink for any obstructions to the hose. Ensure the counterweight is properly attached and positioned.

If you are unable to resolve an issue using these troubleshooting steps, please contact Franke customer support or a qualified plumber.

8. TECHNICAL SPECIFICATIONS

Brand	Franke
Model Number	115.0521.438
Product Line	Atlas Neo
Material	Stainless Steel 304
Finish	Stainless Steel
Color	Silver
Spout Type	L-type, Pull-Out
Aerator Type	Laminar
Lever Movement Range	0° to 90°
Spout Rotation Range	180°
Installation Method	Single-hole, Body Nut
Required Installation Hole Diameter	35 mm
Cartridge Size	35 mm
Connection Size	3/8"
Connection Hose Length	450 mm
Product Dimensions (L x W x H)	29.7 x 24 x 10 cm
Spout Height	297 mm
Spout Depth	225 mm
Weight	2 kg (4.41 lbs)
Country of Origin	Switzerland

9. WARRANTY INFORMATION

Franke products are manufactured to high-quality standards. Specific warranty terms and conditions for your Franke Atlas Neo Pull-Out Kitchen Faucet are typically provided with your purchase documentation. Please refer to the warranty card or Franke's official website for detailed information regarding coverage, duration, and claims procedures. Retain your proof of purchase for any warranty claims.


10. CUSTOMER SUPPORT

For technical assistance, spare parts, or further inquiries regarding your Franke Atlas Neo Pull-Out Kitchen Faucet, please contact Franke customer support. Visit the official Franke website for contact details specific to your region. Website: www.franke.com



Related Documents - 115.0521.438

	Franke Sinks: Global Contacts and Installation Guide Find Franke kitchen sink contact information worldwide and access installation and maintenance guidance, including product details for the Franke Maris MRX 110-40.
	Franke EOS NEO Kitchen Faucet Installation and Service Manual Comprehensive guide for installing and servicing the Franke EOS NEO kitchen faucet, including model details, step-by-step instructions, technical specifications, and maintenance tips.

	Franke EOS NEO Kitchen Faucet Installation and Service Manual Comprehensive installation and service manual for the Franke EOS NEO kitchen faucet, detailing installation steps, periodic checks, and operating data for Swivel Side and Pull Down Spray models.
	Franke ATLAS NEO S Kitchen Faucet Installation and Service Manual Comprehensive installation and service guide for the Franke ATLAS NEO S kitchen faucet series, detailing product variants, technical specifications, operating data, and maintenance checks. Includes diagrams described textually.
	Franke EOS NEO Kitchen Faucet Installation and Service Manual Detailed installation and service guide for the Franke EOS NEO kitchen faucet, covering models A (Swivel Side) and B (Pull Down Spray), including dimensions, assembly steps, maintenance checks, operating data, and parts lists. Features multilingual support.
	Franke Atlas Neo Sensor Kitchen Tap Installation Manual Comprehensive installation guide for the Franke Atlas Neo Sensor kitchen tap, detailing setup, operation, and maintenance. Includes technical specifications and multilingual instructions.

Documents - Franke – 115.0521.438




[pdf] Accessories Borchure Catalog

Cataloghi e brochure Franke KWC Manuale di vendita 2022 CH it franke content dam ch de home solutions documents core |||

Manuale di vendita 2022 Prezzi validi dal 1 Marzo 2022 Indice Intro 4 Piani di lavoro in acciaio ... le 112.0204.360 149.00/160.50 Andy intendersi come prezzi consigliati non vinco...

lang:it score:22 filesize: 73.88 M page_count: 341 document date: 2022-04-13



[pdf]

115 0521 438 tooteleht Kõõgiseigisti Franke Atlas Neo roostevaba feb ee tooted FRANKE 1150521438 DOKUMENDID |||

Kangsegiisti dusivoolikuga Roostevabast terasest **115.0521.438** TOOTERHM : Segistid MATERJAL : Roostevabast terasest SEERI/ Segisti auk Versioon Aluskapp 180 krgrhk 297,00...


lang:it score:20 filesize: 113.7 K page_count: 1 document date: 2020-10-21



[\[pdf\]](#) Instructions


LES INCONTOURNABLES 1 mars 2023 — SIRIUS 2 0 Mitigeur à douchette monojet Chrome PACK MRG 110 52 BL MANU D CHR Les dommages dus au non re
LES INCONTOURNABLES 2023 Tarif indicatif applicable au 1er mars 2023 Les Incontournables 2023 La ... brement ses prix de rev
Embase 45 mm - Perage 35 mm - Levier -6/ 90 - Dbit : 9,7 ...

lang:fr [score:19](#) filesize: 36.49 M page_count: 108 document date: 2023-03-07




[\[pdf\]](#) Datasheet

Download Franke Atlas Neo Kitchen Tap 1150521435 Data Sheet Chrome Free Delivery Crosscraft crosscraft mt 2021 02 |||
Zugauslauf Edelstahl **115.0521.438** PRODUKTFAMILIE : Kchenarmaturen MATERIAL/ OBERFLAECH : Edelstahl PRODUKTSE
gesamt Bedienhebel Strahlregler Lochbohrung 225,00 mm 180 270,00 mm Ho...
lang:fr [score:18](#) filesize: 112.28 K page_count: 1 document date: 2019-09-30




[\[pdf\]](#)

Atlas Neo Zugauslauf 115 0521 438 bei moebelplus massiv Edelstahl DVGW Hochdruck Easy Installation Silent Laminarstrahl Kugelgelenk Schwenkbereich 180° |
Atlas Neo Zugauslauf **115.0521.438** Atlas Neo Zugauslauf, massiv Edelstahl, DVGW, Hochdruck, Easy Installation, Silent, Laminars
Material Flexschlauch Material Brausekopf Abmessungen...
lang:de [score:18](#) filesize: 345.52 K page_count: 1 document date: 2024-12-03




[\[pdf\]](#)

Download the complete card Franke ATLAS NEO DOCCIA 115 0521 438 Kitchen mixer with shower satin stainless steel Vieffettrade 515603 vieffettrade eu shop ar
ATLAS NEO DOCCIA INOX SATINATO **115.0521.438** Dati tecnici Estetica Canna girevole Colore Materiale Materiale flessibile Mat
alimentazione Specifiche prodotto Pressione Tip...
lang:it [score:18](#) filesize: 346.43 K page_count: 2 document date: 2022-11-04



[\[pdf\]](#)


Arm Atlas Neo Zugauslauf Seite HD Edst 115 0521 438 Eigenschaften ECO Wasserpar System Nein Typ Strahlregler Laminar franke de 2024 06 product sheet xx
Arm Atlas Neo Zugauslauf Seite HD Edst **115.0521.438** Produktinformationen Auslauf Farbe Material Material Flexschlauch Material
des Wasserschlauchs Produktspezifikationen Druck Ver...
lang:de [score:18](#) filesize: 345.88 K page_count: 1 document date: 2024-06-06



[pdf]

Tehnični list 115 0521 438 Franke Atlas Neo FC 3791 501 izvlečna kuhinjska armatura SAN KERAMIKA SI Product Sheet v 1704732773 cdn shopify s files 1 0660 FC 3791.501 ATLAS NEO Celonerez **115.0521.438** Technical Data Informace o produktu Typ vtoku Barva Materiál Materiál sprchov hř hadicek Specifikace produktu Tlak Typ Typ ovládn bате...

lang: id score: 18 filesize: 346.04 K page_count: 1 document date: 2024-01-08



[pdf]

Cindy Liao Franke Atlas Neo 115 0521 438 T12139P 001 N° Item Description FUN 1 199000438 SP Tap Spout Handle assembly SS 133 0560 57 30 déc 2022 — bWFzdGVyflHJvb3R8OTUwNzN8YXBwbGljYXRpb24vcGRmIGhhMC9oNzcwMTE0NDM5NTMzMMDMfcl p 100 api prod apimanagement eu10 hana ondemand mec bWFzdGVyflHJvb3R8OTUwNzN8YXBwbGljYXRpb24vcGRmIGhhMC9oNzcwMTE0NDM5NTMzMMDMfcl p 100 api prod apimanagement eu10 hana ondemand mec

Atlas Neo N Item 1 199000438 2 199000204 3 199000443 4 190011459 5 199000446 **115.0521.438** Description SP Tap Atlas Spou SP,Hose assembly, FBS SP Tap Atlas Nozzle Hose with check valve ...

lang: id score: 17 filesize: 92.84 K page_count: 1 document date: 2022-12-19




[pdf] Borchure

FRANKE SS taps brochure CON RIFILO Low Res IT Colorlux UN MISCELATORE IN ACCIAIO INOX PER OGNI STILE 23 anp 2021 r — I professionisti della cucin brochures |||

Collezione miscelatori acciaio Inox Franke UN MISCELATORE IN ACCIAIO INOX PER OGNI STILE VUOI TROV ... 115.0550.424 2 115.0550.427 319,00 Lascia il segno Kubus Canna girevole Leva lat...


lang: it score: 17 filesize: 1.66 M page_count: 11 document date: 2021-04-09



[pdf]

Atlas Neo Zugauslauf 115 0521 438 massiv Edelstahl DVGW Hochdruck Easy Installation Silent Laminarstrahl Kugelgelenk Schwenkbereich 180° Hebel rechts Atlas Neo Zugauslauf **115.0521.438** Atlas Neo Zugauslauf, massiv Edelstahl, DVGW, Hochdruck, Easy Installation, Silent, Laminars Material Flexschlauch Material Brausekopf Abmessungen...


lang: de score: 15 filesize: 345.29 K page_count: 1 document date: 2025-04-09



[pdf]

Atlas Neo Zugauslauf 115 0521 438product sheet 0521xxxlutz a bigcontent io v1 static PIY3Mf86uZnckpV7zQhEwZg product ||| Atlas Neo Zugauslauf **115.0521.438** Atlas Neo Zugauslauf, massiv Edelstahl, DVGW, Hochdruck, Easy Installation, Silent, Laminars Material Flexschlauch Material Brausekopf Abmessu...

lang: de score: 15 filesize: 345.21 K page_count: 1 document date: 2025-07-21



[pdf]

Tap Atlas Neo Nozzle Side HP SS Version 115 0521 438 Lakiotis grFRANKE Οικογένεια προϊόντος Maris Σειρά ATLAS NEO Ιδιότητες Eco μηχανισμός Όχι Τύπος AfmBOor7rFHO4Rk5FpLonjZlcTamDMoh3XFhCc6jmNq2XOqiTq59Gj5l |||
Tap Atlas Neo Nozzle Side HP SS Version **115.0521.438** Technical Data
lang:es score:15 filesize: 350.09 K page_count: 1 document date: 2024-04-11



[pdf]

Franke Katanor продукції 2021 franke content dam corporate ua uk ks |||
2021 . 4 2021 4 14 50 70 104 142 156 Smart 176 ... OUT 180 35 84/6 9,7 / 3 150 600 3/8 35 50 FUN **115.0521.438** 115.0550.427 A1
lang:de score:14 filesize: 78.38 M page_count: 134 document date: 2021-04-30



[pdf] Catalog

2024 Franke LT 29Jan indd 29 01 Versija Jan - Orkaitė „Mythos FMY 99 HS XS Vyno spinta 24 WCR Pivot Mini Cube 40 cm 179 30 Priedai 12mb franke content c
PRODUKT KATALOGAS 2023/24 29-01-2024 Versija 1 Puiki scena sedevrams THE SHOW IS HOME KATALOGAS ... dymas desir
115.0550.427 367.- Antracito 115.0628.210 367.- Vario 115.0628...
lang:id score:13 filesize: 12.39 M page_count: 99 document date: 2024-01-25



[pdf] Catalog

2023 Franke EE 1Dec indd 1 dic — Ahjud Mythos FMY 99 P XS Kohvimasin 45 CM Veinikapp youtube user KitchenSystem KATALOOG Kataloogi ja muud 12mb f
TOOTE KATALOOG 01-12-2023 versioon 3.2 22002233 1 Suureprane etendus vrib suureprast lava ELAMU ... a teras Segisti kang: k
364.- Antratsiit 115.0628.210 364.- Vask 115.0628.2...
lang:et score:13 filesize: 12.36 M page_count: 99 document date: 2023-12-01



[pdf] Catalog

2024 Franke EE 29 Jan indd 01 versioon FrankeÜhildub FrankeBox valamutega Tarvikute hoidmi se raam millel on 112 0006 456 Painduva ühendusega sifoon 1½
TOOTE KATALOOG 29-01-2024 versioon 202203/2234 1 Suureprane etendus vrib suureprast lava ELAMU ... a teras Segisti kang: |
364.- Antratsiit 115.0628.210 364.- Vask 115.0628.2...
lang:et score:12 filesize: 12.34 M page_count: 99 document date: 2024-01-25



LV 2022 Franke NewPrices indd Produktu katalogi June 14mb franke content dam lv home solutions catalogues core |||

lang:tl score:12 filesize: 13.85 M page_count: 83 document date: 2022-07-13




LT 2022 Franke newPrices indd Katalogai ir brošiūros 07 12 14MB franke content dam lt home solutions catalogues core |||

lang:it score:12 filesize: 13.83 M page_count: 83 document date: 2022-07-12



lang:it score:12 filesize: 12.37 M page_count: 99 document date: 2024-01-25



LV 2022 FrankeELUX newPrices indd Produktu katalogi Franke Tehnika 20mb franke content dam lv home solutions catalogues core |||

lang: id score: 12 filesize: 19.65 M page count: 115 document date: 2022-06-09

[illegible]

lang:it score:12 filesize: 1.04 M page_count: 5 document date: 2024-10-07



[\[pdf\]](#) Catalog

2025 Franke LT final indd 2026 Jan 9 - Orkaitė Mythos FMY 99 P XS Kavos aparatas 45 CM Pivot Mini Cube 40 cm 187 30 Priedai 11mb franke content dam lt hor
PRODUKT KATALOGAS 2025 2026 1 Puiki scena sedevrams Prisijunkite, kad pamatytumte kampanijos vai ... dymas desinje Vand
357.- Antracito 115.0628.210 357.- Vario 115.0628...

lang:tl **score:12** filesize: 10.87 M page_count: 99 document date: 2025-01-09



[\[pdf\]](#) User Manual

Untitled kollektion 20232024 xxxlutz a bigcontent io v1 static NCZ1IMW6EqMxs4OyWzKD2bxw |||
KOLLEK TION 2023/24 KOLLEKTION 2023/2024 FAMILIEN 12 Mythos 18 Maris 22 Smart PRODUKT FAMILIEN ... inhaltet Ablaufv
/464,00 Gesamtkatalog 43 60 Argos G MARIS Modell AGX 26...

lang:de **score:12** filesize: 35.5 M page_count: 490 document date: 2024-04-24



[\[pdf\]](#) Borchure

Catálogo General Franke 2020 pliegos LR force true franke content dam corporate es ks brochure
Franke Espaa, SAU Avda. Va Augusta 85-87 08174 Sant Cugat del Valls Barcelona - Spain Tel.: 902 499 ... le Acero Inoxidable AIS
Acero Inoxidable AISI 304 FUN 115.0521.435 EAN 7612985444873 22...

lang:es **score:12** filesize: 83.17 M page_count: 170 document date: 2020-10-30



[\[pdf\]](#) Borchure Catalog

Catalogues et brochures FRANKE INCONTOURNABLES MAI 2022 franke content dam fr home solutions documents core |||
LES INCONTOURNABLES 20222023 Catalogue Tarif indicatif applicable au 1er mai 2022 FRANKE HOME SOLU ... ement ses prix
- Embase 45/perage 35 mm - Levier -6/ 90 - Dbit : 9,7 ltr/m...

lang:fr **score:11** filesize: 37.14 M page_count: 92 document date: 2022-05-27



[\[pdf\]](#) Borchure

LT 2021 01 02 2021update indd PRODUKTŲ KATALOGAS Franke 31 — youtube user FrankeKitchenSystem Šį katalogą jūs galite atsisiųsti formatu iš EOS NEO |
PRODUKT KATALOGAS 2021 NEPRIEKAISTINGA VIRTUVIN TECHNIKA GALIOJA NUO 2021 m. versija - 02.02.2021 ... os 450 n
259,00 310,00 1800 122 Maisytuvai Aeratorius paprastai srovei ...

lang:id **score:11** filesize: 13.52 M page_count: 91 document date: 2021-02-02



[\[pdf\]](#)

LV 2021 02 Update indd PRODUKTU KATALOGS amatieveikals Katalogā norādītajām cenām ir rekomendējošs raksturs Cena EIRO ar PVN 21% Par cenu izmaiņā
PRODUKTU KATALOGS 2021 Perfekta virtuves sistma Spk no 2021. gada versija - 02-02-2021 SATURS JAU ... n 3 bar Savenojun
Cena 259,00 310,00 ATLAS NEO nersjos trauda dens mais...

lang:it **score:11** filesize: 13.52 M page_count: 91 document date: 2021-02-02



[\[pdf\]](#) Dimension Guide

MANUEL DE VENTE 2022 2023 Franke Panneau lisse noir mat ou blanc Aspiration périphérique 3 Seaux inclus triple séparateur Dimensions d'encombrement m
MANUEL DE VENTE 20222023 Home Solutions NIEUWE V 1/07/2022 /07/2022 NOUVEAUX ERKOOPPRIJZEN VANAF ... duo de
424,00 TVA incl. Spécifications Explication symboles voir p. ...
lang:fr score:11 filesize: 47.7 M page_count: 292 document date: 2022-06-27



[\[pdf\]](#) Catalog

2025 Franke LV final indd 2026 Franke112 0006 456 Sifons ar lokanu gofrētu sav ienojumu1½ 12 € 112 0658 446 Ventija komplekts ventija vadības pagriežamu p
PRODUKTU KATALOGS 2025 2026 1 Vieta virtuves meistardarbiem Noskanjiet, lai redztu kampaas video ... Vadba: snos labaj pus
357.- Antracta pelks 115.0628.210 357.- Vara krs...
lang:it score:11 filesize: 10.86 M page_count: 99 document date: 2025-01-09



[\[pdf\]](#) Declaration of Conformity

LV 2022 Franke V02 indd Katalogi KvalitatĀ-vi produkti individuĀli risinĀjumi Amati Veikals amatiekals lv content |||
Produktu katalogs 2022 SATURS Katalog nordtajm cenm ģ rekomendjoss JAUNUMI 4 raksturs. NERSJ ... m pasas piezmes Radili s
115.0628.210 Vara krs 115.0628.208 Sa...
lang:id score:11 filesize: 13.83 M page_count: 83 document date: 2022-03-25



[\[pdf\]](#) Accessories Borchure Catalog

Cataloghi e brochure Preisliste 2022 CH it franke content dam ch de home solutions documents core |||
Listino prezzi 2022 Prezzi con supplemento materiale incluso valido dal 17 maggio 2022 Il nostro t00 1 374.00 201 1 648.00 1 77
115.0628.209 115.0628.210 115.0521.435 115.0550.424 115.0628....
lang:it score:11 filesize: 5.93 M page_count: 44 document date: 2022-05-06



[\[pdf\]](#) User Manual

Untitlert kollektion 2024 2025 xxxlutz a bigcontent io v1 static NCi6JDQ8Rg5nA9sBfNsQqK A |||
KOLLEKTION 2024 - 2025 KOLLEKTION 2024 FAMILIEN 14 Mythos 20 Maris 24 Smart PRODUKT FAMILIEN Be ... 12.0204.360 I
/474,21 Preis beinhaltet Ablaufverbindung 60 Franke Box ...
lang:de score:11 filesize: 41.05 M page_count: 488 document date: 2025-03-04



[\[pdf\]](#) Catalog

nouveautés Franke Mar 1 2025 - SID 610 43 URBAN GREY MANU SE 125 249 17 299 00 257 50 309 143 0689 970 7612986274578 56 265 83 319 NOUVEAUTÉ
NOUVEAUTS 2025 Choix responsables : nouvelles informations, moins de papier. Avec notre catalogue ... 9,00 115.0521.436 7612
NEO L DOUCH INOX 233 374,17 449,00 382,50 459,00 115.0521.439 761...
lang:fr score:10 filesize: 14.81 M page_count: 72 document date: 2025-02-25



[\[pdf\]](#) Installation Guide Borchure Catalog

Catalogue Les Incontournables Franke 2025 35 MBLES INCONTOURNABLES FrankeCatalogues et brochuresLa douchette extractible optimise l'utilisation de évi
solutions documents 1 corefranke core |||
LES INCONTOURNABLES 20252026 Tarif indicatif applicable au 1er mars 2025 Les Incontournables 2025 ... eurs couleurs 5 ANS |
- Embase 45 mm - - Perage 35 mm - - Levier de commande ...
lang:fr score:10 filesize: 35.4 M page_count: 104 document date: 2025-02-14



[\[pdf\]](#)

Franke sudoperi i slavine 07 03 2025 HR kvajdic Untitled gemma hr |||
KOLEK CIJA 2025/2026 SADRZAJ Uvod 4 Korita od nehrajueg celika 06 Sudoperi od nehrajueg celi ... rajueg celika AISI 304 Zavrs
nehrajueg celika AISI 304 Zavrsna obrada Masiv...
lang:hr score:10 filesize: 15.13 M page_count: 160 document date: 2025-03-26




[\[pdf\]](#) Borchure Catalog

Nouveau catalogue Intégrale 2021 2022 franke content dam corporate fr ks brochure
L INTGRALE FRANKE 2021/2022 Catalogue Tarif indicatif applicable au 1er mars 2021 Make it wonderfu ... filet NOUVEAU Finition
115.0628.208 910897 115.0628.209 911207 115.0628.210 911...
lang:fr score:9 filesize: 28.92 M page_count: 177 document date: 2021-02-12



[\[pdf\]](#) Borchure Catalog

Catalogues et brochures CATALOGUE INTEGRALE 4 franke content dam fr home solutions documents core |||
L intgrale Franke 2022 Tarif indicatif applicable au 1er mai 2022 Collection 2022 Inspirations 20 ... c corps filet Finition Inox Cuivre C
910897 115.0628.209 911207 115.0628.210 911...
lang:fr score:9 filesize: 77.09 M page_count: 358 document date: 2022-05-30



[\[pdf\]](#)

Franke sudoperi i slavine 07 03 2025 HR kvajdic Kolekcija 2026LLX 611 ORBIT Gemma B DFranke 1gemma ba 1 |||
KOLEK CIJA 2025/2026 SADRZAJ Uvod 4 Korita od nehrajueg celika 06 Sudoperi od nehrajueg celi ... rajueg celika AISI 304 Zavrs
nehrajueg celika AISI 304 Zavrsna obrada Masiv...
lang:hr score:9 filesize: 15.13 M page_count: 160 document date: 2025-03-26

