Paul Neuhaus 1121-95-2

Paul Neuhaus HELENA 1121-95-2 LED Under-Cabinet Light Set Instruction Manual

Model: 1121-95-2

1. Important Safety Instructions

Please read these instructions carefully before installation and use. Keep this manual for future reference.

- **Electrical Safety:** Ensure the power supply is disconnected before installation or maintenance. Only use the provided power adapter.
- **Indoor Use Only:** This product is rated IP20 and is designed for indoor use in dry environments. Do not expose to water or high humidity.
- **Ventilation:** Ensure adequate ventilation around the lights to prevent overheating.
- **Damage:** Do not use the product if any part is damaged. Contact customer support for replacement parts.
- **Children:** Keep the product and packaging materials out of reach of children.

2. Package Contents

Verify that all components are present and undamaged:

- 2 x Paul Neuhaus HELENA LED Under-Cabinet Lights (Aluminum)
- 1 x Power Adapter (Plug-in transformer)
- Mounting Hardware (screws, clips, or adhesive - typically included for under-cabinet lights)

3. Product Overview

The Paul Neuhaus HELENA LED Under-Cabinet Light Set provides efficient and warm white illumination for kitchen cabinets and similar indoor spaces. Each light features an integrated sensor switch for convenient operation.




Figure 1: Paul Neuhaus HELENA LED Under-Cabinet Lights



Figure 2: Detail of the Integrated Sensor Switch

4. Installation

Follow these steps for proper installation:

1. **Preparation:** Unpack all components and ensure the power outlet is easily accessible. The lights are designed for under-cabinet or flush mounting.
2. **Positioning:** Determine the desired location for each light under your cabinet. Consider the cable length (1800 mm) for optimal placement and routing.
3. **Mounting:** Secure the lights using the provided mounting hardware (e.g., screws, clips, or adhesive pads). Ensure they are firmly attached to a stable surface.
4. **Connecting Lights:** Connect the cables from each LED light to the power adapter. Ensure connections are secure.
5. **Power Connection:** Plug the power adapter into a standard 230V AC electrical outlet.

6. **Cable Management:** Route any excess cable neatly to avoid hazards and maintain a clean appearance.

5. Operation

The Paul Neuhaus HELENA lights are equipped with an integrated sensor switch for easy control.

- **Turning On/Off:** To turn the lights on or off, simply touch the sensor area located on the light fixture (refer to Figure 2).
- **Sensor Response:** The sensor is designed to respond to touch. Ensure your hand or finger makes direct contact with the sensor area for activation.

6. Maintenance

To ensure the longevity and optimal performance of your LED lights:

- **Cleaning:** Disconnect power before cleaning. Wipe the lights with a soft, dry, or slightly damp cloth. Do not use abrasive cleaners, solvents, or harsh chemicals.
- **Inspection:** Periodically check the cables and connections for any signs of wear or damage.
- **LEDs:** The LEDs are integrated and not user-replaceable.

7. Troubleshooting

If you encounter issues with your LED lights, refer to the following common problems and solutions:

- **Lights do not turn on:**
  - Ensure the power adapter is securely plugged into a working electrical outlet.
  - Check all cable connections between the lights and the adapter.
  - Verify that the sensor area is being touched correctly.
- **Sensor is unresponsive or overly sensitive:**
  - Ensure the sensor area is clean and free from obstructions.
  - Avoid placing the lights in areas with strong electromagnetic interference.
  - If the sensor is too sensitive, ensure it is not accidentally triggered by nearby objects or movements.
- **Lights flicker:**
  - Check for loose connections.
  - Ensure the power supply is stable.

If problems persist, contact Paul Neuhaus customer support.

8. Specifications

Feature	Specification

Feature	Specification
Brand	Paul Neuhaus
Model Number	1121-95-2
Product Name	HELENA LED Under-Cabinet Light Set
Material	Aluminum
Light Color	Warm White
Color Temperature	3000 Kelvin
Bulb Type	Integrated LED
Wattage (per light)	4 Watts
Luminous Flux	480 Lumens (320 effective lumens)
Voltage	230 Volts AC
Control Method	Touch Sensor
Dimensions (L x W x H)	19 cm x 6.6 cm x 0.7 cm
Cable Length	1800 mm
IP Rating	IP20 (Not waterproof)
Intended Use	Indoor, Cabinet, Kitchen

© 2023 Paul Neuhaus. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question