Spigen 606FL25994

Spigen NeoFlex Screen Protector for Samsung Galaxy S10 Plus

Model: 606FL25994

Introduction

This manual provides detailed instructions for the installation, use, and maintenance of your Spigen NeoFlex PET screen protector for the Samsung Galaxy S10 Plus. Please read these instructions carefully before proceeding with the installation to ensure optimal performance and protection for your device.

Product Compatibility

The Spigen NeoFlex screen protector is designed exclusively for the Samsung Galaxy S10 Plus. It is not compatible with the Galaxy S10e or Galaxy S10 models.



This image illustrates that the screen protector is compatible only with the Samsung Galaxy S10 Plus. The Galaxy S10e and Galaxy S10 models are not supported.

Installation Guide

For a successful installation, follow these steps precisely. It is recommended to watch the official installation video before starting. You can find the video by visiting install.spigen.com or by scanning the QR code provided on the product packaging.



Scan the QR code on your product box or visit the provided URL for detailed video installation tutorials.

1. **Prepare Your Device:** Turn off your Samsung Galaxy S10 Plus.
2. **Clean the Screen:** Thoroughly clean the phone screen with a microfiber cloth to remove any dust, smudges, or fingerprints. Use the provided dust removal stickers to pick up any remaining small particles.
3. **Apply Spray Solution:** Lightly spray the screen of your phone with the provided installation solution. Ensure the screen is adequately moistened.




Apply the installation spray solution to the screen protector approximately 10 times to ensure proper wet application.

4. **Position the Protector:** Carefully peel off the protective layer from the screen protector. Align the screen protector with your phone's screen while it is still wet from the spray solution. The wet application allows for minor adjustments.
5. **Remove Bubbles:** Use the provided squeegee tool to gently push out any air bubbles and excess liquid from under the film, working from the center outwards.
6. **Allow to Dry:** Let the phone dry completely without using it for at least 24 hours. This allows the protector to adhere fully and any remaining moisture or small bubbles to dissipate.

Case Compatibility: For optimal compatibility, it is recommended to install the NeoFlex screen protector with your phone case already on the device. This helps ensure proper alignment and prevents lifting of the edges.

Case-friendly

Compatible with Spigen cases.



The flexible film design ensures compatibility with most Spigen cases, preventing edge lifting.



Any minor bubbles or haziness present immediately after installation will typically clear within 24 hours as the protector fully adheres.

Operating and Features

The Spigen NeoFlex screen protector is designed to maintain the original clarity and touch sensitivity of your Samsung Galaxy S10 Plus screen. It offers scratch resistance and an ultra-clear surface that resists fingerprints, ensuring your display remains pristine.

- **Ultra-Clear Display:** Enjoy the full visual quality of your device without distortion.
- **Scratch Resistance:** Protects your screen from daily scratches and abrasions.
- **Fingerprint Resistance:** The surface is designed to minimize fingerprint smudges.
- **Touch Sensitivity:** Maintains the original touch response and functionality, including the in-display fingerprint sensor.

Maintenance

To keep your Spigen NeoFlex screen protector in optimal condition:

- Clean the screen protector regularly with a soft, lint-free cloth.

- For stubborn smudges, lightly dampen the cloth with water or a screen cleaner specifically designed for electronics. Avoid harsh chemicals.
- Do not use abrasive materials or excessive force when cleaning, as this may damage the protector.

Troubleshooting

Bubbles After Installation

It is normal for small bubbles or a slight haziness to appear immediately after wet installation. These typically disappear within 24 hours as the protector fully cures and adheres to the screen. If large bubbles persist after 24-48 hours, gently try to push them towards the edge with the squeegee tool. Ensure the screen was thoroughly cleaned before installation to prevent dust-induced bubbles.

Edges Lifting

Ensure the screen protector was installed with your phone case on, if applicable, to prevent the case from pushing up the edges. If lifting occurs, gently press the edge back down with your finger or the squeegee. Allow sufficient drying time.

Reduced Fingerprint Sensor Performance

The NeoFlex protector is designed to be compatible with the in-display fingerprint sensor. If you experience issues, try re-registering your fingerprints after the screen protector has fully settled (after 24 hours). Ensure your finger is clean and dry when using the sensor.

Specifications

Brand	Spigen
Model Number	606FL25994
Compatible Devices	Samsung Galaxy S10 Plus
Material	Polyethylene Terephthalate (PET)
Special Feature	Scratch Resistant
Finish Type	Glossy
Water Resistance Level	Waterproof
Number of Units	2.0 Total (2 items in unit)
Product Dimensions (L x W)	15.1L x 7.2W centimeters
Item Hardness	24.0

Support

For further assistance, detailed video tutorials, or to contact customer support, please visit the official Spigen installation website: install.spigen.com.

© 2026 Spigen. All rights reserved.