

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Manitowoc](#) /
- › [Manitowoc SM-50A Undercounter Ice Machine User Manual](#)

Manitowoc SM-50A

Manitowoc SM-50A Undercounter Ice Machine User Manual

Model: SM-50A

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation, installation, maintenance, and troubleshooting of your Manitowoc SM-50A Undercounter Ice Machine. Please read this manual thoroughly before operating the unit and retain it for future reference. This appliance is designed for commercial use to produce octagonal cube ice.



Figure 1.1: Front view of the Manitowoc SM-50A Undercounter Ice Machine.

2. SAFETY INFORMATION

Always adhere to the following safety guidelines to prevent injury or damage to the unit:

- **Electrical Safety:** Ensure the unit is connected to a properly grounded electrical outlet. Do not use extension cords. Disconnect power before any service or maintenance.
- **Water Supply:** Connect the unit to a potable water supply with appropriate pressure. Install a water filter as recommended.
- **Ventilation:** Maintain adequate airflow around the unit. Do not block air vents.
- **Installation:** Installation should be performed by qualified personnel in accordance with all local codes and regulations.
- **Moving the Unit:** Use caution when moving the unit due to its weight (approximately 157 lbs).
- **Cleaning:** Use only recommended cleaning agents and follow cleaning procedures carefully.

3. PRODUCT OVERVIEW

3.1 Key Features

- Produces 53 lbs. of gourmet octagonal cube ice per 24 hours.
- Built-in storage bin with a 25 lb. capacity.
- Integrated water filtration system for improved ice quality.
- Includes a drain pump, essential for most installations.
- Gourmet Top-Hat ice cubes, measuring 1-3/8" x 1-3/8".

3.2 Components

The Manitowoc SM-50A features an accessible interior for ice retrieval and maintenance.



Figure 3.1: Interior view of the ice machine with the door open, revealing the ice bin and scoop.



Figure 3.2: Detail of the unique octagonal gourmet ice cube produced by the unit.

4. SETUP AND INSTALLATION

Proper installation is crucial for the performance and longevity of your ice machine. It is strongly recommended that installation be performed by a qualified professional.

4.1 Location Requirements

- Install in a well-ventilated area with ambient temperatures between 50°F (10°C) and 90°F (32°C).
- Ensure sufficient clearance around the unit for proper airflow, especially at the front air intake and exhaust.
- The unit is designed for undercounter installation. Ensure the space meets the product dimensions.



Figure 4.1: Example of the ice machine installed under a counter in a commercial setting.



Figure 4.2: Example of the ice machine integrated into a home bar or kitchen island.

4.2 Water and Drain Connections

- Connect to a cold, potable water supply with a shut-off valve.
- The integrated water filtration system requires proper connection and initial flushing.
- The included drain pump is necessary for installations where gravity drainage is not possible. Ensure the pump is correctly installed and connected to a suitable drain.



Figure 4.3: Lower front panel, indicating the location for drain pump access and air intake.

4.3 Electrical Connection

The unit operates on 115 Volts. Ensure the electrical supply meets the specifications and is properly grounded.

5. OPERATING INSTRUCTIONS

The control panel allows for simple operation of the ice machine.



Figure 5.1: Close-up of the control panel, featuring Power and Delay Start options.

5.1 Starting the Unit

1. Ensure all installation steps are complete and the unit is connected to power and water.
2. Press the **POWER** button on the control panel to initiate the automatic ice making cycle. The unit will begin producing ice.

5.2 Delay Start Function

The **DELAY START** function allows you to postpone ice production for a set period.

- Press the **DELAY START** button to cycle through delay options (e.g., 2, 4, or 6 hours).
- The unit will automatically begin ice production after the selected delay period.

5.3 Ice Storage

The built-in bin stores up to 25 lbs. of ice. Use the provided scoop for hygienic ice retrieval. Do not store other items in the ice bin as this can contaminate the ice or damage the unit.

6. MAINTENANCE AND CLEANING

Regular maintenance ensures optimal performance and extends the lifespan of your ice machine.

6.1 Daily Cleaning

- Clean the exterior surfaces with a mild soap and water solution.
- Wipe down the interior of the ice bin and the ice scoop.

6.2 Monthly Cleaning (or as needed)

- **Water Filter Replacement:** The built-in water filtration system requires periodic cartridge replacement. Refer to the filter manufacturer's instructions for replacement frequency.
- **Condenser Cleaning:** Clean the condenser fins to ensure efficient cooling. Disconnect power before cleaning. Use a brush or vacuum cleaner to remove dust and debris.
- **Ice Making System Cleaning:** Follow the manufacturer's recommended procedure for descaling and sanitizing the ice-making components. This typically involves using a specialized ice machine cleaner.

7. TROUBLESHOOTING

Before contacting service, review the following common issues and solutions:

Problem	Possible Cause	Solution
No ice production	No power, water supply off, clogged water filter, unit in delay mode, defective pump.	Check power connection, ensure water supply is on, replace water filter, check delay settings, contact service for pump issues.
Unit is excessively loud	Normal operational noise, loose components, fan obstruction, pump issue.	Some operational noise is normal. Check for obstructions around the fan. If noise is unusual or excessive, contact service.
Water leaking	Loose connections, clogged drain, drain pump malfunction.	Inspect all water and drain connections for tightness. Clear any drain obstructions. If leaking persists, contact service.
Ice quality is poor	Dirty water filter, mineral buildup, improper water supply.	Replace water filter. Perform a thorough cleaning and descaling of the ice machine. Ensure proper water supply.

If troubleshooting steps do not resolve the issue, contact a qualified service technician.

8. SPECIFICATIONS

- **Model:** SM-50A
- **Item Model Number:** UCP0050A-161 | K00376
- **Brand:** Manitowoc
- **Product Dimensions:** 3"D x 1"W x 8"H (Note: The product dimensions listed as 3 x 1 x 8 inches; 157 Pounds and 3"D x 1"W x 8"H appear to be placeholder or incorrect. Please refer to official product documentation for accurate dimensions. The weight is 157 Pounds.)
- **Ice Production Capacity:** 53 lbs. per 24 hours
- **Storage Bin Capacity:** 25 lbs.
- **Ice Type:** Octagonal Cube (Gourmet Top-Hat, 1-3/8" x 1-3/8")
- **Cooling Type:** Air Cooled
- **Voltage:** 115 Volts


- **Manufacturer:** Manitowoc Ice
- **ASIN:** B07MXJVBSR

9. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided with your purchase or contact Manitowoc Ice directly. For technical support or service inquiries, please reach out to an authorized Manitowoc service provider. It is recommended to have your model number (SM-50A) and serial number available when contacting support.


Manufacturer: Manitowoc Ice

Related Documents - SM-50A

 <p>MANITOWOC A FRIGIDAIRE COMPANY</p> <p>SUGGESTED LIST PRICE (STANDARD EQUIPMENT AND ACCESSORIES)</p> <p>ENGINEERED FOR EASE</p>	<p>Manitowoc 2022 Ice Machine Price List: Equipment & Accessories</p> <p>Discover the 2022 Manitowoc Ice price list, featuring a wide range of cube, flake, and nugget ice machines, dispensers, ice storage bins, and accessories. This guide details product specifications, warranties, and ice styles for commercial food service.</p>
 <p>MANITOWOC A FRIGIDAIRE COMPANY</p> <p>QUIETQUBE ICE MACHINES</p>	<p>Manitowoc QuietQube Ice Machines: Model Specifications and Features</p> <p>Detailed specifications for Manitowoc's QuietQube and Ice/Bev ice machines, including model numbers, ice types, cooling, electrical requirements, shipping weights, and dimensions.</p>
 <p>Manitowoc Instruction Sheet</p>	<p>Manitowoc Ice Level Management Kit Installation Instructions</p> <p>Detailed installation guide for the Manitowoc Electronic Bin Thermostat Ice Level Management Kit, covering setup, wiring, and troubleshooting for Cube, Nugget, and Flake ice machines.</p>
 <p>Manitowoc Foodservice</p>	<p>Manitowoc K0350 Ice Machine Parts List and Model Number Guide</p> <p>Comprehensive parts list and model number decoding guide for the Manitowoc K0350 ice machine series, covering control box, evaporator, refrigeration, air-cooled, water-cooled, and panel components.</p>

	<p>Manitowoc Ice Machines B150/B250 Owner/Operator Use and Care Guide</p> <p>Comprehensive guide for Manitowoc B150/B250 series ice machines. Learn about operation, maintenance, cleaning, sanitizing, troubleshooting, and warranty information to ensure optimal performance and longevity of your ice machine.</p>
	<p>Manitowoc NEO 60/85 Series Undercounter Ice Machines Specification Sheet</p> <p>Detailed specifications for the Manitowoc NEO 60/85 Series undercounter ice machines (UDP-0065A, UDP-0080A), including ice production, dimensions, power requirements, operating limits, and installation guidelines.</p>

Documents - Manitowoc – SM-50A




[\[pdf\]](#) Instructions Specifications

6 SM050 Drain Pump Kit Instructions Manitowoc Ice Inc hneelis@manitowocice Neelis Heidi Sandy R Scheer Product Specs K00376 For SM 50A manitowoc k 00376 static restaurantsupply media documents specsheets |||

K00376 SM Model Ice Machines Drain Pump Installation Instructions 1. Disconnect power. 2. Remove two top cover screws and slide cover off. 3. Remove eight back panel screws and lift panel off. 4. Loosen the coupling panel and water inlet line clamp. 5. Remove bin drain tube and clamp. 6. Replace ex...

lang:en score:30 filesize: 168.29 K page_count: 1 document date: 2009-11-05



[\[pdf\]](#) User Manual Owner's Manual Instructions Warranty

SMS050 IOM en fr cs 000001590 indb mr101972 Owners Manual Manitowoc SM 50A NEO Undercounter Ice Machine 53 lbs 14 3 4 W Central Restaurant Products 240 141 MANUAL centralrestaurant pub media |||

SM Model Ice Machines Installation, Operation and Maintenance Manual Original Document Part Number 000001590 Rev05 07/22 , Caution Read this instruction before operating this equipment. Safety Notices Safety Notices Read these precautions to prevent personal injury: Read this manual thoroughly...

lang:en score:27 filesize: 6.27 M page_count: 89 document date: 2022-08-03



[\[pdf\]](#) Specifications Dimension Guide Warranty


Spec Sheet Manitowoc SM 50A NEO Undercounter Ice Machine 53 lbs 14 3 4 W Central Restaurant

Products 240 141 SPECS centralrestaurant pub media |||

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A**

Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00...

lang:en score:26 filesize: 307.58 K page_count: 2 document date: 2022-05-21



[\[pdf\]](#) Parts List

Miscellaneous Parts Manitowoc Ice NH04679 manitowoc sm 50a parts list misc icemachinesplus lists


Manitowoc Miscellaneous Description Page Miscellaneous Parts

. 2 Miscellaneous 1 Updated: 4/12 MISCELLANEOUS PARTS

REPAIR KITS Jackes-Evans Solenoid Valve Rebuild Kit

.

lang:en score:22 filesize: 64.93 K page_count: 2 document date: 2012-04-17



[\[pdf\]](#) Parts List Catalog Label

manitowoc sm 50a parts list icemachinesplus lists

For more Parts Information: <https://manitowocfsg.sysonline.com/Default.aspx> TABLE OF CONTENTS Manitowoc Foodservice Updated: Sep. 30, 2013 Manitowoc - Ice Related Parts Catalog Ice Machine S Series S Model - UnderCounter SM50 SM50 Control Box Components 1 SM50 Evaporator Compartment ...

lang:en score:22 filesize: 1.33 M page_count: 13 document date: 2013-12-18



[\[pdf\]](#) Specifications Dimension Guide Warranty

Download Spec Sheet Manitowoc SM50A 14 3 4 Air Cooled Undercounter Octagonal Cube Ice Machine with 25 lb Bin 53 manitowoc sm50a icemachinesplus documents specsheets |||

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A**

Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00...

lang:en score:21 filesize: 410 K page_count: 2 document date: 2020-01-03




[\[pdf\]](#) Specifications Dimension Guide Warranty

SM 50 Ice Cube Machine Index of media wysiwyg SpecSheets Manitowoc jeansrs |||

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A**

Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00...

lang:en score:21 filesize: 307.53 K page_count: 2 document date: 2022-11-29




[\[pdf\]](#) User Manual Specifications

SM Ice Machines IUC book NH04679 manitowoc sm 50a use and care s1 img b compactappliance mediabase specifications 1301781

SM Model Ice Machines Installation Use and Care Manual Thank you for selecting a Manitowoc Ice Machine, the dependability leader in ice making equipment and related products. With proper installation, care and maintenance, your new Manitowoc Ice Machine will provide you with many years of reliable ...

lang:en score:20 filesize: 2.39 M page_count: 42 document date: 2013-08-19



[\[pdf\]](#) User Manual Warranty Accessories

Warranty Bond AuCS rev 01 02 RJD Outlet Manitowoc Ice SM 50A Undercounter Machine 53 lb Production 14 3 4 W 240 141 WARR centralrestaurant pub media ||| AuCS Accessory Warranty Automatic Cleaning System Manitowoc Ice, Inc. hereinafter referred to as the COMPANY warrants for a period of thirty-six months from the installation date except as limited below that new AuCS manufactured by the COMPANY shall be free of defects in material or workma... lang:en score:18 filesize: 27.47 K page_count: 5 document date: 2004-09-20




[\[pdf\]](#) Dimension Guide Warranty

399 SM50AK00376 SM 50 Ice Cube Machine 50A manitowocice 3404F 1 19 Tel 920 682 0161 Fax 683 7589 2110 South 26th Street Manitowoc WI 54220 assets katomcdn raw upload v1609217400 products SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A** Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00... lang:en score:18 filesize: 410.01 K page_count: 2 document date: 2019-01-03



[\[pdf\]](#) Specifications Dimension Guide Warranty

3404E MII SM50 spec indd SM 50 Ice Cube Machine 2110 South 26th Street PO Box 1720 Manitowoc WI 54221 USA Tel 1 920 682 0161 Fax 683 7589 manitowocice 50A acitydiscount specs SM-50 Ice Cube Machine SM-50 Ice Cube Machine Model **SM-50A SM-50** Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00 cm... lang:en score:18 filesize: 1.01 M page_count: 2 document date: 2011-07-05



[\[pdf\]](#)

untitled august equipment 3491B Standard rogerssupply 80 manitowoc manitowocice Documents
MIIPublic PriceLists

Issued: August 1, 2006 SUGGESTED LIST PRICE Standard Equipment A
Participating Company in the ARI 8 ... 0 MODEL CONDENSER TYPE CUBE SIZE
SHIPPING WEIGHT SUGGESTED LIST PRICE- *70/50 53 lbs. daily **SM-50A** Air
Cooled Standard Octagon 114 lbs. 2,300 ARI Ice storage capacity 25 lbs., includes
AR-...

lang:en score:17 filesize: 995.73 K page_count: 16 document date: 2006-07-12



[\[pdf\]](#) Specifications Warranty Accessories

Manitowoc BG0260A 161 Rogers Supply DownloadFile Id 20171 rogerssupply Attachment |||
Suggested List Price Standard Equipment and Accessories Effective: November 1,
2015 TABLE OF CONTE ... t 70/50 *253 lbs. daily at 90/70 Model Condenser Type
Cube Size Shipping Weight 115/60/1 -161 **SM-50A** Air Cooled Standard Octagon 114
lbs. 3,603 Ice storage capacity 25 lbs. Includes AR-280...

lang:en score:17 filesize: 570.28 K page_count: 20 document date: 2015-10-05

[\[pdf\]](#) User Manual Reference Guide Guide Borchure

Quick Reference Guide 2017 ajbaker au Easy Ice @ ice crusher LARGE GOURMET Hard clear individual cubes weigh a whopping 60 grams each and stand proud 2 x 1 3 4 5 08 18 45 cm Why do I love my Indigo In the end it was EasyRead Manitowoc manitowoc sd0323wso161 article 5856483224885580 en cl easyice tech docs resource bakerdist is content Watsocom Gemaire User Manual Go Now Sotto Series UG30 Machine uyf0140a 161b Available Free Shipping on 219lb NEO Undercounter Half Dice Because there not enough to force water curtain open break bin switch machine simply thinks never harvested Resource View production list Url udf0140a 1874215769583133 1874215769583984 www mercialfridgefreezer media blfa files Want Happy Customers Serve Them Cubelet F700 ICE STORAGE BIN Index of uff0350a 161 1874215769584172 cdn flake machines offer quick cooling moldable flakes Before crating shipment every cube operated for minimum two SM 50A 14 Air Cooled Gourmet Cube with 25 lb Bin 53 Industrial Scientific Welbilt Machines U series DKSH Product B1 EAKheDoS Brochure QuickReferenceGuide unf0300a 1874215769581313 delfield ssr2 s 5251693901729715 uc4448n 5251693901729556 udf0240w 1874215769582166 m amazon images dksh sites com 1412898538287 brochure welbilt quickreferenceguide UG50 IceQuick 2017User GuideManitowoc IceManitowoc MachineManitowoc BIN@ EasyReadManitowoc two manitowoc harvestedManitowoc ScientificWant IceWant Under Counter MakerResource clWelbilt ProductQuick 2017Quick 2017Manitowoc 2017manitowoc clmanitowoc clManitowoc clQuick 2017DKSH enmanitowoc clldelfield 2017www 2017easyice Iceeasyice Iceajbaker 2017resource clcdn cleasyice Icem EAKheDoSeasyice Icewww clajbaker 2017dksh encdn clresource clwww clqercgrb clportalimages blob core windows net products qercgrb QM 45A ADA AppliancesManitowoc IceQM Icebeta adaappliances Guidem |||

ICE MACHINES Quick Reference Guide I need ice. That s why I choose Manitowoc. Manitowoc has built its reputation on developing the most innovative and reliable ice solutions for the foodservice industry. Solutions you ll find no where else. And, with the largest ENERGY STAR portfolio in the indust...

lang:en score:17 filesize: 2.52 M page_count: 48 document date: 2017-07-27



[\[pdf\]](#) Dimension Guide Warranty

dakwpcfcqm images webfronts cache |||

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A**

Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00...

lang:en score:15 filesize: 526.84 K page_count: 2 document date: 2018-10-31



[\[pdf\]](#) Dimension Guide Warranty

5e9a8814 0a4c 497f a94e d3606bc1d3ac cdn restaurantsupply 5 e 9 |||

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A**

Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00...

lang:en score:15 filesize: 145.16 K page_count: 2 document date: 2023-02-14

MANITOWOC

SM-50 Ice Cube Machine

Models
• SM-50A



Standard Features

- Produces up to 53 lbs. (24 kgs) of ice in 24 hours with storage capacity of 25 lbs. (11 kgs)
- Individual cubes with unique octagon shape
- Designed to be installed into standard cabinet dimensions 15"00 38"00 (in or out) and also with recessed front for use in standard
- Includes an LED light with large opening for easy access
- Easily accessible control panel with the following functionality:
 - Manual ice making mode
 - Manual holding and warming
 - Single door lock
 - Filter replacement warning light
- Water filter system integrated inside machine with depth filtration and leak detection
- Lubricated fan light with large opening for easy access
- Submersible pump easily integrates inside the machine during installation

Warranty

- 1 year commercial parts and labor warranty on entire machine
- 1 year no labor on machine internal warranty

Cube Size
Standard
1.5" x 1.5" x 0.875" (38mm)

UL

2100 Broadway, 200th Floor, Milwaukee, WI 53207-1100
Tel: 1-800-888-8100 Fax: 1-414-888-8100
www.manitowoc.com

WELBILT

SM-50 Ice Cube Machine

[\[pdf\] Dimension Guide Warranty](#)

SM 50 Ice Cube Machine t to o tot of manitowocice 3404F 1 19 Tel 920 682 0161 Fax 683 7589 2110
South 26th Street MII Spec asset id pgmea regions us prefLang en 80

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A**

Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00...

lang:en score:14 filesize: 419.84 K page_count: 2 document date: 2019-01-02

MANITOWOC

SM-50 Ice Cube Machine

Models
• SM-50A



Standard Features

- Produces up to 53 lbs. (24 kgs) of ice in 24 hours with storage capacity of 25 lbs. (11 kgs)
- Individual cubes with unique octagon shape
- Designed to be installed into standard cabinet dimensions 15"00 38"00 (in or out) and also with recessed front for use in standard
- Includes an LED light with large opening for easy access
- Easily accessible control panel with the following functionality:
 - Manual ice making mode
 - Manual holding and warming
 - Single door lock
 - Filter replacement warning light
- Water filter system integrated inside machine with depth filtration and leak detection
- Lubricated fan light with large opening for easy access
- Submersible pump easily integrates inside the machine during installation

Warranty

- 1 year commercial parts and labor warranty on entire machine
- 1 year no labor on machine internal warranty

Cube Size
Standard
1.5" x 1.5" x 0.875" (38mm)

UL

2100 Broadway, 200th Floor, Milwaukee, WI 53207-1100
Tel: 1-800-888-8100 Fax: 1-414-888-8100
www.manitowoc.com

WELBILT

SM-50 Ice Cube Machine

[\[pdf\] Dimension Guide Warranty](#)

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A**

Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00...

lang:en score:14 filesize: 410.05 K page_count: 0 document date: 0000-00-00

MANITOWOC

SM-50 Ice Cube Machine

Models
• SM-50A



Standard Features

- Produces up to 53 lbs. (24 kgs) of ice in 24 hours with storage capacity of 25 lbs. (11 kgs)
- Individual cubes with unique octagon shape
- Designed to be installed into standard cabinet dimensions 15"00 38"00 (in or out) and also with recessed front for use in standard
- Includes an LED light with large opening for easy access
- Easily accessible control panel with the following functionality:
 - Manual ice making mode
 - Manual holding and warming
 - Single door lock
 - Filter replacement warning light
- Water filter system integrated inside machine with depth filtration and leak detection
- Lubricated fan light with large opening for easy access
- Submersible pump easily integrates inside the machine during installation

Warranty

- 1 year commercial parts and labor warranty on entire machine
- 1 year no labor on machine internal warranty

Cube Size
Standard
1.5" x 1.5" x 0.875" (38mm)

UL

2100 Broadway, 200th Floor, Milwaukee, WI 53207-1100
Tel: 1-800-888-8100 Fax: 1-414-888-8100
www.manitowoc.com

WELBILT

SM-50 Ice Cube Machine

[\[pdf\] Dimension Guide Warranty](#)

Hoshizaki AM 50BAJ Ice Maker With Bin Cube Style Air Cooled 51 Lb Production 22 Storage

RESTAURANTSALEPROS SM50A SPEC v 1610114663 cdn shopify s files 1 0268 5029 5987 |||

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Models **SM-50A SM-50A**

Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00...

lang:en score:14 filesize: 410.01 K page_count: 2 document date: 2021-01-08

Manitowoc

SM-50 Ice Cube Machine

Model
□ SM-50A



Standard Features

- Produces up to 53 lbs. (24 kgs) of ice in 24 hours with storage capacity of 25 lbs. (11 kgs)
- Individual cubes with unique octagon shape
- Designed to be installed into standard cabinet dimensions 15"00 38"00 (in or out) and also with recessed front for use in standard
- Includes an LED light with large opening for easy access
- Easily accessible control panel with the following functionality:
 - Manual ice making mode
 - Manual holding and warming
 - Single door lock
 - Filter replacement warning light
- Water filter system integrated inside machine with depth filtration and leak detection
- Lubricated fan light with large opening for easy access
- Submersible pump easily integrates inside the machine during installation

Warranty

- 1 year commercial parts and labor warranty on entire machine
- 1 year no labor on machine internal warranty

Cube Size
Standard
1.5" x 1.5" x 0.875" (38mm)

UL

2100 Broadway, 200th Floor, Milwaukee, WI 53207-1100
Tel: 1-800-888-8100 Fax: 1-414-888-8100
www.manitowoc.com

Manitowoc

SM-50 Ice Cube Machine

[\[pdf\] Dimension Guide Warranty](#)

3404E MII SM50 spec indd sm50 manitowocice asset id pgmea

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Model **SM-50A** SM-50 Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00 cm...

lang:en score:14 filesize: 1 M page_count: 2 document date: 2011-05-16

Manitowoc

SM-50 Ice Cube Machine

Model
SM-50A



Standard Features

- Produces up to 53 lbs. (24 kgs) of ice in 24 hours with storage capacity of 25 lbs. (11 kgs)
- Individual cubes with unique octagon shape
- Designed to be installed into standard cabinet dimensions 15.00 38.00 cm...
- Used with standard water and salt and salt tablets
- Ice tray with large on right side (change to left during installation)
- Easily accessible control panel with the following functionality:
 - Automatic ice making mode
 - Pre-setted freezing and cooling
 - Delay start option
 - 24hr. replacement warning light
- When the upper integrated water machine will reach 100% and water will be ready
- Equipped for LED light with large opening for maintenance
- Optional drain pump and/or progress made for installation and production

Warranty

- 1 year commercial parts and labor warranty on entire machine
- 1 year residential ice machine limited warranty

Cube Size
Standard
1.5" x 1.5" x 0.875"

©2010 Manitowoc Food Service, Inc. Part # 14000000001 Part # 14000000001
Manitowoc, the Manitowoc logo and SM-50 are trademarks of Manitowoc Food Service, Inc.

[pdf] Specifications Dimension Guide Warranty

3404E MII SM50 spec indd 499sm50a webstaurantstore documents specsheets

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Model **SM-50A** SM-50 Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00 cm...

lang:en score:14 filesize: 559.79 K page_count: 2 document date: 2011-09-12

Manitowoc

SM-50 Ice Cube Machine

Model
SM-50A



Standard Features

- Produces up to 53 lbs. (24 kgs) of ice in 24 hours with storage capacity of 25 lbs. (11 kgs)
- Individual cubes with unique octagon shape
- Designed to be installed into standard cabinet dimensions 15.00 38.00 cm...
- Used with standard water and salt and salt tablets
- Ice tray with large on right side (change to left during installation)
- Easily accessible control panel with the following functionality:
 - Automatic ice making mode
 - Pre-setted freezing and cooling
 - Delay start option
 - 24hr. replacement warning light
- When the upper integrated water machine will reach 100% and water will be ready
- Equipped for LED light with large opening for maintenance
- Optional drain pump and/or progress made for installation and production

Warranty

- 1 year commercial parts and labor warranty on entire machine
- 1 year residential ice machine limited warranty

Cube Size
Standard
1.5" x 1.5" x 0.875"

©2010 Manitowoc Food Service, Inc. Part # 14000000001 Part # 14000000001
Manitowoc, the Manitowoc logo and SM-50 are trademarks of Manitowoc Food Service, Inc.

[pdf] Dimension Guide Warranty

sm50 manitowocice docs uploaded mii spec sheets

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Model **SM-50A** SM-50 Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00 cm...

lang:en score:14 filesize: 416.57 K page_count: 2 document date: 2010-05-18

Manitowoc

SM-50 Ice Cube Machine

Model
SM-50A



Standard Features

- Produces up to 53 lbs. (24 kgs) of ice in 24 hours with storage capacity of 25 lbs. (11 kgs)
- Individual cubes with unique octagon shape
- Designed to be installed into standard cabinet dimensions 15.00 38.00 cm...
- Used with standard water and salt and salt tablets
- Ice tray with large on right side (change to left during installation)
- Easily accessible control panel with the following functionality:
 - Automatic ice making mode
 - Pre-setted freezing and cooling
 - Delay start option
 - 24hr. replacement warning light
- When the upper integrated water machine will reach 100% and water will be ready
- Equipped for LED light with large opening for maintenance
- Optional drain pump and/or progress made for installation and production

Warranty

- 1 year commercial parts and labor warranty on entire machine
- 1 year residential ice machine limited warranty

Cube Size
Standard
1.5" x 1.5" x 0.875"

©2010 Manitowoc Food Service, Inc. Part # 14000000001 Part # 14000000001
Manitowoc, the Manitowoc logo and SM-50 are trademarks of Manitowoc Food Service, Inc.

[pdf] Dimension Guide Warranty

man0504 221104op8qxs cdn ckitchen img product e3 e3161f6d 116c 4f02 9290 d7696bac01f5 |||

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Model **SM-50A** SM-50 Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 38.00 cm...

lang:en score:14 filesize: 601.36 K page_count: 2 document date: 0000-00-00

Manitowoc

SM-50 Ice Cube Machine

Model
SM-50A



Standard Features

- Produces up to 53 lbs. (24 kgs) of ice in 24 hours with storage capacity of 25 lbs. (11 kgs)
- Individual cubes with unique octagon shape
- Designed to be installed into standard cabinet dimensions 15.00 38.00 cm...
- Used with standard water and salt and salt tablets
- Ice tray with large on right side (change to left during installation)
- Easily accessible control panel with the following functionality:
 - Automatic ice making mode
 - Pre-setted freezing and cooling
 - Delay start option
 - 24hr. replacement warning light
- When the upper integrated water machine will reach 100% and water will be ready
- Equipped for LED light with large opening for maintenance
- Optional drain pump and/or progress made for installation and production

Warranty

- 1 year commercial parts and labor warranty on entire machine
- 1 year residential ice machine limited warranty

Cube Size
Standard
1.5" x 1.5" x 0.875"

©2010 Manitowoc Food Service, Inc. Part # 14000000001 Part # 14000000001
Manitowoc, the Manitowoc logo and SM-50 are trademarks of Manitowoc Food Service, Inc.

[pdf] Specifications Dimension Guide Warranty

3404E MII SM50 spec indd SM 50 Ice Cube Machine Cube499sm50awebstaurantstore documents

specsheets 499sm50a srsfild AfmBOOps0Hl6wnBY4IEPmzeVRNdhV3ZVcBbyjexPYdjhupDZZk8hJ2M1 CubeSM CubeV1webstaurantstore AfmBOoop ZYDRmJZBBb0xd9 WCIZYI2 ThzHXaW9F9cJO9IPqr h3KVxwebstaurantstore |||

SM-50 Ice Cube Machine SM-50 Ice Cube Machine Model **SM-50A** SM-50 Standard Features Produces up to 53 lbs. 24 kgs of ice in 24 hours with storage capacity of 25 lbs. 11 kgs Individual cubes with unique octagon shape. Designed to be installed into standard cabinet dimensions 15.00 ...

lang:en score:14 filesize: 559.8 K page_count: 2 document date: 2011-09-12



[Manitowoc Ice Machines: Suggested List Price for Standard Equipment and Accessories](#)

Explore the comprehensive range of Manitowoc ice machines, ice storage bins, and dispensers with this detailed price list. Find model specifications, ice types, and accessory information for commercial foodservice applications.

lang:en score:14 filesize: 826.47 K page_count: 28 document date: 2018-04-03



[\[pdf\] Specifications Accessories](#)

3511A Access qxd Dave Nickels AccApril06 manitowocice Documents MIIPublic PriceLists Issued: April 1, 2006 SUGGESTED LIST PRICE Accessories PRICES Prices are F.O.B. Manitowoc, Wisconsi SUGGESTED LIST PRICE- 145 3 lbs. 160 DRAIN PUMP MODEL DESCRIPTION K-00376 Drain Pump for **SM-50A**. Used where gravity drain not available. 12 rise and 100 run maximum. SHIPPING WEIGHT TBD ...


lang:en score:13 filesize: 273.55 K page_count: 4 document date: 2006-03-01



[\[pdf\] Accessories](#)

Layout 1 miaccessorieslistprices manitowocice docs uploaded mii pricelists Suggested List Price Accessories Issued: May 1, 2010 Prices Prices are F.O.B. Manitowoc, Wisconsin 34 lbs. Shipping Weight 2 lbs. 3 lbs. 5 lbs. DRAIN PUMP Kit K-00376 Description Drain Pump for **SM-50A**. Used where gravity drain not available. 12 rise and 100 run maximum. Shipping Weight 7 lb...

lang:en score:13 filesize: 170.17 K page_count: 4 document date: 2010-03-17



[pdf]

Untitled dave 3491A STDApril06 manitowocice Documents MIIPublic PriceLists


Issued: April 1, 2006 SUGGESTED LIST PRICE Standard Equipment A Participating Company in the ARI 81 ... DENSER TYPE CUBE SIZE SHIPPING WEIGHT SUGGESTED LIST PRICE- *70/50 53 lbs. daily NEW 34.00 **SM-50A** Air Cooled Standard Octagon 114 lbs. 2,300 ARI Ice storage capacity 25 lbs., includes AR-... lang:en score:12 filesize: 719.28 K page_count: 16 document date: 2006-03-01



[pdf] Accessories

Layout 1 miistandardlistprices manitowocice 80 documents mien sales pricelists domestic

Issued: January 1, 2009 SUGGESTED LIST PRICE Standard Equipment Q UALIT ISO 9001 Y SYSTEM CE RTIF ... ily at 70/50 Model Condenser Type Cube Size Shipping Weight 115/60/1 208-230/60/1 -161 -261 **SM-50A** Air Cooled Standard 114 lbs. 2,770 Octagon ARI Ice storage capacity 25 lbs., includes ... lang:en score:12 filesize: 523.6 K page_count: 16 document date: 2009-06-01



[pdf] Warranty Accessories

3801 StandardWrking2 qxd David Nickels StandardPL manitowocice 80 Documents MIIPublic PriceLists

Issued: January 1, 2007 SUGGESTED LIST PRICE Standard Equipment A Participating Company in the ARI ... L CONDENSER TYPE CUBE SIZE SHIPPING WEIGHT SUGGESTED LIST PRICE- *70/50 53 lbs. daily 34.00 **SM-50A** Air Cooled Standard Octagon 114 lbs. 2,375 ARI Ice storage capacity 25 lbs., includes AR-... lang:en score:12 filesize: 870.3 K page_count: 16 document date: 2006-12-15




[\[pdf\]](#) Accessories

Layout 1 miistandardlistprices manitowocice 80 docs uploaded mii pricelists

Issued: January 1, 2009 SUGGESTED LIST PRICE Standard Equipment ISO 9001:2000 QUALITY SYSTEM CERTIFI ... ily at 70/50 Model Condenser Type Cube Size Shipping Weight 115/60/1 208-230/60/1 -161 -261 **SM-50A** Air Cooled Standard 114 lbs. 2,770 Octagon ARI Ice storage capacity 25 lbs., includes ...

lang:en score:11 filesize: 545.45 K page_count: 16 document date: 2009-11-09



[\[pdf\]](#) Accessories

Layout 1 miistandardintlprices manitowocice docs uploaded mii pricelists

Suggested List Price Issued: May 1, 2010 Revised: August 23, 2010 International Standard Equipmen ... odel Condenser Type Cube Size Shipping Weight 115/60/1 208-230/60/1 230/50/1 -161 -261 -251 **SM-50A** Air Cooled Standard Octagon 51 kgs. 2,825 ARI Ice storage capacity 25 kgs., includes AR...

lang:en score:11 filesize: 513.83 K page_count: 16 document date: 2010-08-23



[\[pdf\]](#) Specifications Warranty Accessories Price List

price list d manitowocice docs uploaded mii pricelists


Suggested List Price Standard Equipment and Accessories Issued: May 2, 2011 Revised: May 17, 2011 ... aily at 70/50 Model Condenser Type Cube Size Shipping Weight 115/60/1 -161 208-230/60/1 -261 **SM-50A** Air Cooled Standard Octagon 114 lbs. 2,938 AHRI Ice storage capacity 25 lbs., includes ...

lang:en score:11 filesize: 639.39 K page_count: 20 document date: 2011-05-26



[\[pdf\]](#) Specifications Warranty Accessories

Suggested List Price AWS ID 0323W Water Cooled Dice 59 kg \$5 303 353 363 IY 0324A Air Half 62 IYP R 290 62 5525E MII International PL LR amaweb s3 amazonaws asset document 9759 ||| Suggested List Price International Standard Equipment and Accessories Effective: November 1, 2015 R ... aily at 90/70 Model Condenser Type Cube Size Shipping Weight 115/60/1 -161 208-230/60/1 -261 **SM-50A** Air Cooled Standard Octagon 52 kg 3,603 Ice storage capacity 25 lbs. Includes AR-2800 w... lang:en score:11 filesize: 576.73 K page_count: 24 document date: 2016-01-21



[\[pdf\]](#) Specifications Catalog Label

For more Parts Information manitowocfsg sysonline Default.aspx 39 PSNPSF1BSUT*OGPSNBUJPO IUUQT NBOJUPXPDGTH TZTPOMJOF DPN SM50 CONTROL BOX COMPONENTS 2 PART DESCRIPTION QTY Note 1 000000653 Control Board main 1a 2511493 10 Amp Fuse 000001684 user interface manitowoc sm 50a exploded parts sm50 mii s1 img b compactappliance mediabase specifications 1301781 manitowocice asset id funsc regions us prefLang en 80 %FGBVMU BTQY C Ontents 7\$% 217 176 3 \$* i Manitowoc Foodservice Updated Sep 30 2013 Ice Related Catalog Machine S Series Model UnderCounter Box Components 6 399 SM50A welbilt es assets katomcdn raw upload v1606774532 products direct US uk Part m part jeoushun list 221109ab1zq9 cdn ckitchen product 28 28b2e1d8 1e07 4f35 9dbc 813759f182cd.aspxFor.aspxPSNPSF1BSUT*OGPSNBUJPO BTQYParts Breakdown7\$% 1SM50 interfaceSM50 interfaceManitowoc UCP0050A 14 4 W Top Hat Undercounter 52 lbs day Air CooledQTY 6sm50 mii399 partssm50 miism50 miiSM50 partSM50 partsm50 partparts 221109ab1zq9399 partss1 partswelbilt esassets partsdirect endirect USres katom enjeoushun partjeoushun partmanitowocice ens1 partsjeoushun partcdn 221109ab1zq9assets ||| For more Parts Information: <https://manitowocfsg.sysonline.com/Default.aspx> TABLE OF CONTENTS Manitowoc Foodservice Updated: Sep. 30, 2013 Manitowoc - Ice Related Parts Catalog Ice Machine S Series S Model - UnderCounter SM50 SM50 Control Box Components 1 SM50 Evaporator Compartment ... lang:en score:11 filesize: 1.33 M page_count: 13 document date: 2013-12-18



[\[pdf\]](#) Specifications Warranty Accessories Price List

price list d manitowocice asset id dqrau Suggested List Price Standard Equipment and Accessories Effective: December 1, 2012 Revised: April ... aily at 90/70 Model Condenser Type Cube Size Shipping Weight 115/60/1 -161 208-230/60/1 -261 **SM-50A** Air Cooled Standard Octagon 114 lbs. 3,329 AHRI Ice storage capacity 25 lbs., includes ... lang:en score:11 filesize: 604.35 K page_count: 20 document date: 2013-04-03



[pdf] Specifications Warranty Accessories Price List

price list i manitowocice asset id ggafz

Suggested List Price Issued: December 1, 2012 Revised: April 1, 2013 International Standard Equip ... ly at 90/70 Condenser Model Type Cube Size Shipping Weight 115/60/1 208-230/60/1 -161 -261 **SM-50A** Air Cooled Standard Octagon 52 kg 3,329 AHRI Ice storage capacity 11.3 kg, includes AR...

lang:en score:11 filesize: 638.37 K page_count: 21 document date: 2013-04-03




[pdf] Specifications Warranty Accessories Price List

price list i manitowocice docs uploaded mii pricelists

Suggested List Price Issued: May 2, 2011 International Standard Equipment and Accessories Tabl ... ndenser Model Type Cube Size Shipping 115/60/1 208-230/60/1 230/50/1 Weight -161 -261 -251 **SM-50A** Air Cooled Standard Octagon 52 kgs. 2,938 AHRI Ice storage capacity 11.3 kgs., includes...

lang:en score:11 filesize: 639.05 K page_count: 20 document date: 2011-05-27



[pdf]

untitled 3576A StandardIntlPL Web manitowocice Documents MIIPublic PriceLists

Issued: August 1, 2006 FABRICADOR DE HIELO MACHINES A GLACONS EISWURFELMASCHINEN SUGGESTED LIST PRIC ... ly NEW 34.00 Electrical 115/60/1 Includes 6 power cord. 23.50 NEMA 5-15 plug. 14.75 MODEL **SM-50A** CONDENSER TYPE Air Cooled CUBE SIZE SHIPPING WEIGHT Standard Octagon 51 kgs. SUGGESTED L...

lang:en score:10 filesize: 803.63 K page_count: 17 document date: 2006-07-12