

Joie C0902GCPAV000

Joie Tilt Car Seat User Manual

Model: C0902GCPAV000

1. INTRODUCTION

This manual provides essential instructions for the safe installation, operation, and maintenance of your Joie Tilt Car Seat. The Joie Tilt Car Seat is designed to provide secure and comfortable travel for children from birth up to approximately 4 years of age, covering Group 0+ (rear-facing, 2.2 kg to 18 kg) and Group 1 (forward-facing, 9 kg to 18 kg).

Please read this manual thoroughly before using the car seat and retain it for future reference. For any questions or concerns, contact your retailer or Joie customer support.



Image 1.1: Front view of the Joie Tilt Car Seat. This image displays the car seat in its upright position, showcasing the padded seating area, 5-point harness, and headrest.

2. SAFETY INFORMATION

The Joie Tilt Car Seat is ECE R44/04 Safety Certified, ensuring it meets European safety standards for child restraint systems. Adherence to these instructions is crucial for your child's safety.

- **Side Impact Security:** The car seat features Side Impact Security, designed to protect your child's head, body, and hips in the event of a side collision.
- **5-Point Harness:** Always secure your child using the SoftTouch 5-point harness system. Ensure the harness straps are snug and correctly positioned over the shoulders and hips.
- **Vehicle Seat Belt Installation:** The car seat must be installed using your vehicle's 3-point seat belt. Follow the color-coded belt guides and dual lock-offs for a secure installation.
- **Never leave a child unattended** in the car seat.
- **Do not modify the car seat** in any way. Any modifications can compromise its safety features.



Image 2.1: Overview of the Joie Tilt Car Seat highlighting key features. This image shows the car seat with text indicating its suitability from birth to 4 years, deep recline capability, and removable inserts.

3. COMPONENTS

Familiarize yourself with the main components of your Joie Tilt Car Seat:

- **Car Seat Shell:** The main structure providing protection.

- **5-Point Harness System:** Includes shoulder straps, buckle, and crotch strap.
- **Harness Adjustment Strap:** Located at the front for tightening the harness.
- **Recline Adjustment Handle:** Used to change the seat's recline position.
- **Removable Infant Insert:** Provides additional comfort and support for newborns and smaller infants.
- **Shoulder Pads and Buckle Cover:** For child comfort and protection.
- **Color-Coded Belt Guides:** Indicate the correct path for the vehicle's seat belt during installation.

4. SETUP AND INSTALLATION

The Joie Tilt Car Seat can be installed in two orientations:

- **Rear-Facing:** For children from birth up to 18 kg (approximately 4 years). This is the safest position for infants and toddlers.
- **Forward-Facing:** For children from 9 kg to 18 kg (approximately 1 to 4 years).

4.1 General Installation Notes

- Always install the car seat in a vehicle seat equipped with a 3-point seat belt.
- Ensure the car seat is firmly secured and does not move more than 2.5 cm (1 inch) in any direction at the belt path.
- Refer to your vehicle's owner's manual for specific instructions regarding child restraint installation.

4.2 Rear-Facing Installation (Birth to 18 kg)

1. Place the car seat on the vehicle seat in the rear-facing position.
2. Adjust the recline to the most reclined position (Position 1).
3. Route the vehicle's lap and shoulder belt through the blue-colored rear-facing belt guides.
4. Buckle the vehicle seat belt.
5. Press down firmly on the car seat while pulling the vehicle seat belt tight to remove all slack. Engage the dual lock-offs.
6. Check for a secure installation.

4.3 Forward-Facing Installation (9 kg to 18 kg)

1. Place the car seat on the vehicle seat in the forward-facing position.
2. Adjust the recline to one of the three forward-facing positions (Positions 2, 3, or 4).
3. Route the vehicle's lap and shoulder belt through the red-colored forward-facing belt guides.
4. Buckle the vehicle seat belt.
5. Press down firmly on the car seat while pulling the vehicle seat belt tight to remove all slack. Engage the dual lock-offs.
6. Check for a secure installation.

SEAT BELT INSTALL



easy & exact installation

Joie's tilt™ installs using the vehicle seat belt, which easily passes through well marked installation paths for a secure installation you can feel confident about.

Image 4.1: Illustration of the seat belt installation path. This image highlights the area where the vehicle's seat belt is routed for secure installation, emphasizing the ease and precision of the process.

5. OPERATING INSTRUCTIONS

5.1 Harness Adjustment

- **Tightening:** Pull the harness adjustment strap located at the front of the car seat until the harness is snug against your child's body. Ensure you can only fit one finger between the harness and your child's collarbone.
- **Loosening:** Press the harness release button (usually under a flap at the front) and pull the shoulder straps outwards.
- **Shoulder Harness Height:** The shoulder harness should be at or just below your child's shoulders when rear-facing, and at or just above your child's shoulders when forward-facing. Adjust the harness height as your child grows.

5.2 Recline Positions

The Joie Tilt Car Seat offers 4 recline positions:

- **Position 1:** For rear-facing use only.

- **Positions 2, 3, 4:** For forward-facing use.

To adjust the recline, locate the recline adjustment handle (typically at the front or base of the seat), squeeze it, and move the seat to the desired position. Release the handle to lock the recline.



Image 5.1: View of the car seat demonstrating the deep recline feature. This image illustrates the car seat in a reclined position, highlighting its adaptability for different stages of a child's growth from birth to 4 years.

5.3 Removable Infant Insert

The car seat includes a padded, removable infant insert for comfort and proper positioning of newborns and smaller infants. Remove the insert when your child outgrows it to ensure adequate space and harness fit.

REMOVABLE INSERT



**from tiny
to toddler**

A removable infant insert keeps your baby securely positioned in their seat for their first few months, and easily removes to accommodate their growing head and body.

Image 5.2: Depiction of the removable infant insert. This image shows the car seat with and without the infant insert, demonstrating how it can be easily removed to accommodate a growing child.

6. MAINTENANCE

6.1 Cleaning Instructions

- **Soft Goods (Fabrics):** The soft goods can be machine washed with cold water (under 30°C) on a delicate cycle. Do not bleach, tumble dry, or dry clean. Hang to dry.
- **Harness Straps:** Wipe harness straps with a damp cloth. Do not machine wash or immerse harness straps in water, as this may weaken them.
- **Plastic and Metal Parts:** Wipe plastic and metal parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.

6.2 Storage

When not in use, store the car seat in a clean, dry place away from direct sunlight and extreme temperatures.

7. TROUBLESHOOTING

If you encounter any issues with your Joie Tilt Car Seat, refer to the following common solutions:

- **Harness difficult to tighten/loosen:** Check for twists in the harness straps or obstructions in the harness adjustment mechanism. Ensure the harness release button is fully pressed when loosening.
- **Car seat feels loose after installation:** Re-read the installation instructions carefully. Ensure the vehicle seat belt is routed correctly through the color-coded guides and pulled as tight as possible, engaging the lock-offs. Apply firm pressure to the car seat while tightening the belt.
- **Buckle not latching:** Ensure both buckle tongues are inserted fully into the buckle until a click is heard. Check for debris in the buckle mechanism.

If problems persist, contact Joie customer support or your retailer for assistance.

8. SPECIFICATIONS

Feature	Specification
Model Number	C0902GCPAV000
Minimum Weight Recommendation	2.2 Kilograms
Maximum Weight Recommendation	18 Kilograms
Material	Plastic, metal, fabric (aero-grade aluminium, super-strength steel, undiluted plastics)
Care Instructions	Machine wash soft goods with cold water under 30°C
Additional Product Features	ECE R44 and ECE R129 Certified, deep recline, removable inserts
Orientation	Use rear and forward facing
Rear-facing Minimum Child Weight	2.2 Kilograms
Rear-facing Maximum Child Weight	18 Kilograms
Forward-facing Minimum Child Weight	9 Kilograms
Forward-facing Maximum Child Weight	18 Kilograms
Harness Type	5-Point
Product Dimensions (LxWxH)	49.2 x 61.6 x 42 cm
Item Weight	6.4 kg
Manufacturer Recommended Age	0 - 4 years
Installation Type	Installs with a vehicle's 3-point seat belt

PRODUCT DIMENSION/SPECIFICATIONS



Product Weight:
12.1 kg

Usage:
birth to 15 kg

Image 8.1: Product dimensions and specifications. This image provides a visual representation of the car seat's measurements (length, width, height) and confirms its weight and usage range.







9. WARRANTY AND SUPPORT

Your Joie Tilt Car Seat comes with a **24 Months Warranty** from the date of purchase. Please retain your proof of purchase for warranty claims.

For warranty service, technical support, or any product-related inquiries, please contact your authorized Joie retailer or visit the official Joie website for customer service contact information.

Manufacturer: Joie

© 2023 Joie. All rights reserved.

 <p>Joie every stage™ fx child restraint</p> <p>ECE R44/04 Group 0+1/2/3, 0-36kg</p> <p>Read all the instructions in this manual before using the child restraint.</p>	<p>Joie Every Stage™ FX Child Restraint Manual - Installation & Safety Guide</p> <p>Comprehensive instruction manual for the Joie Every Stage™ FX child restraint system (ECE R44/04, Group 0+1/2/3, 0-36kg). Includes installation guides for Baby, Toddler, and Junior modes, safety warnings, maintenance instructions, and product information.</p>
 <p>Joie Steady™ R129 enhanced child restraint</p> <p>Child height: 40cm-105cm/ Child weight: 18kg</p> <p>Read all the instructions in this manual before using the child restraint.</p>	<p>Joie Steadi R129 Enhanced Child Restraint Instruction Manual</p> <p>Comprehensive instruction manual for the Joie Steadi R129 enhanced child restraint system, covering installation, usage, safety warnings, and maintenance. Suitable for children from 40cm to 105cm in height and up to 18kg in weight.</p>
 <p>Joie chili spin 360™ 360° spin child restraint</p> <p>Child height: 40cm-105cm/ Child weight: 18kg</p> <p>Read all the instructions in this manual before using the child restraint.</p>	<p>Joie chili spin 360™ Child Restraint Instruction Manual</p> <p>Comprehensive instruction manual for the Joie chili spin 360™ 360° spin child restraint. Learn about child requirements, installation using LATCH or vehicle belts, securing your child, and maintenance.</p>
 <p>Joie every stage™ R129 enhanced child restraint</p> <p>Child height: 40cm-145cm/ Child weight: 36kg</p> <p>Read all the instructions in this manual before using the child restraint.</p>	<p>Joie Every Stage R129 Enhanced Child Restraint Manual</p> <p>Comprehensive instruction manual for the Joie Every Stage R129 enhanced child restraint, detailing installation, usage, and safety guidelines for children from 40cm to 145cm in height.</p>
 <p>Joie signature i-Prodigi™ Pro enhanced child restraint</p> <p>Child height: 40cm-125cm/ Child weight: 32kg</p> <p>Read all the instructions in this manual before using the child restraint.</p>	<p>Joie i-Prodigi Pro Enhanced Child Restraint: Installation & User Manual</p> <p>Comprehensive guide for the Joie i-Prodigi Pro enhanced child restraint system, covering installation, safety features, and usage for children from 40cm to 125cm.</p>
 <p>Joie tilt™ child restraint</p> <p>0-18kg (0-4 years)</p> <p>Read all the instructions in this manual before using the child restraint.</p>	<p>Joie Tilt Child Restraint: Installation and User Manual</p> <p>Comprehensive instruction manual for the Joie Tilt child restraint, covering installation, usage, safety guidelines, and maintenance for children weighing 0-18kg (approximately 4 years old or under). Includes detailed steps for rearward and forward facing installation.</p>

