

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Moen](#) /
- › [Moen Genta LX Bathroom Sink Faucet Instruction Manual](#)

Moen T6708BN

Moen Genta LX Bathroom Sink Faucet Instruction Manual

Model: T6708BN | Brand: Moen

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Genta LX Brushed Nickel Two-Handle Three-Hole Widespread Modern Bathroom Sink Faucet. Designed for contemporary and transitional spaces, this faucet offers precise control over water temperature and flow, combining elegant design with durable performance. Please read this manual thoroughly before beginning installation or operation.



Figure 1: Moen Genta LX Brushed Nickel Two-Handle Three-Hole Widespread Modern Bathroom Sink Faucet.

KEY FEATURES

- **Durable Construction:** Built with durable metal materials for long-term reliability and sturdiness.

- **Brushed Nickel Finish:** Provides a lightly brushed warm-grey metallic look that resists corrosion, tarnishing, and flaking.
- **WaterSense Certified:** Meets EPA WaterSense criteria, conserving water without sacrificing performance with a maximum flow rate of 1.2 gallons per minute.
- **Easy Installation:** Designed for 3-hole widespread configurations (8"–16" centers) for simplified setup.
- **ADA Compliant:** Complies with Americans with Disabilities Act (ADA) specifications for accessibility.
- **Two-Handle Lever Design:** Offers precise control over water temperature and flow.

COMPONENTS INCLUDED

The following components are included with your Moen Genta LX Faucet trim kit:

- Bathroom Faucet trim kit
- Drain assembly
- Instruction Manual (this document)

Note: The Moen 9000 valve is required for complete installation and is sold separately.



Figure 2: Illustration of faucet components, highlighting the separately sold valve.


SETUP AND INSTALLATION

For detailed step-by-step installation instructions, please refer to the official Installation Manual PDF provided by Moen. A digital copy can be accessed via this link: [Moen Genta LX Installation Manual \(PDF\)](#).

This faucet is designed for a 3-hole widespread sink configuration. Ensure your sink has the appropriate drilling before proceeding with installation.

Will this faucet fit my sink?

This faucet fits a three hole configuration.



MOEN®

Figure 3: This faucet is compatible with a three-hole sink configuration.

The faucet features a deck-mounted installation type. The maximum deck thickness supported is 1.25 inches. Supply lines are not included and must be purchased separately. The connection size is 1/2 inch.

Spout Reach
4.75"



Height
5.50"

Maximum Deck Thickness - 1.25"

Drain Included
Supply Lines Not Included

Connection Size - 1/2"

3 Hole Installation

Required Valve Sold Separately - 9000

Figure 4: Key dimensions and installation details for the Moen Genta LX Faucet.

OPERATING INSTRUCTIONS

Your Moen Genta LX faucet features two lever handles for controlling water flow and temperature. The left handle typically controls hot water, and the right handle controls cold water. By adjusting both handles, you can achieve your desired water temperature and flow rate.

The faucet is WaterSense certified, ensuring efficient water usage without compromising performance. The maximum flow rate is 1.2 gallons per minute (GPM).




Figure 5: The Moen Genta LX faucet in operation, demonstrating water flow.




Figure 6: Moen Genta LX is certified to meet U.S. Water Safety Standards and WaterSense criteria.

MAINTENANCE AND CARE

To maintain the beautiful finish and optimal performance of your Moen Genta LX faucet, follow these care guidelines:

- **Cleaning:** Clean regularly with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- **LifeShine® Finish:** The Brushed Nickel finish is designed to resist corrosion, tarnishing, and flaking, ensuring long-lasting beauty.
- **Water Spots:** To prevent water spots, wipe the faucet dry after each use.

TROUBLESHOOTING

If you experience issues with your Moen Genta LX faucet, consider the following common troubleshooting steps:

- **Low Water Flow:** Check if the aerator is clogged. Unscrew the aerator from the spout and clean any debris. Ensure water supply valves are fully open.

- **Leaking:** A persistent drip or leak may indicate an issue with the valve cartridge. Refer to the installation manual for instructions on replacing the cartridge (Moen 9000 valve).
- **Temperature Issues:** If water temperature is inconsistent or not as expected, verify that both hot and cold water supply lines are properly connected and fully open.

For more complex issues or if troubleshooting steps do not resolve the problem, please contact Moen Customer Support or consult a qualified plumber.

SPECIFICATIONS







Specification	Detail
Brand	Moen
Model Name	Genta LX
Model Number	T6708BN
Finish Type	Brushed Nickel
Material	Metal
Number of Handles	2
Hole Count	3
Installation Type	Deck Mounted
Maximum Flow Rate	1.2 Gallons Per Minute
Spout Height	4.5 Inches
Spout Reach	5.04 Inches
Item Weight	4.8 Pounds
Special Feature	WATERSENSE CERTIFIED

WARRANTY AND SUPPORT

Your Moen Genta LX faucet is backed by Moen's Limited Lifetime Warranty, providing peace of mind regarding the quality and durability of your product. For specific warranty details, claims, or additional support, please visit the official Moen website or contact their customer service.

You can find more information and support on the official Moen store page:[Visit the Moen Store](#).

Related Documents - T6708BN

 <p>MOEN Illustrated Parts Ronan™ One-Handle Lavatory Faucet Model 84021BL, 84021SRN</p>	<p>Moen Ronan One-Handle Lavatory Faucet Illustrated Parts List & Specifications</p> <p>Detailed illustrated parts list for the Moen Ronan One-Handle Lavatory Faucet (Models 84021BL, 84021SRN). Find part numbers, descriptions, and finishes for your Moen faucet.</p>
 <p>MOEN Illustrated Parts Genta™ Two-Handle Widespread Lavatory Faucet Model Series 84763</p>	<p>Moen Genta Two-Handle Widespread Lavatory Faucet Illustrated Parts</p> <p>Illustrated parts list and ordering information for the Moen Genta Two-Handle Widespread Lavatory Faucet, model series 84763. Find kit numbers and available finishes for all faucet components.</p>
 <p>MOEN TWO-HANDLE WIDESPREAD LAVATORY FAUCET LLAVE DE LAVADO DE DOS MANIJAS ROBINET DE LAVABO A DOS PUNTERAS Model INS12069</p>	<p>Moen Two-Handle Widespread Lavatory Faucet Installation Guide</p> <p>Detailed installation instructions and parts list for the Moen Two-Handle Widespread Lavatory Faucet (Model INS12069). Includes step-by-step guidance, tool recommendations, and warranty information.</p>
 <p>MOEN TWO-HANDLE WIDESPREAD LAVATORY FAUCET LLAVE DE LAVADO DE DOS MANIJAS ROBINET DE LAVABO A DOS PUNTERAS Model INS12070</p>	<p>Moen INS12070 Two-Handle Widespread Lavatory Faucet Installation Guide</p> <p>Step-by-step installation guide for the Moen INS12070 Two-Handle Widespread Lavatory Faucet, featuring diagrams, parts list, and helpful tips for a successful setup. Visit moen.com for support.</p>
 <p>MOEN TWO-HANDLE WIDESPREAD LAVATORY FAUCET LLAVE DE LAVADO DE DOS MANIJAS ROBINET DE LAVABO A DOS PUNTERAS Model INS12069</p>	<p>Moen Two-Handle Widespread Lavatory Faucet Installation Guide</p> <p>Comprehensive installation instructions and parts list for the Moen Two-Handle Widespread Lavatory Faucet (Model INS12069). Includes step-by-step guidance, helpful tools, and warranty information.</p>
 <p>MOEN Illustrated Parts Halle™ 4-inch Lavatory Faucet Model 84971SRN</p>	<p>Moen Halle 4" Lavatory Faucet Illustrated Parts List</p> <p>Illustrated parts list for the Moen Halle 4-inch lavatory faucet (Model 84971SRN), detailing components, part numbers, and assembly options for ordering and installation.</p>