

Tascam DR-40X

TASCAM DR-40X 4-Track Portable Handheld Field Recorder User Manual

Model: DR-40X

1. PRODUCT OVERVIEW

The TASCAM DR-40X is a versatile 4-track portable handheld field recorder designed for high-quality audio capture in various applications, including music recording, audio for video, and podcasting. It combines robust features with an intuitive interface, making it suitable for both beginners and experienced users.

Key Features:

- High-quality unidirectional stereo condenser microphones that can record in A-B and X-Y positions.
- XLR/TRS inputs compatible with +4dBu line level and +48V phantom power.
- 4-channel mode for dual recording and nondestructive overdub recording.
- Functions as a 2-in/2-out USB Audio Interface for Mac, PC, or iOS recording.





Figure 1.1: Front view of the TASCAM DR-40X, showing the adjustable microphones, display, and control buttons.

2. SETUP

2.1 Powering the Device

The DR-40X operates on three AAA batteries. Insert the batteries into the compartment located on the rear of the unit, ensuring correct polarity. The device can also be powered via a micro USB cable connected to a computer or a USB power adapter.

2.2 Inserting a Memory Card

The DR-40X records to SD/SDHC/SDXC memory cards (up to 128GB). Locate the SD card slot on the side of the unit. Insert the memory card until it clicks into place. To remove, push the card in slightly until it springs out.

2.3 Initial Power On and Basic Settings

Press and hold the power button to turn on the DR-40X. Upon first use, you may be prompted to set the date, time, and language. Navigate through the menus using the directional pad and confirm selections with the ENTER/MARK button.



Figure 2.1: Overview of DR-40X components including adjustable microphones, display, and input jacks.

3. OPERATING INSTRUCTIONS

3.1 Recording Audio


To begin recording, ensure a memory card is inserted and the device is powered on. Adjust the input level using the + and - buttons to prevent clipping (distortion). Press the **RECORD** button once to arm recording (standby mode), and press it again to start recording.

3.1.1 Using Built-in Microphones

The DR-40X features adjustable stereo condenser microphones. They can be configured in two positions:

- **A-B Position:** For a wider stereo image, suitable for ambient recordings.
- **X-Y Position:** For a tighter, more focused stereo image, ideal for capturing specific sound sources.

Gently pivot the microphone capsules to switch between these configurations.



Capture whispers to screams.

Adjustable unidirectional condenser microphones for recording in an X/Y pattern for **tight stereo imaging** or in an A/B pattern for a more **ambient recording** with **up to 125dB SPL to capture every detail.**

Figure 3.1: Demonstrating the portability and adjustable microphone positions of the DR-40X.

3.1.2 Connecting External Microphones

The unit is equipped with dual XLR/TRS combo jacks at the bottom. These inputs support both mic-level and +4dBu line-level signals. For condenser microphones requiring power, enable +48V phantom power through the menu settings.



Professional I/O for live capture.

Dual **Neutrik XLR/TRS combo jacks** support both mic-level and +4dBu line-level. The mic preamps includes +48V phantom power for detailed recordings using condenser and electret type mics.

Figure 3.2: The DR-40X connected to an external mixer, showcasing its XLR/TRS input capabilities.

3.1.3 4-Channel Recording Mode

The DR-40X can record up to four tracks simultaneously. This allows for recording the built-in microphones along with two external inputs, or two stereo pairs. Access the 4CH mode via the dedicated button on the front panel.



4-track recording mode.

With the **4CH Mode** it can **record two different stereo feeds simultaneously** from a flexible combination of sources. Use the built-in mics with a pair of external mics or with a balanced line input.

Figure 3.3: The DR-40X configured for 4-channel recording, utilizing both internal and external inputs.

3.2 Playback

To play back recorded files, press the **PLAY** button. Use the navigation buttons to select the desired file. Adjust playback volume using the + and - buttons. Connect headphones to the 3.5mm stereo mini jack for monitoring.

3.3 USB Audio Interface Functionality

The DR-40X can function as a 2-in/2-out USB audio interface. Connect the unit to your computer (Mac/PC) or iOS device using a USB cable. Select the DR-40X as your audio input/output device in your recording software or system settings. This allows for direct recording to your computer or using the DR-40X's microphones for live streaming or podcasting.



Turn your room into a **studio**.

With a **studio-quality 2-IN/2-OUT USB audio interface**, it is made perfect for live streaming, podcasting, and digital audio workstations. Built-in mics operate as USB mics without complicated settings.

Figure 3.4: The DR-40X connected to a laptop, demonstrating its use as a USB audio interface.

4. MAINTENANCE

To ensure the longevity and optimal performance of your TASCAM DR-40X, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the unit. Avoid using abrasive cleaners or solvents. For the display, use a microfiber cloth.
- **Storage:** Store the recorder in a cool, dry place away from direct sunlight, extreme temperatures, and high humidity. If storing for extended periods, remove the batteries to prevent leakage.
- **Handling:** Handle the unit with care. Avoid dropping it or subjecting it to strong impacts, which can damage internal components or the sensitive microphones.
- **Microphone Protection:** When not in use, consider using a windscreen or protective cover for the built-in microphones to shield them from dust and physical damage.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your DR-40X. If the problem persists, refer to the full user manual or contact Tascam support.

Problem	Possible Cause	Solution
Unit does not power on.	Dead or incorrectly inserted batteries; power cable issue.	Replace batteries, ensure correct polarity. Check USB cable connection if using external power.
No sound during recording or playback.	Input/output levels too low; incorrect microphone connection; headphone issue.	Increase input/output levels. Ensure microphones are properly connected. Check headphones.
Recording distorted or too quiet.	Input level too high (clipping) or too low.	Adjust input level using the + and - buttons to an appropriate level (monitor meters).
Memory card error.	Card not inserted correctly; incompatible card; corrupted card.	Reinsert card. Ensure it's SD/SDHC/SDXC. Try formatting the card (this will erase data).
Unit freezes or becomes unresponsive.	Software glitch.	Remove batteries for a few seconds, then reinsert and power on.

6. SPECIFICATIONS

Detailed technical specifications for the TASCAM DR-40X:

Feature	Detail
Item Weight	7.4 ounces
Product Dimensions	2.76 x 1.38 x 6.1 inches
Item Model Number	DR-40X
Batteries	3 AAA batteries required (included)
Color Name	Black
Compatible Devices	Personal Computer
Connector Type	XLR/TRS
Hardware Interface	USB 2.0
Supported Software	Ableton Live, Logic Pro, Pro Tools, Reaper, GarageBand, ASIO drivers for Windows, and Core Audio drivers for Mac
Battery Type	Alkaline
Operating System	Windows


Feature	Detail
Wattage	2.5 watts
Connectivity Technology	USB
Number of Channels	4

7. WARRANTY AND SUPPORT

For detailed warranty information and technical support, please refer to the official Tascam website or the comprehensive user manual PDF. The full user manual provides in-depth instructions and advanced features not covered in this summary. **Official User Manual (PDF):** [Click here to download](#)

Related Documents

	Tascam Pocket Guide: Full Product Range 2019 Explore the comprehensive Tascam product range for 2019, featuring high-quality audio recorders, interfaces, and accessories. Discover detailed specifications and features for models like the DR-44WL, DR-22WL, DR-40X, DR-07X, DR-05X, DR-100 MKIII, DR-680 MKII, DR-10X, and DR-10C.
	TASCAM DR-22WL Handheld Recorder with Wi-Fi - Features and Specifications Explore the TASCAM DR-22WL, a versatile handheld recorder with Wi-Fi functionality, X-Y stereo microphones, and an intuitive interface. Learn about its remote operation, high-quality audio recording, music creation features, and specifications.
	TASCAM US-200 USB Audio/MIDI Interface: Owner's Manual & Guide Comprehensive guide to the TASCAM US-200 USB 2.0 Audio/MIDI Interface, covering features, installation, connections, application setup, and troubleshooting for musicians and producers.



TASCAM
TEAC Professional Division
34B
4-Track Recorder/Reproducer
OPERATION, MAINTENANCE

[TASCAM 34B 4-Track Recorder/Reproducer Operation and Maintenance Manual](#)

Comprehensive operation and maintenance manual for the TASCAM 34B 4-Track Recorder/Reproducer, detailing features, setup, operation, troubleshooting, and specifications.

Documents - Tascam – DR-40X



TASCAM
DR-40X
Linear PCM Recorder
Hi-Res Audio
0522-MA-2735C

[\[pdf\] User Manual Owner's Manual](#)

DR 40X OWNER S MANUAL TASCAM Owner s Manual United States 71 dr 40x om vc b6 tascam products |||

DR-40X Linear PCM Recorder 0522.MA-2735C D01345700C OWNER S MANUAL ENGLISH MODE D EMPLOI FRANCAIS MANUAL DEL USUARIO ESPAOL BEDIENUNGSANLEITUNG DEUTSCH MANUALE DI ISTRUZIONI ITALIANO RUSSIAN TASCAM is a trademark of TEAC CORPORATION, registered in the U.S. and other countries. SDXC Logo is a...

lang:en **score:46** filesize: 5.05 M page_count: 112 document date: 2022-05-25




TASCAM
DR-40X
Gravador Linear PCM
MANUAL DE REFERÊNCIA
Hi-Res Audio
D01354076D

[\[pdf\] User Manual](#)

DR 40X MANUAL DE REFERÊNCIA TASCAM pt dr 40x rm vd tascam jp products |||

DR-40X Gravador Linear PCM MANUAL DE REFERNCIA D01354076D ndice 1 Introduo.....4 Caracterstias..... 4 Convenes usadas nesse manual.....

lang:es **score:44** filesize: 1.83 M page_count: 80 document date: 2020-03-03



TASCAM
DR-40X
Linear PCM Recorder
Hi-Res Audio
0320-MA-2735B

[\[pdf\] User Manual](#)

Инструкция Tascam DR 40X в Рекордер аренду Москве Rentaphoto tascam dr 40x manual rentaphoto ru upload iblock 377 yo26prnxgucjb0tuvmpb7oqu6f1fjp94 |||

DR-40X Linear PCM Recorder 0320.MA-2735B D01345700B B 15 b . . c . . d . / . , TEAC CORPORATION ,

lang:i-klngon **score:43** filesize: 1007.94 K page_count: 18 document date: 2021-11-22




[\[pdf\]](#) User Manual

DR 40X MANUAL DE REFERENCIA TASCAM Dr 40x Manual De Referencia Tascam 5 1 Introducción
Acerca de este manual En utilizamos los siguientes convencionalismos i Cuando hagamos referencia a
un botón conector o control s dr rm vd tascam products |||

DR-40X Grabadora PCM lineal MANUAL DE REFERENCIA D01354083D ndice 1
Introduccin.....4
Caractersticas..... 4 Acerca de
este manual.....

lang:es score:42 filesize: 1.81 M page_count: 80 document date: 2020-03-03




[\[pdf\]](#) User Manual Owner's Manual

DR 40X OWNER S MANUAL TASCAM 4 USB 7l dr 40x om vc b6 tascam jp
products |||

DR-40X Linear PCM Recorder 0522.MA-2735C D01345700C OWNER S MANUAL
ENGLISH MODE D EMPLOI FRANAIS MANUAL DEL USUARIO ESPAOL
BEDIENUNGSANLEITUNG DEUTSCH MANUALE DI ISTRUZIONI ITALIANO
RUSSIAN TASCAM is a trademark of TEAC CORPORATION, registered in the U.S.
and other countries. SDXC Logo is a...

lang:en score:40 filesize: 9.11 M page_count: 112 document date: 2022-05-25




[\[pdf\]](#) User Manual Owner's Manual

DR 40X OWNER S MANUAL TASCAM Owner s ManualDR 4 Channel Portable Handheld Field Recorder
With USB Interface United States7l dr 40x om vc b6tascam products tascam 7l b6 |||

DR-40X Linear PCM Recorder 0522.MA-2735C D01345700C OWNER S MANUAL
ENGLISH MODE D EMPLOI FRANAIS MANUAL DEL USUARIO ESPAOL
BEDIENUNGSANLEITUNG DEUTSCH MANUALE DI ISTRUZIONI ITALIANO
RUSSIAN TASCAM is a trademark of TEAC CORPORATION, registered in the U.S.
and other countries. SDXC Logo is a...

lang:en score:40 filesize: 5.05 M page_count: 112 document date: 2022-05-25




[\[pdf\]](#) User Manual Owner's Manual

DR 40X Owner s Manual TASCAM M E Mode d emploi Enregistreur Tascam Notice gratuite en Français
OM multi central manuels dictaphone tascam |||

DR-40X Linear PCM Recorder 1118.MA-2735A D01345700A OWNER S MANUAL
ENGLISH MODE D EMPLOI FRANAIS MANUAL DEL USUARIO ESPAOL
BEDIENUNGSANLEITUNG DEUTSCH MANUALE DI ISTRUZIONI ITALIANO
RUSSIAN TASCAM is a registered trademark of TEAC Corporation. SDXC Logo is a
trademark of SD-3C, LLC. MPEG L...

lang:en score:39 filesize: 5.03 M page_count: 112 document date: 2019-03-04



[\[pdf\]](#) User Manual

REFERENCE MANUAL TASCAM D01354020C manual limiter peak reduction auto level 0 Low cut filter on off status This shows whether the low is or e dr 40x rm vc tascam products 39210

DR40XReferenceManual fullcompass common files

DR-40X Linear PCM Recorder REFERENCE MANUAL D01354020C Table of Contents 1 Introduction.....4

Features..... 4 Conventions used in this ma...

lang:en **score:39** filesize: 1.75 M page_count: 80 document date: 2019-07-30



[\[pdf\]](#)

DR 40X MANUALE DI RIFERIMENTO TASCAM 4 1 Introduzione Caratteristiche i Registratore audio compatto che utilizza card SD SDHC SDXC come supporto di registrazione dr 40x rm vd tascam products |||

DR-40X Registratore PCM lineare MANUALE DI RIFERIMENTO D01354082D Indice 1 - Introduzione.....4

Caratteristiche..... 4 Convenzioni utilizzate in questo...

lang:it **score:39** filesize: 1.85 M page_count: 80 document date: 2020-03-03


[\[pdf\]](#) User Manual Owner's Manual

DR 40X Owner s Manual TASCAM tascam products dr 40x 71 om vb Tascam Europe 1 май 2010

Thank you very much for purchasing the Linear PCM Recorder Before using this unit read owner manual carefully so 3 IMPORTANT SAFETY PRECAUTIONS INFORMATION TO THE USER This equipment has been tested and found to comply with limits a Class B digital device pursuant Part 15 of FCC Rules These are designed provide reasonable protection against harmful instruction may cause interference radio communications However there is no guarantee that will not occur in particular instal lation If does or television reception which can be deter mined by turning off on user OM multi RevB Owners eu en docs soundpro content product documents

DR-40X Linear PCM Recorder 0320.MA-2735B D01345700B OWNER S MANUAL ENGLISH MODE D EMPLOI FRANAIS MANUAL DEL USUARIO ESPAOL BEDIENUNGSANLEITUNG DEUTSCH MANUALE DI ISTRUZIONI ITALIANO RUSSIAN TASCAM is a registered trademark of TEAC Corporation. SDXC Logo is a trademark of SD-3C, LLC. MPEG L...

lang:en score:38 filesize: 5.04 M page_count: 112 document date: 2020-03-11




[\[pdf\]](#) User Manual

DR 40X REFERENCE MANUAL TASCAM User ManualTASCAM Track Digital Audio Handheld Recorder with Condenser Microphones and USB InterfaceUpload Y5 DR40X UserManualcdn adiglobaldistribution us pim Original 10056 Upload UserManual Reference ManualUser ManualDR 4 Channel Portable Field With Interface United StatesTASCAM Interfacee dr 40x rm vdUpload UserManualtascam products tascam e vdcn ||| ||| DR-40X Linear PCM Recorder REFERENCE MANUAL D01354020D Table of Contents 1 Introduction .4 Features . 4 Conventions used in this manual 4 Trademarks and copyrights . 5 About SD cards . 5 Precautions for use . 5 2 Names and Functions of Part

DR-40X Linear PCM Recorder REFERENCE MANUAL D01354020D Table of Contents 1 Introduction.....4 Features..... 4 Conventions used in this ma...

lang:en score:37 filesize: 1.81 M page_count: 80 document date: 2020-03-03





[\[pdf\]](#)

Tascam DR 40X РУКОВОДСТВО ПО ЭКСПЛУАТАЦИИ Jochen Dornheim for TEAC Corporation ru dr 40x rm vd tascam products |||

DR-40X PCM D01354084D 14
..... 4
..... 4 5 ...

lang:i-klngon score:35 filesize: 1.87 M page_count: 80 document date: 2020-03-03






[\[pdf\]](#) User Manual

DR 40X REFERENCE MANUAL TASCAM 2 Table of Contents 1 Introduction 4 Features 1694 file dj
store ru data files Conventions used in this manual limiter peak reduction auto level 0 Low cut filter on off
status This shows whether the low is or 451398 d1aeri3ty3izns cloudfront net media 45

DR-40X Linear PCM Recorder REFERENCE MANUAL D01354020A Table of
Contents 1 Introduction.....4

Features..... 4 Conventions
used in this ma...

lang:en **score:35** filesize: 1.78 M page_count: 80 document date: 2019-01-21



[\[pdf\]](#)

DR 40X MANUEL DE RÉFÉRENCE TASCAM f dr 40x rm vd tascam jp products |||

DR-40X Enregistreur PCM linaire MANUEL DE RFRENCE D01354081D Table des
matires 1 Introduction.....4

Caractristiques..... 4 Conventions
employes dans ce m...

lang:fr **score:35** filesize: 1.84 M page_count: 80 document date: 2020-03-03



[\[pdf\]](#) Guide Catalog

System Design Guide tascam system design guide en fbclid lwAR1S3U0xs

TxTT6FLnVQ3O5x1RHllvqdNm4NDfZOWQLvQF92XpumpriELlc catalogs english |||

2023.6 System Design Guide for Audio Installation Integrator Concepts, Systems, and
Solutions Confe ... llister Captures Farm Aid with TASCAM DA-6400 TASCAM Plays
an Integral Role in Third DR-10L 17 **DR-40X** Eye Blind Production Model 24 The
TASCAM VS-R265 4K/UHD Streamer/ 18 Recorder Helps Del ...

lang:en **score:35** filesize: 5.42 M page_count: 52 document date: 2023-08-15




[pdf]

c dr 40x om vf tascam products |||

DR-40X : 2020 9 : GB8898, GB13837, GB17625.1 D01345754F5
.....68 1
.....8 9

lang:sw **score:34** filesize: 2.3 M page_count: 0 document date: 0000-00-00




[pdf] User Manual

DR 40X REFERENCE MANUAL TASCAM Tascam 6 2 Names and Functions of Parts Top panel 1 Built in stereo microphone This is a pair unidirectional electret condenser mics You can set the microphones to open A B or closed i Mid side decoding function be used with MS Recording up four channels simultaneously possible 44 48 96 kHz 16 24 bit linear PCM WAV Manually adjusting input level LIMITER prevents distortion when signals that are too loud suddenly also suited for recording live e dr 40x rm vd RM RevD tascam products eu en docs

DR-40X Linear PCM Recorder REFERENCE MANUAL D01354020D Table of Contents 1 Introduction4

Features..... 4 Conventions used in this man...

lang:en **score:34** filesize: 1.81 M page_count: 80 document date: 2020-03-03



[pdf] Installation Guide

DR 05X 07X 40X TASCAM tascam dr 40x trovaprezzi it manuali |||

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per Tascam **DR-40X** o cerca il tuo prodotto tra le migliori offerte di Personal Audio e Hi-Fi DR-05X / DR-07X / **DR-40X** Overview To use a DR-05X, DR-07X or **DR-40X** as a USB audio interface with a Windows computer, dedicate...

lang:en **score:34** filesize: 263.9 K page_count: 3 document date: 2019-01-29

TASCAM's DR-40X used by Podcaster Gilbert "Catfish" Mares

Thursday, 30 March 2023 10:26

TASCAM's DR-40X used by Gilbert Mares



For Gilbert "Catfish" Mares, Host, Producer, and Promoter of The Catbluz Radio Hour, the process of capturing interviews is central to everything that takes place on the radio show. Each week, Catfish hosts interview guests that share songs from their latest album release along with influential songs that have played a key role in their careers. The ability to capture interviews and work with the audio files is central to everything Catfish does, and to ensure the best possible audio quality with the ability to easily move the files about as necessary, he relies on his DR-40X 4-Track Digital Audio Recorder and USB Audio Interface from TASCAM.

Catfish graduated from Cal State Northridge with a Bachelor's degree in radio, TV, and film. Prior to hosting his own show, he worked for seven years in the LA radio market and gained a wealth of experience. His Catbluz Radio Hour show takes place on Tuesday evenings at 7 PM and past episodes are archived online. Catfish purchased his DR-40X 2 years ago and since that time, the versatile recorder has been central to his work. He discussed his experience with the DR-40X.

"As a 4 track recorder, the DR-40X provides all the versatility I need when capturing interviews," Catfish explained. "I use it to pre-record all my phone interviews - while always keeping my voice on a separate channel. Once the interview is captured, I upload it to Adobe Audition and prepare the interview for broadcast. By capturing

1 / 1

Recall 005

[pdf]

TASCAM s DR 40X used by Podcaster Gilbert Catfish Mares proaudio de en news recording 27756
tascams dr 40x podcaster gilbert catfish mares tpl component |||

TASCAM s **DR-40X** used by Podcaster Gilbert Catfish Mares Thursday, 30 March 2023 10:26 TASCAM s **DR-40X** used by Gilbert Mares For Gilbert Catfish Mares, Host, Producer, and Promoter of The Catbluz Radio Hour, the process of capturing interviews is central to everything that takes place on the rad...

lang:en score:33 filesize: 451.89 K page_count: 2 document date: 2023-11-30

TASCAM

DR-40X

Linear-PCM-Recorder



Referenzhandbuch

[pdf]

Referenzhandbuch für Tascam DR 40X Revision D Jochen Dornheim TEAC Corporation Europe GmbH g
dr 40x rm vd tascam products |||

D01354080D **DR-40X** Linear-PCM-Recorder Referenzhandbuch Inhaltsverzeichnis 1
Einführung..... 5 Hinweise zur Benutzung
dieses Handbuchs.....5 Informationen zum Markenrecht und
urheberrechtliche Hinweise.....

lang:de score:33 filesize: 1.88 M page_count: 72 document date: 2020-03-03

TASCAM

DR-40X

Linear PCM Recorder

REFERENCE MANUAL



Hi-Res AUDIO

[pdf] User Manual

DR 40X REFERENCE MANUAL TASCAM i High performance directional stereo mics can be adjusted enabling both A B and X Y recording Can record with different types of sound depending on the angle microphones Closed clear less phase difference Open wide Mid side decoding function used MS e dr 40x rm vb tascam products Conventions in this manual The following conventions are When we refer to a button or connector control typeface looks like MENU show messages for example that appears unit s display REPEAT Manually adjusting input level LIMITER This prevents distortion when signals too loud suddenly is also suited live 861bf062 43c2 4be1 a487 0abae72a58a1 files bbystatic 9B9OhCTj8Oe8BO 3TmJrSw 577213 bhphotovideo lit

DR-40X Linear PCM Recorder REFERENCE MANUAL D01354020B Table of Contents 1 Introduction.....4

Features..... 4 Conventions used in this ma...

lang:en score:33 filesize: 1.81 M page_count: 80 document date: 2019-02-08

The TASCAM Model 12 and DR-40X Keep the Creative Juices Flowing for Spencer Lere
Wednesday, 18 January 2023 18:05

TASCAM Model 12 and DR-40X used by Spencer Lere



For most musicians, flexibility is the key to working steadily. Such is the case for Spencer Lere, whose activities span the full gamut from performing musician to recording engineer to technician and more. The ability to handle these various tasks requires both musical and technical proficiency and, on the technical side of matters, Lere relies on his TASCAM Model 12 Integrated Production Suite and DR-40X 4-track portable recorder to keep the creative juices flowing.

As a professional musician, Lere works with several artists as a drummer for studio, live, and touring projects. Some of these bands include the pop rock artists Bleached featuring sisters Jennifer and Jessica Clavin; formerly of Mila Miles; Low Hum; Dengue Fever; Pablo Dylan; Haunted Summer, and others. In addition to his playing/performing work, Lere is also the drum tech for the punk rock act The Linda Lindas. When he is not performing or working as a drum tech, he engineers music for many of these same artists. Regardless of the musical endeavor, his TASCAM Model 12 and DR-40X are consistently part of the musical equation.

*The Model 12 is currently set up in my lockout studio (shared rehearsal space) and

[pdf]

The TASCAM Model 12 and DR 40X Keep the Creative Juices Flowing for Spencer Lere proaudio de en news recording 27417 tascam model dr 40x keep creative juices flowing spencer lere tmpl component |||

The TASCAM Model 12 and **DR-40X** Keep the Creative Juices Flowing for Spencer Lere Wednesday, 18 January 2023 18:05 TASCAM Model 12 and **DR-40X** used by Spencer Lere For most musicians, flexibility is the key to working steadily. Such is the case for Spencer Lere, whose activities span the full gamut f...

lang:en score:32 filesize: 532.33 K page_count: 3 document date: 2023-01-24

TASCAM.

TASCAM/IK Multimedia
Free T-RackS Porta One Giveaway Instructions

Create an account or login to TASCAM ID:
<https://tascamid.tascam.com/en/customer/account/?page=login>

TASCAM ID

Login TASCAM ID and register your products

Please select your country / region:

Login TASCAM ID

Don't have an account?

Register a qualifying TASCAM product. Include serial number.
See qualifying products in the Promotional Rules section at the bottom of the next page:
<https://tascam.com/en/customer/account/products>

TASCAM ID

Register Products

Please, enter product details:

[pdf] Instructions

11 2023 IK Media Promo Instructions v2 TASCAM Multimedia Free T RackS Porta One Giveaway

Instructionstascam âª porta one 202311 tascam campaign |||

TASCAM/IK Multimedia Free T-RackS Porta One Giveaway Instructions Create an account or login to TASC ... the EU including UK, Norway, Switzerland, Iceland are limited ONLY to: DR-05X DR-07X DR-100MKIII **DR-40X** Mixcast 4 Model 12 Model 16 Model 24 Portacapture X6 Portacapture X8 SERIES 102i SERIES 208...

lang:en score:32 filesize: 1.14 M page_count: 3 document date: 2023-11-08

TASCAM.

2024.1

System Design Guide
for Audio Installation

Dante

Integrator Concepts, Systems, and Solutions

[pdf] Guide

System Design Guide Tascam for Audio Installation store2 baionline images tas |||

2024.1 System Design Guide for Audio Installation Integrator Concepts, Systems, and Solutions Confe ... m Aid with TASCAM DA-6400 17 TASCAM Plays an Integral Role in Third Eye Blind Production DR-10L **DR-40X** Model 24 TASCAM Announces the TASCAM Tommy 18 Bolan Recording and Guitar Gear Giveaway M...

lang:en score:32 filesize: 6.76 M page_count: 48 document date: 2023-12-28




[pdf] Guide

Tascam Pocket Guide Full Product Range 2023 Jochen Dornheim for TEAC Europe GmbH PG2024 1
tascam eu en docs |||

POCKET GUIDE Full Product Range 2024 2024, Issue 1 Tascam is a trademark of
TEAC Corporation, regi ... captureX8 4 Portacapture X6
..... 5 **DR-40X** 6 DR-07X

lang:en score:32 filesize: 4.19 M page_count: 76 document date: 2024-01-05



[pdf] Installation Guide Instructions

DR 05X 07X 40X TASCAM Tascam 10 Windows 8 1 7 2 Select X Series x xx from the list and double
click it 3 Then follow instructions that appear on screen e dr asio driver install om vb ASIO Driver Install
RevB tascam products 05x eu sw 07x 40x

DR-05X / DR-07X / **DR-40X** Overview To use a DR-05X, DR-07X or **DR-40X** as a
USB audio interface with a Windows computer, dedicated software must be installed
on the computer. Download the latest software from the TEAC Global Site <http://teac-global.com/> . Installing the dedicated software will insta...

lang:en score:31 filesize: 226.07 K page_count: 3 document date: 2019-01-29



[pdf]

J DR 40X RM RevC TASCAM 4 tascam dr 40x 1 0 sd sdhc sdxs j rm vc
products |||

D01354001C **DR-40X** Linear PCM Recorder


1 4
..... 4
..... 4

lang:i-klngon score:31 filesize: 2.05 M page_count: 82 document date: 2020-03-03



[pdf] User Manual Catalog

PCM 202005 2020 05 TASCAM Wi Fi EASY LOUD MUSIC INSTRUMENT
 INTERVIEW MANUAL d7373 catalog dr hanadheld 20200421 tascam catalogs
 PCM 2020.05 DR-05 VER3 DR-05X DR-07X **DR-40X** DR-100MK DR-07X 64#
 USBPCM X-Y A-B X-Y A-B DR- 05X REVERB EFFECT 3 2 USBAC PS -P520E1.7W
 6 1 1 4 1 2 6 m m 165g/119g/ VSA 96 kHz bit 24 DR-07X A-B/X-Y REVERB EFFECT
 32 USBAC PS-P5...
 lang:i-klinton **score:28** filesize: 4.75 M page_count: 7 document date: 2020-04-27




[pdf] Installation Guide

DR X ASIO Driver Install OM J RevA TASCAM Dr 05x 07x 40x Tascam tascam dr 1 windows dr
 05x dr-07x dr-40x usb j x asio driver install om va products |||
 DR-05X / DR- 07X /**DR-40X** Windows DR-05X DR-07X **DR-40X**USB
 TASCAMhttps://tascam. jp/jp/ DR-X Series ii iiMacOS 00TASCAM
 00MicrosoftWindowsWindows Vista Windows Media Microsoft Corporation
 00AppleMacMac OSmacOSiPadiPod touch LightningApp Store iTunes Apple Inc.
 00ASIO Steinbe...
 lang:it **score:27** filesize: 358.95 K page_count: 3 document date: 2019-01-17



[pdf] Guide

pocket guide 2024 TR ai altan radikaltr Portacapture X8 DR 05X 07X 40X 100MKIII 22WL 44WL Test
 edilmiş Tascam Cihazları 10L 10CS 05 07MKII DR tascam cep rehberi tr images markalar |||
 CEP REHBER TASCAM Tm rnlr 2024 Tascam, ABD ve dier lkelerde tescilli bir
 TEAC Corporation markasi ... ture X8 4 Portacapture
 X6..... 5 **DR-40X** 6 DR-
 07X.....
 lang:it **score:27** filesize: 3.56 M page_count: 76 document date: 2025-04-14



[\[pdf\]](#)

Dostálová Karolína Praha Music Center TASCAM DR 40X Diktář NÁvod 2 78 MB Tascam diktář

Nay sk 2968183 cdn nay images orig 3 |||


TASCAM **DR-40X** Linerný rekordr PCM NVOD NA POUZITIE 1 DLEZIT

BEZPECNOSTN POKYNY 1 Prečtajte si tieto pokyny. 2 Podržujte tieto pokyny. 3

Vezmite na vedomie všetky upozornenia. 4 Postupujte podľa všetkých pokynov. 5

Nepoužívajte toto zariadenie v blízkosti vody 6 Čistite iba suchou handričkou...

lang:hr score:27 filesize: 2.78 M page_count: 107 document date: 2023-08-22



[\[pdf\]](#) Declaration of Conformity

Dostálová Karolína Praha Music Center TASCAM DR 40X CZ Návod k použití 2 39 MB Diktafon Tascam

černý KASA cz doc 5813250 kasa document 0 5 |||

TASCAM **DR-40X** Linern PCM Rekordr NVOD K POUZIT 1 DLEZIT BEZPECNOSTN

POKYNY 1 Čte tyto instrukce. 2 Uchovejte tyto instrukce. 3 Dbejte všech varovn. 4

Dodržujte všechny instrukce. 5 Nepoužívejte tento přístroj v blízkosti vody 6 Čistěte pouze

suchou ltkou. 7 Nezakrývejte zdn z ventilacních ...

lang:hr score:27 filesize: 2.39 M page_count: 107 document date: 2019-04-26



[\[pdf\]](#) Guide

Tascam Pocket Guide Full Product Range 2022 Jochen Dornheim for TEAC Europe GmbH 4

Portacapture X8 HIGH RESOLUTION MULTI TRACK HANDHELD RECORDER NEW! New generation

high resolution PCM recorder 3 5 inch colour touchscreen easy operation and perfect readability PG2022

1 tascam eu en docs |||

POCKET GUIDE Full Product Range 2022 2022, Issue 1 Tascam is a trademark of

TEAC Corporation, regi ... property of their respective owners. 2 CONTENT

Portacapture X8 NEW 4 **DR-40X** 5

DR-07X

lang:en score:26 filesize: 4.51 M page_count: 72 document date: 2022-05-19

DR-100MKIII
Professional Handheld Recorder



Multi-lingual menu: EN, DE, FR, IT, ES, JP
The DR-100MKIII is Tascam's top-of-the-line portable, delivering the best audio performance in the history of Tascam's portable handheld recorders. Designed to meet the needs of the most demanding audio designers and engineers, this third generation of the DR-100 combines robust reliability, an easy-to-use interface and audio-quality value performance.



Unidirectional stereo microphones, connect your own mic to the built-in unidirectional or stereo-carrying microphone on this device for recording or monitor from a signal of your choice. As a 48 kHz/24-bit recorder, power on the XLR inputs are available for the use of studio computer mic and XLRable microphone configurations can be decided before or after recording. This recorder has various air fields of applications are covered: From music, speech and atmosphere recordings to meeting minutes and live concert recordings.

Many other improvements and new features as well as the multilingual menu make the DR-100MKIII an easy-to-use companion for sound recordings at the highest level.

[pdf]

DR-100MKIII Mark function (automatic or manual< b>) Create a new audio file during recording (manually by size) File divide (to cut unwanted noise for instance WAV format only) Playback features include: In Out loop Folder playlist playback Switchable VSA (change tempo without affecting the key) Tascam_DR-100MKIII tascam eu en docs Professional Handheld Recorder Multi-lingual menu: EN DE FR IT ES JP The is Tascam's top-of-the-line portable delivering best performance in history of Tascam DR-100MKIII Professional Handheld Recorder Multi-lingual menu: EN, DE, FR, IT, ES, JP The DR-100MKII ... h Screw-Lock C onnector RC-10: Wireless/wired remote control RC-3F: Footswitch Related products **DR-40X**: Portable Four-Track Digital Audio Recorder and USB Audio Interface DR-680MKII: 8-Track Field... lang:en score:25 filesize: 1.14 M page_count: 14 document date: 2021-07-16



Four Track Digital Audio Recorder and USB Audio Interface
DR-40X



Versatile four-track audio recorder

96kHz/24-bit
WAV/BWF 4-track Recording
also AAC/MP3/MP3+ Recording

Unidirectional Built-in MIC
4-BU 10" omnidirectional omnidirectional

External MIC/4dBu LINE IN

125dB
Max SPL

Multi-powered
USB (5V/100mA) and 9V/100mA

18 hours
Battery Life

10
Menu Languages

128GB
MicroSDHC/SDXC (max 128GB)


[pdf]

96kHz 24 bit dr 40x leaflet eng a4 20190204 cvp ||| Jan. 2019 Four Track Digital Audio Recorder and USB Audio Interface**DR-40X** Versatile four-track audio recorder 96kHz/24-bit WAV/BWF 4-track Recording plus 48kHz/320kbps MP3 Recording Unidirectional Built-in MIC A-B/ X-Y positions switchable External MIC/ 4dBu LINE IN 125dB Max SPL Multi-powered... lang:en score:25 filesize: 479.82 K page_count: 2 document date: 2019-02-04



[pdf]

Four Track Digital Audio Recorder and USB Interface 96kHz 24 bit Jan 2019 DR 40X Versatile four track audio recorder 10 Menu Languages 18 hours Battery Life leaflet tascam eu en docs solidstatesound co uk Jan. 2019 Four Track Digital Audio Recorder and USB Audio Interface **DR-40X** Versatile four-track audio recorder 96kHz/24-bit WAV/BWF 4-track Recording plus 48kHz/320kbps MP3 Recording Unidirectional Built-in MIC A-B/ X-Y positions switchable External MIC/ 4dBu LINE IN 125dB Max SPL Multi-powered... lang:en score:25 filesize: 484.77 K page_count: 2 document date: 2019-02-04



[pdf] Guide Borchure Catalog

TASCAM System Design Guide for Audio Installation 2024TASCAM 2025TASCAM 2025Learn MoreVS R264 HD Video Streamer Encoder Decoder SD Recorder United StatesModel 2400 24 Track Flagship Analog Recording Console Live Mixer with Interface StatesTM 80 Studio Condensor Microphone StatesLive Streaming StatesTASCAM Statestascam system design guide entascam catalogs tascam english en MoreModel Mixing With StatesVS MX CONNECT 8A Windows macOS android iOS Control Software Integrators 2025Manufacturer BrochureLearn MM 4D IN X 4 Channel Mic Line Input Dante Converter Built In DSP MixerLive enY5 MM4DINX Manufacturer Brochurescascam encdn adiglobaldistribution us pim Original 10602 Y5 ||| ||| 2025.1 System Design Guide for Audio Installation Integrator Concepts, Systems, and Solutions Conference Rooms / Commercial Facilities Classrooms / Auditoriums Hotels and Banquet Halls / Retail Live Entertainment Broadcasting Stations and S ||| 2025.1 System Design Guide for Audio Installation Integrator Concepts, Systems, and Solutions Conference Rooms / Commercial Facilities Classrooms / Auditoriums Hotels and Banquet Halls / Retail Live Entertainment Broadcasting Stations and S 2025.1 System Design Guide for Audio Installation Integrator Concepts, Systems, and Solutions Confe ... m Aid with TASCAM DA-6400 17 TASCAM Plays an Integral Role in Third Eye Blind Production DR-10L **DR-40X** Model 24 TASCAM Announces the TASCAM Tommy 18 Bolan Recording and Guitar Gear Giveaway M... lang:en score:24 filesize: 9.25 M page_count: 52 document date: 2025-01-21

TASCAM. Fall Specials

Enjoy Savings and Freebies on some of TASCAM's hottest products. Save with this limited time offer.

FALL SPECIALS Oct. 1 - Dec. 31, 2020

SERIES 102i
\$299.99
FREEBIE
TH-12 and TH-60

SERIES 204
\$299.99
FREEBIE
TH-12 and TH-60

SERIES 1024X
\$499.99
FREEBIE
TH-12 and TH-60

DP-24SD AND DP-32SD
FREEBIE
SD CARD

DR-60X
\$299.99
FREEBIE
SD CARD

DR-27X
\$199.99
FREEBIE
SD CARD

DR-40X
\$199.99
FREEBIE
SD CARD

Model 12
FREEBIE
TH-12 and SD CARD

Model 16
FREEBIE
TH-12 and SD CARD

Model 24
FREEBIE
TH-12 and SD CARD

TH-00
\$24.99
SAVE 10%

TH-07
\$74.99
SAVE 10%

[pdf]

TASCAM Fall Specials Consumer 2 Tascam 100120 123120 2020 09 28 092514 guitarcenter rebates |||

Fall Specials Enjoy Savings and Freebies on some of TASCAM s hottest products.

Save with this limite ... SD CARD SAVE 30 DR-05X 89.99 FREEBIE SD CARD SAVE 30 DR-07X 119.99 FREEBIE SD CARD SAVE 20 **DR-40X** 179.99 FREEBIES AK-DR11GMII SD CARD Model 12 FREEBIES TH-02 SD CARD Model 16 FREEBIES ...

lang:en score:22 filesize: 178.2 K page_count: 1 document date: 2020-09-28