

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [HelloBaby](#) /

› [HelloBaby Baby Monitor HB65 User Manual](#)

## HelloBaby HB65

# HelloBaby Baby Monitor HB65 User Manual

Your comprehensive guide to setting up, operating, and maintaining your HelloBaby Baby Monitor with Remote Pan-Tilt-Zoom Camera and 3.2" LCD Screen.

## INTRODUCTION

Thank you for choosing the HelloBaby Baby Monitor HB65. This monitor is designed to provide parents with peace of mind, offering a clear view and audio of their baby from anywhere in the home. Featuring advanced wireless technology, remote camera control, and smart features, it ensures a secure and reliable connection to your little one.



The HelloBaby Baby Monitor system, including the parent unit and baby camera.

## WHAT'S IN THE BOX

Please check the package contents to ensure all items are present:

- HelloBaby Parent Unit (Monitor)
- HelloBaby Baby Unit (Camera)
- Power Adapter for Parent Unit
- Power Adapter for Baby Unit
- User Manual (this document)



The monitor and camera units, highlighting key features like remote pan-tilt-zoom, infrared night vision, two-way communication, room temperature display, 8 lullabies, and up to 1000ft (300m) range.

## SETUP

### Initial Setup

1. **Position the Baby Unit (Camera):** Place the camera in your baby's room on a flat surface or mount it to a wall, ensuring a clear view of the crib or play area. Keep the camera at least 3 feet (1 meter) away from the baby to avoid potential hazards.
2. **Connect Power to Baby Unit:** Plug the small end of the camera's power adapter into the DC jack on

the back of the baby unit. Plug the other end into a standard electrical outlet.


3. **Charge the Parent Unit (Monitor):** Connect the parent unit's power adapter to the DC jack on the side of the parent unit. Plug the other end into a standard electrical outlet. The parent unit has a rechargeable battery for portability. For first-time use, charge the parent unit for at least 3 hours.
4. **Power On:** Press and hold the power button on the parent unit until the HelloBaby logo appears. The parent unit will automatically connect to the baby unit.



The portable parent unit, ready for use after charging.

## Remote Pan, Tilt, and Zoom

The camera can be remotely controlled from the parent unit to pan (move horizontally), tilt (move vertically), and zoom in on your baby. Use the directional buttons on the parent unit to adjust the camera's view. The camera rotates 355° horizontally and 120° vertically.



The camera offers extensive remote pan and tilt capabilities for a full view of the room.

## Two-Way Talk

The crystal clear two-way audio feature allows conversation both ends as clear as if you were in the same room with your little one. Press and hold the microphone button on the parent unit to speak to your baby through the camera's speaker. Release the button to hear your baby.



Engage in two-way communication with your baby using the monitor's talk-back function.

### **Night Vision**

The monitor is equipped with infrared night vision, which automatically activates in low-light conditions. This allows you to see your baby clearly even in a completely dark room without disturbing their sleep.

## 3.2" Inch Diagonal Colour Screen



2X Digital Zoom

Infrared night vision provides a clear view of your baby in the dark.

### Temperature Monitoring & Lullabies

The baby unit includes a temperature sensor that displays the room temperature on the parent unit, alerting you if it goes outside a set range. You can also play soothing lullabies directly from the parent unit to help your baby fall asleep.



Monitor room temperature and play lullabies for your baby's comfort.

### **VOX Mode**

VOX (Voice Operated Exchange) mode allows the monitor to enter a power-saving sleep mode when no sound is detected. When your baby makes a sound (e.g., crying), the monitor will automatically activate the screen and audio. You can adjust the sensitivity of the VOX mode to suit your environment.



## Night vision

The 3.2-inch LCD screen provides a clear view, with 2X digital zoom for closer inspection.

### MAINTENANCE

---

To ensure optimal performance and longevity of your HelloBaby monitor, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry cloth to clean the surfaces of the parent and baby units. Do not use abrasive cleaners or solvents.
- **Avoid Water:** Keep both units away from water and moisture. Do not immerse them in water.
- **Temperature:** Avoid exposing the units to extreme temperatures (hot or cold) or direct sunlight.
- **Storage:** If storing the monitor for an extended period, ensure the parent unit's battery is fully charged, then power off both units. Store in a cool, dry place.

### TROUBLESHOOTING

---

If you encounter issues with your HelloBaby monitor, please refer to the following common solutions:

- **No Picture/Sound:** Ensure both the parent unit and baby unit are powered on and properly connected to their power adapters. Check that the units are within range of each other.

- **Monitor Freezing:** If the monitor screen freezes occasionally, this is normal. Try resetting the monitor by pressing the reset key (usually a small pinhole button) on the back of the unit. You may also need to repair the camera with the monitor if the issue persists after resetting. Refer to the pairing instructions in the full user guide.
- **Poor Signal/Interference:** Move the parent unit closer to the baby unit. Avoid placing the units near other electronic devices that may cause interference (e.g., Wi-Fi routers, microwaves).
- **Battery Life:** If the parent unit's battery life is shorter than expected, ensure it has been fully charged. Battery performance may degrade over time with regular use.

## PRODUCT SPECIFICATIONS

Feature	Specification
Model Name	HB65
Screen Size	3.2 inches LCD
Connectivity Technology	2.4Ghz Wireless
Camera Pan/Tilt	355° Horizontal, 120° Vertical
Night Vision	Infrared Night Color
Two-Way Talk	Yes
VOX Mode	Yes
Lullabies	Yes
Temperature Monitoring	Yes
Power Source	Battery Powered (Parent Unit), AC Powered (Baby Unit)
Dimensions (L x W x H)	8.27 x 0.47 x 4 inches
Item Weight	0.704 ounces

## WARRANTY AND SUPPORT

HelloBaby products come with a 1-year warranty, which also applies to gift orders. For any questions, technical assistance, or support, please email our professional after-sales customer service team at [support@hellobaby.us](mailto:support@hellobaby.us).

You can also find additional information and the full user guide in PDF format [here](#).