



Manuals.plus /

› Malongo /

› Malongo 802913 Semi-Automatic Espresso Machine User Manual

## Malongo 802913\_SML

# Malongo 802913 Semi-Automatic Espresso Machine User Manual

Brand: Malongo | Model: 802913\_SML

## INTRODUCTION

---

Welcome to the user manual for your new Malongo 802913 Semi-Automatic Espresso Machine. This machine is designed to provide a high-quality espresso experience with ease of use and a compact footprint. It operates with Malongo 1,2,3 Espresso pods, ensuring consistent results. Please read this manual thoroughly before operating your machine to ensure safe and optimal performance.



Figure 1: Malongo 802913 Semi-Automatic Espresso Machine.

## SAFETY INSTRUCTIONS

---

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and injury to persons.

- Read all instructions before use.
- Do not immerse the machine, cord, or plug in water or other liquids.
- Unplug from outlet when not in use and before cleaning. Allow to cool before putting on or taking off parts, and before cleaning the appliance.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been damaged in any manner.
- The use of accessory attachments not recommended by the appliance manufacturer may result in fire, electric shock, or injury to persons.
- Do not use outdoors.
- Do not let cord hang over edge of table or counter, or touch hot surfaces.
- Do not place on or near a hot gas or electric burner, or in a heated oven.
- Always attach plug to appliance first, then plug cord into the wall outlet. To disconnect, turn any control to "off", then remove plug from wall outlet.
- Do not use appliance for other than intended use.

- Use extreme caution when disposing of hot steam.
- This appliance is designed for household use only.

## PRODUCT OVERVIEW

---

Familiarize yourself with the components of your Malongo espresso machine.



Figure 2: Malongo 1,2,3 Spresso pods and machine.

### Key Components:

- **Water Tank:** 1.2 L capacity, visible water level, easy to handle.
- **Ergonomic Handle:** For simplified operation.
- **Coffee Dispensing Button:** For short or long espresso, programmable.
- **Pod Holder:** Designed for Malongo 1,2,3 Spresso pods.
- **Drip Tray:** Collects excess liquid.
- **Power Button/Indicator Light:** Signals machine status.

## SETUP

---

Follow these steps for the initial setup of your espresso machine.

1. **Unpacking:** Carefully remove the machine from its packaging. Retain packaging for future transport or storage.
2. **Placement:** Place the machine on a stable, flat, and heat-resistant surface, away from water sources and heat.
3. **Clean the Water Tank:** Remove the water tank and rinse it thoroughly with fresh water.
4. **Fill Water Tank:** Fill the water tank with fresh, cold drinking water up to the MAX level. Ensure the tank is properly seated in the machine. The machine has a reservoir presence safety feature.
5. **First Use Rinse:** Before making coffee, perform a rinse cycle.
  - Place a large cup or container under the coffee spout.
  - Plug the machine into a grounded electrical outlet.

- Press the power button. The indicator light will illuminate.
- Wait approximately 45 seconds for the machine to preheat. The indicator light will change (e.g., stop blinking or turn solid) when ready.
- Press the coffee dispensing button without a pod inserted to run hot water through the system. Repeat this process 2-3 times.

## OPERATION

---

Making espresso with your Malongo machine is simple.



Figure 3: Malongo 1,2,3 Spresso coffee pods.

1. **Power On:** Ensure the machine is plugged in and the water tank is filled. Press the power button. Wait for the machine to preheat (approx. 45 seconds).
2. **Insert Pod:** Lift the ergonomic handle to open the pod compartment. Insert one Malongo 1,2,3 Spresso pod into the holder. Close the handle firmly.
3. **Place Cup:** Place your espresso cup on the drip tray under the coffee spout.
4. **Brew Coffee:** Press the coffee dispensing button. The machine will start brewing.
  - For a **short espresso**, press and release the button.
  - For a **long espresso**, press and hold the button until the desired volume is reached, then release. The machine will remember this setting for future brews.
5. **Remove Pod:** Once brewing is complete, lift the handle to eject the used pod into the internal collection bin. Close the handle.
6. **Power Off:** The machine will automatically enter standby mode after 20 minutes of inactivity. You can also manually turn it off by pressing the power button.

## MAINTENANCE

---

Regular cleaning and maintenance will prolong the life of your machine and ensure optimal coffee quality.

## Daily Cleaning:

- **Drip Tray:** Empty and rinse the drip tray and grid daily.
- **Used Pod Container:** Empty the used pod container daily and rinse it.
- **Exterior:** Wipe the exterior of the machine with a soft, damp cloth. Do not use abrasive cleaners or solvents.

## Water Tank Cleaning:

- Clean the water tank weekly with mild detergent and rinse thoroughly.

## Descaling:

The frequency of descaling depends on the hardness of your water. It is recommended to descale every 3-6 months. Use a descaling solution specifically designed for coffee machines. Follow the instructions provided with the descaling product.

1. Empty the water tank and fill it with the descaling solution as per the product instructions.
2. Place a large container under the coffee spout.
3. Run several cycles of water through the machine until the water tank is empty.
4. Rinse the water tank thoroughly and fill it with fresh water.
5. Run several cycles of fresh water through the machine to rinse out any remaining descaling solution.

## TROUBLESHOOTING

---

Refer to this section for common issues and their solutions.

Problem	Possible Cause	Solution
Machine does not turn on.	Not plugged in; power outlet issue.	Ensure plug is securely inserted; check power outlet with another appliance.
No coffee dispenses.	Water tank empty; machine not preheated; pod not inserted correctly.	Fill water tank; wait for preheating; ensure pod is correctly seated and handle is closed firmly.
Coffee is cold or not hot enough.	Machine not fully preheated.	Allow machine to fully preheat (approx. 45 seconds) before brewing.
Water leaks from machine.	Water tank not properly seated; drip tray full.	Ensure water tank is correctly positioned; empty drip tray.
Coffee flow is slow or blocked.	Machine needs descaling; coffee spout blocked.	Perform descaling procedure; clean coffee spout.

## SPECIFICATIONS

---

- **Model:** 802913\_SML
- **Product Type:** Semi-automatic Espresso Machine
- **Water Tank Capacity:** 1.2 Liters
- **Pressure:** 16 bar
- **Preheating Time:** Approximately 45 seconds
- **Auto Shut-off:** After 20 minutes of inactivity
- **Dimensions (L x W x H):** 400 x 196 x 345 mm (15.7 x 7.7 x 13.6 inches)
- **Weight:** 3 kg (6.6 lbs)

- **Color:** Black, Stainless Steel
- **Compatibility:** Malongo 1,2,3 Spresso pods only

## WARRANTY AND SUPPORT

---

For warranty information and customer support, please refer to the documentation provided with your purchase or contact Malongo customer service directly.

In case of issues not covered by the troubleshooting section, or for spare parts inquiries, please contact the retailer or manufacturer's authorized service center.

