

## MENABO DELTA

# MENABO Delta 36 Kit Roof Bar Mounting System Instruction Manual

Model: DELTA | Part Number: 000099800000

## 1. INTRODUCTION

This instruction manual provides essential information for the safe and correct installation, operation, and maintenance of your MENABO Delta 36 Kit. Please read this manual thoroughly before attempting to install or use the product. Retain this manual for future reference.

The MENABO Delta 36 Kit is a complete mounting system designed for Delta roof bars, including the necessary feet and roof bars, specifically for vehicles with a normal roof type.

## 2. IMPORTANT SAFETY INSTRUCTIONS

- Always ensure all components are securely fastened before driving. Check tightness regularly, especially after the first few miles and after driving on rough terrain.
- Do not exceed the maximum load capacity of 75 kg for the roof bars, or the maximum load capacity specified by your vehicle manufacturer, whichever is lower.
- Distribute the load evenly across the roof bars to maintain vehicle stability.
- Be aware that the vehicle's height and handling characteristics will change with roof bars and loaded cargo. Adjust driving speed and style accordingly.
- Avoid automatic car washes when roof bars are installed.
- Regularly inspect the roof bars and mounting kit for any signs of wear, damage, or corrosion. Replace damaged parts immediately.

## 3. PACKAGE CONTENTS

Verify that all components listed below are present in your MENABO Delta 36 Kit package:



Image 1: Overview of all components included in the MENABO Delta 36 Kit. This includes the black roof bar feet, the main roof bars, and various screws, washers, and brackets required for assembly.

- Delta Roof Bar Feet (set of 4)
- Roof Bars (set of 2)
- Mounting Hardware (screws, washers, brackets)

## 4. SETUP AND INSTALLATION

### 4.1. Vehicle Compatibility

The MENABO Delta 36 Kit is compatible with the following vehicles featuring a normal roof:

- AUDI A1 (XA) Sportback 5p 12>14, A3 (8L) 4p 96>03, A4 (B6/8E/8H) 4p 00>04, A4 (B7/8E/8H) 5p 00>07, A4 (B8/8K) 4p 07>12, A6 (4F/C6) 4P 04>11
- Chevrolet Aveo (T300) 5p 11>
- Ford Focus I 5p 98>04, Focus I SW 5p 98>04, Focus III 5p 11>, Mondeo IV 4p 14>
- KIA Optima (JF) 4p 16>
- OPEL Insignia Grand Sport 4p 17>
- Renault Talisman 4p 15>
- Toyota Prius IV (XW50) 5p 15>
- Volkswagen Passat (B8) 4p 14>, Tiguan (5N) 5p 07>11
- VOLVO V50 5p 08>12

### 4.2. Step-by-Step Installation

Follow these general steps for installing the MENABO Delta 36 Kit. Refer to the specific diagrams and instructions provided with your physical product for detailed, model-specific guidance.

1. **Assemble the Feet:** Attach the Delta roof bar feet to the roof bars using the provided hardware. Ensure all bolts are finger-tightened initially.
2. **Position on Vehicle:** Carefully place the assembled roof bar system onto your vehicle's roof. Ensure the

feet are correctly aligned with the designated mounting points or door frames as per your vehicle's specifications.

3. **Secure to Vehicle:** Use the specific mounting brackets and hardware to secure the roof bar feet to your vehicle's normal roof. Follow the vehicle manufacturer's guidelines for roof rack attachment points.
4. **Tighten All Fasteners:** Systematically tighten all bolts and screws. Use appropriate tools and ensure even pressure. Double-check all connections for security.
5. **Final Check:** Gently shake the installed roof bars to confirm they are firmly attached and do not move. Retighten if necessary.



Image 2: A close-up of the MENABO roof bar foot, demonstrating how it securely attaches to the vehicle's roof. The white roof bar extends from the foot, which is anchored by a black bracket.

## 5. OPERATING INSTRUCTIONS

---

Once installed, your MENABO Delta 36 Kit provides a secure platform for transporting cargo. Observe the following guidelines:

- **Load Capacity:** The maximum load capacity for this roof bar system is **75 kg (165 lbs)**. This includes the weight of the roof bars themselves. Never exceed this limit.
- **Cargo Securing:** Always use appropriate straps, nets, or other securing devices to firmly attach cargo to

the roof bars. Ensure cargo cannot shift during transit.

- **Weight Distribution:** Distribute the weight of your cargo as evenly as possible across both roof bars and centered on the vehicle.
- **Regular Checks:** Periodically check the security of your cargo and the roof bar attachments during long journeys.

## 6. MAINTENANCE

Proper maintenance ensures the longevity and safe operation of your MENABO Delta 36 Kit:

- **Cleaning:** Clean the roof bars and feet regularly with mild soap and water. Avoid abrasive cleaners or solvents that could damage the finish.
- **Inspection:** Before each use, inspect all components for signs of wear, cracks, corrosion, or damage. Pay close attention to mounting points and fasteners.
- **Fastener Tightness:** Re-tighten all mounting bolts and screws periodically, especially after prolonged use or exposure to vibrations.
- **Storage:** If not in use for extended periods, consider removing the roof bars and storing them in a dry, protected area to prevent unnecessary wear and exposure to elements.

## 7. TROUBLESHOOTING COMMON ISSUES

This section addresses common issues you might encounter with your roof bar system.

Problem	Possible Cause	Solution
Roof bars feel loose after installation.	Fasteners not sufficiently tightened.	Re-tighten all mounting bolts and screws according to installation instructions. Ensure even pressure.
Excessive wind noise during driving.	Improper positioning or aerodynamic factors.	Ensure roof bars are correctly positioned and secured. Consider adding a wind fairing if noise persists.
Difficulty attaching cargo.	Incorrect cargo securing method.	Use appropriate straps or accessories designed for roof bar cargo. Ensure even weight distribution.

## 8. PRODUCT SPECIFICATIONS

Feature	Detail
Brand	MENABO
Model	DELTA
Part Number	000099800000
Color	Black



Feature	Detail
Item Dimensions (L x W x H)	15.47 x 4.41 x 2.64 inches
Item Weight	2.44 pounds
Load Capacity	75 kg (165 lbs)
Mounting Type	Delta roof bar mount for normal roofs
Manufacturer	Menabo
GTIN (Global Trade Identification Number)	08003168034117





## 9. WARRANTY INFORMATION AND CUSTOMER SUPPORT

MENABO products are manufactured to high-quality standards. For specific warranty details, please refer to the warranty card included with your purchase or visit the official MENABO website. Keep your proof of purchase for any warranty claims.

For technical assistance, missing parts, or other inquiries, please contact MENABO customer support through their official channels. Contact information can typically be found on the product packaging or the manufacturer's website.

### Related Documents - DELTA

	<p><a href="#">Menabo MANIA 320 MARATHON 320 Roof Box Fitting Instructions and Guide</a></p> <p>Comprehensive fitting and installation guide for the Menabo MANIA 320 MARATHON 320 roof box. Includes parts list, assembly steps, safety guidelines, and specifications. Learn how to safely mount and use your Menabo cargo box.</p>
	<p><a href="#">Menabo Motus Bike Rack: Installation Guide and Specifications</a></p> <p>Comprehensive installation guide for the Menabo Motus bike rack, detailing component identification, assembly steps, bicycle loading, specifications, and safety precautions.</p>

	<p><a href="#">MENABO TEMA Roof Bar System Installation Guide</a></p> <p>Comprehensive installation instructions for the MENABO TEMA roof bar system, covering fixing kits, bar kits, and support kits. Includes diagrams and multilingual guidance.</p>
	<p><a href="#">Menabo Satellite Duo Roof Carrier Assembly Instructions</a></p> <p>Comprehensive guide for assembling and fitting the Menabo Satellite Duo roof carrier system. Includes detailed parts list, step-by-step visual instructions translated into text, dimensions, and safety loading information.</p>
	<p><a href="#">Menabo Mania, Marathon, Venom 400/460 Roof Box Installation Guide</a></p> <p>Comprehensive installation instructions and specifications for Menabo Mania, Marathon, and Venom 400/460 car roof boxes. Learn how to securely fit your roof box using T-System or U-Bolt methods.</p>
	<p><a href="#">Vehicle Compatibility Guide for Bike Racks</a></p> <p>A comprehensive guide detailing the compatibility of various car models with different bike rack systems, including specific roof types and vehicle features.</p>