

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [WALI](#) /
- › [WALI Ultrawide Monitor Arm \(GSM001XL\) User Manual](#)

WALI GSM001XL

WALI Ultrawide Monitor Arm (GSM001XL) User Manual

Adjustable Gas Spring Single Monitor Desk Mount

1. INTRODUCTION

Thank you for choosing the WALI Ultrawide Monitor Arm (GSM001XL). This gas spring desk mount is designed to provide a flexible and ergonomic solution for mounting your monitor, enhancing your viewing experience and workspace efficiency. This manual provides detailed instructions for installation, operation, and maintenance to ensure safe and optimal use of your monitor arm.



This image displays the WALI Ultrawide Monitor Arm securely mounted to the back of a large, curved monitor. The arm extends from a desk clamp, providing a clean and stable setup.

2. SAFETY INFORMATION

Please read all instructions carefully before installation and use. If you do not understand these instructions or have doubts about the safety of the installation, please contact a qualified installer or customer support.

- Do not exceed the maximum weight capacity of 33 lbs (15 kg).
- Ensure the mounting surface (desk) can safely support the combined weight of the monitor arm and your monitor.
- Use only the components provided by the manufacturer. Do not use the product for any purpose not explicitly specified in this manual.
- Keep children away from the product during installation. Small parts may be a choking hazard.
- Periodically check that the mount is secure and safe to use.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation.

- 1 x WALI Gas Spring Single Monitor Desk Mount (Black)
- Mounting Hardware Kit (screws, washers, spacers, Allen wrenches)
- User Manual

4. SETUP

4.1 Pre-Installation Checks

Before beginning installation, ensure your monitor and desk meet the compatibility requirements:

- **Monitor Size:** Compatible with ultrawide monitors up to 49 inches and standard flat/curved monitors up to 35 inches.
- **Monitor Weight:** Supports monitors weighing up to 33 lbs (15 kg).
- **VESA Pattern:** Supports VESA mounting patterns of 75x75mm and 100x100mm.
- **Desk Thickness:** Compatible with desks 0.39" to 1.77" (10mm to 45mm) thick for both C-clamp and Grommet Base installations.



This diagram illustrates the compatibility specifications for the monitor arm. It supports monitors from 13 to 49 inches, with VESA patterns of 75x75mm or 100x100mm, and a maximum weight capacity of 33 pounds per arm.

4.2 Mounting Options (C-Clamp / Grommet Base)

The monitor arm offers two installation methods: C-clamp for desk edges or Grommet Base for desks with a pre-drilled hole.



This image shows the two primary installation methods: the C-clamp and the Grommet Base. Both options are suitable for desks with a thickness ranging from 0.39 to 1.77 inches, providing versatile mounting solutions.

C-Clamp Installation:

1. Attach the C-clamp to the main pole and secure it to the edge of your desk.
2. Tighten the clamp screw until the mount is firmly secured to the desk.

Grommet Base Installation:

1. Insert the grommet bolt through the desk hole and secure the base plate from underneath.
2. Attach the main pole to the grommet base and tighten securely.

4.3 Attaching the Monitor and Gas Spring Adjustment

1. Attach the VESA plate to the back of your monitor using the appropriate screws from the hardware kit.
2. Slide the monitor with the attached VESA plate onto the arm's mounting head. Ensure it clicks into place securely.
3. **Gas Spring Tension Adjustment:** Once the monitor is mounted, adjust the gas spring tension to match your monitor's weight. Use the provided Allen wrench to turn the adjustment screw.
 - Turn **clockwise** (towards '-') for *lighter* monitors to reduce tension.
 - Turn **counter-clockwise** (towards '+') for *heavier* monitors to increase tension.
 - *Note:* Keep the arm in a horizontal level during adjustment for best results.



This illustration demonstrates the gas spring tension adjustment. To increase tension for heavier monitors, turn the screw counter-clockwise. For lighter monitors, turn it clockwise. Ensure the arm is held horizontally during adjustment.

5. OPERATING

5.1 Monitor Adjustments

The WALI Ultrawide Monitor Arm allows for flexible positioning to achieve optimal viewing angles and ergonomic comfort:

- **Tilt:** Adjust the monitor +45/-45 to reduce glare and find your preferred angle.
- **Swivel:** Swivel the monitor +90/-90 to share your screen or change viewing direction.
- **Rotation:** Rotate the monitor 180 from landscape to portrait mode for different tasks.
- **Height Adjustment:** The gas spring arm allows smooth vertical height adjustments.



This diagram highlights the arm's full adjustability, allowing for a tilt range of ± 45 degrees, a swivel range of ± 90 degrees, and a full 360-degree rotation for optimal viewing angles.



This diagram indicates the maximum vertical reach of 21.7 inches and a maximum horizontal extension of 20.2 inches, providing ample adjustability for various desk setups.

5.2 Ergonomic Benefits

Proper positioning of your monitor can significantly improve comfort and reduce strain. Adjust the monitor arm so that the top of your screen is at or slightly below eye level, and your eyes are approximately an arm's length from the screen. This helps maintain a neutral posture and alleviates neck and eye fatigue.

Ergonomic Viewing



These images illustrate the ergonomic benefits of using the monitor arm, showcasing how proper monitor positioning can reduce neck strain and improve overall comfort during extended use.

5.3 Cable Management

The monitor arm features integrated cable management clips to keep your workspace tidy. Route your monitor and power cables along the arm and through the clips to maintain a clean and organized setup.

6. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your WALI monitor arm.

- **Cleaning:** Wipe the surface of the monitor arm with a soft, damp cloth. Avoid using abrasive cleaners or solvents.
- **Inspection:** Periodically check all screws and connections to ensure they are tight and secure. Retighten if necessary.
- **Gas Spring:** The gas spring is designed for long-term use (over 20,000 fatigue tests). If you notice a significant change in tension or difficulty holding the monitor's position, re-adjust the gas spring tension as described in Section 4.3.

7. TROUBLESHOOTING

If you encounter issues with your monitor arm, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Monitor arm sags or does not hold position.	Gas spring tension is too low for monitor weight.	Increase gas spring tension by turning the adjustment screw counter-clockwise (towards '+'). Refer to Section 4.3.
Monitor arm is too stiff to move.	Gas spring tension is too high for monitor weight.	Decrease gas spring tension by turning the adjustment screw clockwise (towards '-'). Refer to Section 4.3.
Monitor wobbles or feels unstable.	Mounting screws or clamp are loose.	Ensure all mounting screws (VESA plate, arm joints, desk clamp/grommet) are securely tightened.
Monitor does not fit the VESA plate.	Incorrect VESA pattern or adapter needed.	Verify your monitor's VESA pattern (75x75mm or 100x100mm). If different, a VESA adapter (sold separately) may be required.

8. SPECIFICATIONS

Model Number	GSM001XL
Brand	WALI
Material	Metal
Color	Black
Mounting Type	Tabletop Mount (C-Clamp / Grommet Base)
Compatible Monitor Size	13 to 49 Inches (Ultrawide), 13 to 35 Inches (Standard)
Weight Capacity	33 lbs (15 kg)
VESA Compatibility	75x75mm, 100x100mm
Tilt Range	+45° / -45°
Swivel Range	+90° / -90°
Rotation	360°
Max Height	21.7 inches
Max Extension	20.2 inches
Desk Thickness Compatibility	0.39" - 1.77" (10mm - 45mm)
Product Dimensions	4.44 x 11.92 x 17.24 inches

Item Weight	5 pounds
-------------	----------

9. WARRANTY AND SUPPORT

WALI is committed to providing high-quality products and excellent customer service. While specific warranty details are not provided in this manual, WALI offers experienced and friendly US-based customer support available to assist 7 days a week.

For any questions, concerns, or assistance with your WALI Ultrawide Monitor Arm, please contact WALI customer support.