

[Manuals.plus](#) /

› [JEKCA](#) /

› JEKCA Standard Schnauzer 01S-M01 Building Block Set Instruction Manual

JEKCA ST19PT05-M01

JEKCA Standard Schnauzer 01S-M01 Building Block Set Instruction Manual

Model: ST19PT05-M01

INTRODUCTION

This manual provides detailed instructions for assembling your JEKCA Standard Schnauzer 01S-M01 building block set. Please read all instructions carefully before beginning assembly.



Image: The completed JEKCA Standard Schnauzer 01S-M01 model, showcasing its detailed block construction in grey and white.

Safety Information

WARNING: Small parts inside. Not suitable for children under 14 years of age due to choking hazard.

This product is recommended for individuals aged 14 years and above.

What's in the Box

Your JEKCA Standard Schnauzer 01S-M01 set includes the following components:

- Instruction Manual
- Building Bricks (over 1000 pieces)
- Connecting Pins
- Pin Driver Tool
- Quick Guide

Setup

1. **Unpack Components:** Carefully remove all items from the packaging.
2. **Organize Bricks:** It is recommended to sort the building bricks by color and size to facilitate the assembly process.
3. **Review Instructions:** Familiarize yourself with the instruction manual and quick guide before starting.

ASSEMBLY INSTRUCTIONS

The JEKCA building system utilizes a patented interlocking brick-through system for sturdy construction. Follow the steps below and refer to the included detailed building manual for specific brick placement.



Image: A diagram illustrating the JEKCA assembly method. Step 1 shows inserting a pin into a brick, and Step 2 shows turning the pin 90 degrees to secure it, creating a sturdy connection.

1. **Identify Bricks:** Locate the bricks specified in each step of the detailed building manual.
2. **Position Bricks:** Place the bricks according to the manual's diagrams.
3. **Insert Pins:** Use the provided pin driver tool to insert the connecting pins through the designated holes in the bricks.
4. **Secure Connection:** Once the pin is inserted, turn it 90 degrees using the pin driver. This action locks the bricks together, ensuring a strong and stable structure.
5. **Repeat:** Continue this process, layer by layer, following the manual's instructions until the model is complete.

The patented interlocking system ensures the model is sturdy and not easy to break apart once assembled.

MAINTENANCE

- **Cleaning:** To clean your assembled JEKCA model, gently wipe it with a dry, soft cloth. For stubborn dust, a slightly damp cloth can be used, followed by immediate drying. Avoid harsh chemicals or abrasive cleaners.
- **Storage:** Store the model in a stable location away from direct sunlight and extreme temperatures to prevent material degradation or discoloration.
- **Disassembly:** If disassembly is required, carefully reverse the pin-locking process using the pin driver. Avoid forcing bricks apart to prevent damage.

TROUBLESHOOTING

Problem	Solution
---------	----------

Problem	Solution
Bricks do not connect securely.	Ensure the connecting pin is fully inserted and turned 90 degrees to lock the bricks. Verify that the correct pin size is being used for the specific bricks.
Missing a specific brick or pin.	Double-check all packaging materials. If components are genuinely missing, contact JEKCA customer support for assistance.
Difficulty understanding a step in the manual.	Review the quick guide for basic assembly principles. Refer to the detailed diagrams in the main instruction manual. If confusion persists, seek clarification from JEKCA support.

SPECIFICATIONS

- **Model Number:** ST19PT05-M01
- **Product Dimensions:** 9.84 x 3.7 x 8.39 inches (25 x 9.4 x 21.3 cm)
- **Item Weight:** 1.87 pounds (0.85 kg)
- **Number of Pieces:** Over 1000
- **Recommended Age:** 14 years and up
- **Manufacturer:** JEKCA Limited

SUPPORT AND CONTACT INFORMATION

For further assistance, missing parts, or inquiries, please contact JEKCA customer support:

- **Brand Website:** www.jekca.com
- **Amazon Store:** [Visit the JEKCA Store on Amazon](#)

Please have your model number (ST19PT05-M01) ready when contacting support.