

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [VIGO](#) /

› [VIGO Pirouette 30 to 36 in. W x 71 in. H Pivot Frameless Shower Door in Matte Black with 3/8 in. Clear Glass-VG6042MBCL36](#)

## VIGO VG6042MBCL36

# VIGO Pirouette Frameless Shower Door Instruction Manual

Comprehensive guide for the VIGO Pirouette 30 to 36 in. W x 71 in. H Pivot Frameless Shower Door in Matte Black with 3/8 in. Clear Glass (Model: VG6042MBCL36).

## PRODUCT OVERVIEW

The VIGO Pirouette Frameless Pivot Shower Door is designed to enhance your bathroom with a modern, sleek aesthetic. Constructed from durable 3/8" thick tempered glass and complemented by stainless steel profiles and guide rails, this shower door offers both elegance and longevity. Its pivot operation provides a spacious feel within the shower unit. The door can be installed to open to either the left or right, depending on your specific bathroom configuration.



Figure 1: VIGO Pirouette Frameless Shower Door in a contemporary bathroom setting.

## SPECIFICATIONS

- **Overall Height:** 72 inches (bottom to top of door fixture)
- **Overall Width:** 36 inches (left to right of door fixture)
- **Enclosure Width Range:** Adjustable from 30 inches to 36 inches
- **Maximum Door Opening:** 26 inches (assuming door is not trimmed)
- **Opening Direction:** Reversible (left or right)
- **Glass Thickness:** 3/8 inches (tempered glass)
- **Material:** Glass, Steel
- **Finish:** Matte Black
- **Item Weight:** Approximately 220 pounds
- **Product Dimensions:** 3 x 36 x 72 inches
- **Model Number:** VG6042MBCL36

# DIMENSIONS

## HEIGHT

**A** 72"  
FROM THRESHOLD TO THE TOP

**B** 72"  
FROM THRESHOLD TO THE BOTTOM  
OF THE TOP TRACK

## MIN/MAX WIDTH

**C** 30" - 36"

## WALK-THROUGH WIDTH

**D** 25 1/2"

## THRESHOLD DEPTH REQUIRED

**E** 2 1/2"




Figure 2: Detailed dimensions of the shower door, including height, min/max width, walk-through width, and threshold depth.

## KEY FEATURES

- **FLEX-SIZING:** Accommodates up to 3/8-inch of adjustability for out-of-plumb walls, ensuring a perfect fit and long-lasting durability.
- **MAGNALOCK:** Utilizes cutting-edge magnetic technology with a full-length magnetized catch to keep the door tightly closed, effectively preventing water leakage.
- **SPACIOUS FEEL:** The hinged glass shower door opens outward, creating a sense of more space. Precision-built hinges allow smooth and natural opening movements for easy operation.
- **CONVENIENT:** Integrated towel bar handles provide a dual-purpose solution for hanging towels and serving as

door grips.

- **PREMIUM FINISH:** 304 stainless steel hardware offers superior strength and resistance to rust and corrosion, ensuring durability in high-moisture bathroom environments.
- **SEAL-THRU:** Durable top and bottom seal strips run along the entire length of the door, keeping the area outside the shower clean and dry, enhancing overall bathroom safety and hygiene.
- **EASY SETUP KIT:** Complete mounting hardware and step-by-step instructions are included for a simple DIY installation.

# VIGO

## Customization

Left or right door installation.  
Reversible handle/towel bar.



## Homeowner-Friendly

Effortless installation with our detailed instructions, dimensions & pre-drilled materials.



© 2018 VIGO Industries, All rights reserved.

Figure 3: Customization options, including left or right door installation and reversible handle/towel bar.

# VIGO

## Tempered Glass

Our shower doors are rapidly heated and then cooled at extreme temperatures while repeatedly blasted with bursts of high-pressure air. This compression process makes the glass more resilient.



Z97.1 certified  
2406.1.1-CPSC 16 CFR 1201

These standards ensure the quality control of our products, specifically that of the safety glazing materials used in building materials.



© 2018 VIGO Industries, All rights reserved.

Figure 4: Tempered glass construction, rapidly heated and cooled for increased resilience, meeting ANSI Z97.1 standards.

# VIGO

## LockGuard™

Locking system to prevent glass on metal contact.

## Seal-thru Technology™

Continuous seal strips along the door prevent water leaks.



© 2016 VIGO Industries, All rights reserved.

Figure 5: LockGuard™ system prevents glass-on-metal contact, and Seal-thru Technology™ ensures continuous seal strips prevent water leaks.

## SETUP AND INSTALLATION

This section provides a general overview of the installation process. For detailed, step-by-step instructions, please refer to the official installation manual provided with your product. Professional installation is recommended for optimal results.

### Installation Video Guide

Your browser does not support the video tag.

This video provides a visual guide to the installation process for the VIGO Pirouette shower door, covering key steps from panel placement to final sealing. It demonstrates the proper techniques for securing components and ensuring a watertight installation.

### Reversible Installation

The VIGO Pirouette shower door is designed for reversible installation, allowing it to open from either the left or the right side. This flexibility ensures compatibility with various bathroom layouts and personal preferences.




Figure 6: Illustration of right-side and left-side installation configurations for the shower door.

## MAINTENANCE

To maintain the pristine appearance and functionality of your VIGO Pirouette shower door, regular cleaning and care are essential.

- **Glass Cleaning:** For daily cleaning, use a soft cloth or sponge with warm water and a mild, non-abrasive glass cleaner. Avoid cleaners containing harsh chemicals, abrasives, or ammonia, as these can damage the glass and hardware finish.
- **Hardware Care:** Wipe down all metal components with a soft, damp cloth. Dry thoroughly to prevent water spots and mineral buildup. Do not use abrasive cleaners or scouring pads on the hardware.
- **Seal Strips:** Periodically inspect the seal strips for wear and tear. Clean them gently with mild soap and water. Replace if they become damaged or lose their sealing effectiveness to prevent leaks.

- **General Tips:** After each use, consider wiping down the glass and hardware to minimize water spots and soap scum accumulation. Ensure proper ventilation in the bathroom to reduce humidity.

## TROUBLESHOOTING

This section addresses common issues you might encounter with your shower door. If the problem persists, please contact customer support.

Problem	Possible Cause	Solution
Door does not close tightly.	Misaligned magnetic catch or worn seal strips.	Check alignment of the magnetic catch. Inspect and replace seal strips if worn.
Water leaks from the bottom or sides of the door.	Improperly installed or damaged seal strips; insufficient silicone sealant.	Ensure all seal strips are correctly installed and undamaged. Reapply clear silicone sealant where necessary, especially around the fixed panel and threshold.
Door is difficult to open or close.	Hinges require lubrication; debris in hinge mechanism; door out of plumb.	Apply a silicone-based lubricant to hinges. Clean any debris from hinge areas. Verify the door is plumb and adjust if needed.
Glass appears cloudy or has water spots.	Mineral deposits from hard water; improper cleaning.	Use a squeegee after each shower. Clean with a vinegar-water solution or specialized glass cleaner for hard water stains.

## WARRANTY AND SUPPORT

The VIGO Pirouette Shower Door is covered under VIGO's limited lifetime warranty for residential use and a 1-year limited commercial warranty. This warranty covers defects in material and workmanship under normal use and service.

For technical assistance, troubleshooting, or to inquire about replacement parts, please utilize the phone and email support options available from VIGO. You can also refer to the official documents for detailed information:

- [Installation Manual \(PDF\)](#)
- [Instructions for Use \(IFU\) \(PDF\)](#)

For further assistance, please visit the official VIGO Store: [VIGO Store on Amazon](#).