

[Manuals.plus](#) /

› [hysure](#) /

› Hysure Compact Dehumidifier Q1-JP-G2 Instruction Manual

hysure Q1-JP-G2

Hysure Compact Dehumidifier Instruction Manual

Model: Q1-JP-G2

PRODUCT OVERVIEW

The Hysure Compact Dehumidifier (Model Q1-JP-G2) is designed to remove excess moisture from small areas up to 10-20 square meters. It utilizes Peltier Technology for quiet and efficient operation, making it suitable for bedrooms, bathrooms, kitchens, closets, small laundry rooms, RVs, cars, pianos, and guitars. This device helps improve air quality by reducing mold, dust mites, mildew, and musty odors.





Image: The Hysure Compact Dehumidifier, white, shown in a modern living room environment, highlighting its compact size and aesthetic design.

IMPORTANT SAFETY INFORMATION

- Do not place the power adapter in a wet or damp place. Ensure the dehumidifier operates safely in a well-ventilated area.
- Wipe clean with a soft damp cloth. Do not use harsh or abrasive cleaning products.
- Keep the front air inlets and top air outlets free from being blocked when the dehumidifier is working.
- Before using, verify that environmental conditions meet basic requirements: temperature $\geq 20^{\circ}\text{C}$ (68°F) and relative humidity $\geq 60\%$.
- The dehumidification performance is influenced by environmental humidity, temperature, space size, and air flow (e.g., windows or doors closed).

PRODUCT FEATURES

- **High Efficiency Dehumidification:** Removes up to 300ml/day of moisture.
- **Super Quiet Operation:** Powered by advanced thermoelectric cooling technology, operating below 35dB.
- **Large Water Tank:** 600ml capacity water tank.
- **Auto-Off Function:** Automatically shuts off with an LED indicator when the water tank is full.
- **Energy Efficient:** Low power consumption (23W).
- **Compact and Portable:** Lightweight moisture absorber, easy to carry.

FEATURES



Light Weight:
950g



Capacity:
600ml



Whisper quiet
operation: <35db



Room Size:
10-20m²



Image: An infographic showing key features of the Hysure dehumidifier: Light Weight (950g), Capacity (600ml), Whisper quiet operation (<35db), and Room Size (10-20m²).

Ultra Quiet Technology

Give you the Best Quiet Environment



Image: An infographic illustrating the ultra-quiet operation of the Hysure dehumidifier, comparing its noise level to a library.

SETUP

1. **Unpack:** Carefully remove the dehumidifier and all accessories from the packaging.
2. **Positioning:** Place the unit on a flat, stable surface in the desired area. Ensure there is adequate space around the air inlets and outlets for proper airflow.
3. **Power Connection:** Connect the power cable to the dehumidifier and then plug it into a suitable electrical outlet.
4. **Filter Installation:** Ensure the HEPA filter is correctly installed. The filter is located behind a small door on the side of the unit. (Refer to the Maintenance section for details on accessing the filter compartment).



Image: The Hysure Compact Dehumidifier placed on a coffee table, demonstrating its discreet placement in a home environment.

OPERATING INSTRUCTIONS

1. **Power On/Off:** Press the ON/OFF button located on the top of the unit to turn it on. The indicator light will turn GREEN. Press again to turn off.
2. **Fan Speed Adjustment:** The unit typically operates at a low fan speed for quiet operation. If available, use the fan speed button (often labeled "High/Low") to switch between fan speeds.
3. **Dehumidification Mode:** The dehumidifier will begin removing moisture automatically once powered on, provided environmental conditions are met.
4. **Full Tank Indicator:** When the water tank is full, the indicator light will turn RED, and the unit will automatically shut off. Empty the water tank as described in the Maintenance section.

SMART LED INDICATOR

Press the ON/OFF button to turn on the unit, and the indicator light will turn on with **GREEN** light.

The indicator light will turn **RED** when the water tank is full, and the unit will auto-off.



Image: A close-up view of the top control panel of the Hysure dehumidifier, showing the power button and LED indicators for power (green) and full tank (red).

MAINTENANCE

Emptying the Water Tank

1. When the water tank is full, the unit will automatically shut off, and the LED indicator will turn RED.
2. Carefully pull out the water tank from the back of the unit.
3. Discard the collected water.
4. Slide the empty water tank back into the unit until it clicks into place. The unit will resume operation.

Cleaning the HEPA Filter

1. Turn off and unplug the dehumidifier before cleaning.
2. Locate the filter compartment door on the side of the unit. Open the door.
3. Gently slide out the HEPA filter.
4. Clean the filter using a soft brush or vacuum cleaner to remove dust and debris. Do not wash the HEPA filter with

water.

- 5. Reinsert the clean filter into the compartment and close the door.
- 6. Replace the HEPA filter every 3-6 months, or as needed, depending on usage and air quality. Replacement filters can be purchased separately.

Cleaning the Unit Exterior

- Wipe the exterior of the dehumidifier with a soft, damp cloth.
- Do not use abrasive cleaners, solvents, or harsh chemicals, as these may damage the surface.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit does not turn on.	No power supply; power adapter not connected; power button not pressed.	Ensure the power cable is securely plugged into both the unit and the wall outlet. Press the power button.
Dehumidifier not collecting water.	Environmental humidity is too low; temperature is too low; water tank is full; air inlets/outlets are blocked.	Ensure room temperature is $\geq 20\text{ }^{\circ}\text{C}$ and humidity is $\geq 60\%$. Empty the water tank if full. Clear any obstructions from air inlets/outlets.
Unit is noisy.	Fan speed set to high; unit not on a stable surface.	Switch to low fan speed. Place the unit on a flat, stable surface.
Red indicator light is on.	Water tank is full.	Empty the water tank.

SPECIFICATIONS

Specification	Detail
Model Number	Q1-JP-G2
Power	23W
Voltage	9V
Dimensions (D x W x H)	4.2" x 6.4" x 10.5" (10.6cm x 16.2cm x 26.6cm)
Water Tank Volume	600ml
Working Capacity	300ml/D (at 86°F, 80%RH)
Coverage Area	10-20 square meters
Operation Mode	Sleep
Item Weight	2.69 pounds (1.22 kg)
Special Feature	Lightweight, Portable, Quiet Operation



Image: A diagram showing the dimensions of the Hysure Compact Dehumidifier: 227mm height, 146mm width, and 146mm depth.

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included with your product or visit the official Hysure website. Keep your purchase receipt for warranty claims.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question