Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Argo /
- > Argo Relax Style Portable Air Conditioner User Manual

Argo ARGO RELAX STYLE

Argo Relax Style Portable Air Conditioner User Manual

Model: ARGO RELAX STYLE

Introduction

The Argo Relax Style portable air conditioner is designed for efficient and compact cooling. Featuring a vertical design concept (VDC), this unit offers powerful performance in a sleek, modern form factor. It combines a high-gloss front finish with matte side panels for an ergonomic grip and contemporary aesthetic.

This appliance provides three primary functions: cooling, ventilation, and dehumidification. It also offers three fan speeds, including an automatic speed setting, to suit various comfort needs. The unit incorporates automatic condensation vaporization during cooling operation and allows for continuous condensate drainage in dehumidification mode. It utilizes a refrigerant gas with a Global Warming Potential (GWP) close to zero, reflecting an environmentally conscious design.





Figure 1: Front view of the Argo Relax Style Portable Air Conditioner.

Safety Information

Please read all safety instructions carefully before operating the appliance. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Ensure the power supply voltage matches the rating label on the unit.
- Do not operate the unit with a damaged power cord or plug.
- Do not block the air inlets or outlets. Maintain adequate clearance around the unit for proper airflow.
- Do not insert objects into the air outlets.
- Keep the unit away from flammable materials and heat sources.

- Always unplug the unit before cleaning or performing any maintenance.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.

Product Components

The Argo Relax Style portable air conditioner comes with several components necessary for its operation and installation. Familiarize yourself with these parts before setup.

- · Main Air Conditioner Unit
- Flexible Exhaust Hose
- Window Adapter Kit (for exhaust hose)
- Multi-function Remote Control with LED screen
- Drainage Hose (for continuous dehumidification)
- Air Filter (removable for cleaning)
- · Multi-directional Wheels and Handle for portability



Figure 2: Included components: flexible hose, window adapter, remote control, and drainage hose.

Setup

1. Unpacking

Carefully remove the air conditioner and all accessories from the packaging. Retain the original packaging for future storage or transport.

2. Placement

Place the unit on a flat, stable surface. Ensure there is at least 30 cm (12 inches) of space around the unit for proper air circulation. Position the unit near a window or opening where the exhaust hose can be vented to the outside.



Figure 3: Example placement of the air conditioner in a room.

3. Exhaust Hose Installation

- 1. Attach one end of the flexible exhaust hose to the air outlet on the back of the unit.
- 2. Connect the window adapter to the other end of the exhaust hose.
- 3. Open a window or sliding door and place the window adapter securely in the opening to vent hot air outside. For fixed glass installations, use the provided kit. Ensure the hose is as straight and short as possible to maximize efficiency.

4. Drainage (Dehumidification Mode)

For continuous dehumidification, connect the drainage hose to the continuous drainage port on the unit and direct the other end to a suitable drain or container. In cooling mode, condensation is automatically vaporized.

5. Power Connection

Plug the power cord into a grounded electrical outlet. Ensure the outlet meets the electrical requirements specified in the 'Specifications' section.

Operating Instructions

Control Panel Overview

The control panel is located on the top of the unit and features an LED display and various buttons for operation.



Figure 4: Top control panel of the unit.

- On/Off Button: Powers the unit on or off.
- Mode Button: Cycles through Cooling, Fan, and Dehumidification modes.
- Temperature/Timer Adjustment Buttons (+/-): Adjusts desired temperature or sets timer duration.
- Fan Speed Button: Selects fan speed (Low, Medium, High, Auto).
- Swing Button: Activates or deactivates the automatic oscillation of the motorized louvers.
- Sleep Button: Activates sleep mode for quieter operation and gradual temperature adjustment.
- Timer Button: Sets the 24-hour programmable timer for automatic on/off.

Remote Control

The unit can be operated using the included multi-function remote control, which mirrors the functions of the control panel.

Operating Modes

- **Cooling Mode:** Reduces room temperature. Set desired temperature using the +/- buttons. The unit will cool until the set temperature is reached.
- Fan Mode: Circulates air without cooling. Select desired fan speed.
- **Dehumidification Mode:** Removes excess moisture from the air. Connect the continuous drainage hose for optimal performance in this mode.

Special Functions

- 24-Hour Programmable Timer: Allows you to set a specific time for the unit to turn on or off automatically.
- Sleep Function: Optimizes operation for nighttime comfort, typically by gradually increasing the set temperature and reducing fan speed.
- **Memory Function:** The unit retains your last settings when powered off and on.
- Auto-Diagnosis: The unit can perform self-diagnosis to identify potential issues.
- **Motorized Louvers:** The discharge fins are motorized and can be oriented horizontally and vertically with automatic oscillation for better air distribution.


Maintenance

Regular maintenance ensures optimal performance and extends the lifespan of your air conditioner. Always unplug the unit before cleaning or maintenance.

1. Air Filter Cleaning

The air filter should be cleaned regularly, typically every two weeks, or more frequently depending on usage and air quality. A dirty filter can reduce cooling efficiency and airflow.

- 1. Locate the air filter, usually on the back or side of the unit. It is easily removable.
- 2. Gently pull out the filter.
- 3. Clean the filter using a vacuum cleaner to remove dust, or wash it with lukewarm water and a mild detergent.
- 4. Rinse thoroughly and allow the filter to air dry completely before reinserting it into the unit.






Figure 5: Side view indicating air intake vents where the filter is located.

2. Condensate Drainage

While the unit features automatic condensation vaporization in cooling mode, it's important to be aware of drainage for dehumidification or if the internal tank fills up.

- Automatic Vaporization: In cooling mode, most condensation is evaporated and expelled with the hot air.
- Continuous Drainage: For prolonged dehumidification or in very humid conditions, connect the provided drainage

hose to the continuous drainage port to allow water to drain directly.

• Manual Drainage: If the internal tank becomes full (indicated by an error code or indicator light), turn off the unit, unplug it, and carefully move it to a location where water can be drained from the bottom drainage plug into a shallow pan.

3. Unit Cleaning

Wipe the exterior of the unit with a soft, damp cloth. Do not use harsh chemicals, abrasives, or solvents, as these can damage the surface.

4. Storage

Before storing the unit for an extended period (e.g., off-season):

- 1. Ensure all water has been drained from the unit.
- 2. Clean the air filter.
- 3. Unplug the power cord and coil it neatly.
- 4. Store the unit in a cool, dry place, preferably in its original packaging, to protect it from dust and damage.
- 5. If the unit has been stored horizontally, allow it to stand upright for at least 4 hours before restarting operation.

Troubleshooting

Before contacting customer support, please refer to the following common issues and their solutions:

Problem	Possible Cause	Solution
Unit does not turn on.	No power, power cord unplugged, circuit breaker tripped.	Check power connection, ensure outlet is functional, reset circuit breaker.
Unit is running but not cooling.	Exhaust hose not properly vented, room too large, windows/doors open, dirty air filter, temperature setting too high.	Ensure exhaust hose is vented outside, close windows/doors, clean air filter, lower temperature setting.
Unit is noisy.	Normal operating noise (fan/compressor), unit not on a level surface, internal components vibrating.	Ensure unit is on a flat, stable surface. Some operating noise is normal for portable units.
Water leakage.	Drainage plug not secured, continuous drainage hose blocked or disconnected, internal water tank full.	Check drainage plug, ensure hose is properly connected and clear, drain internal tank if full.
Remote control not working.	Batteries dead or incorrectly inserted, obstruction between remote and unit.	Replace batteries, ensure clear line of sight to the unit's receiver.

If the problem persists after attempting these solutions, please contact customer support.

Specifications

The following table provides detailed technical specifications for the Argo Relax Style portable air conditioner:




Figure 6: Dimensions of the unit.

Feature	Specification
Brand	Argo
Model Number	RELAX STYLE

Feature	Specification
Product Dimensions (L x W x H)	36.2 x 30.6 x 80.5 cm (14.25 x 12.05 x 31.69 inches)
Weight	28 kg (61.7 lbs)
Energy Efficiency Class	A
Cooling Capacity	10000 BTU/H (2.6 kW)
Noise Level	64 dB
Voltage	230 Volts
Power Consumption	2600 Watts
Installation Type	Portable
Included Components	Product, manual, remote control, warranty, flexible hose, window adapter, fixed glass installation kit

Warranty and Support

For warranty information, please refer to the warranty card included with your product or visit the official Argo website. Keep your purchase receipt as proof of purchase.

For technical support, spare parts, or service inquiries, please contact Argo customer service. Contact details can typically be found in the product packaging or on the manufacturer's official website.

Important: Do not attempt to repair the unit yourself. Unauthorized repairs will void the warranty and may pose safety risks.

© 2024 Argo. All rights reserved.

Related Documents - ARGO RELAX STYLE



Argo Relax Style Portable Air Conditioner Service Manual

Comprehensive service and operating manual for the Argo Relax Style portable air conditioner. Covers safety instructions, operating modes, installation, maintenance, troubleshooting, and remote control usage.



Argo Multi Split Air Conditioners R32 WiFi User and Installation Manual

Comprehensive user and installation manual for Argo Multi Split Air Conditioners featuring R32 refrigerant and WiFi connectivity. Covers installation, operation, safety precautions, maintenance, and disposal for models like ARGO DUAL, TRIAL, QUADRI, and PENTA.




ARGO DELUXE Single Split Air Conditioners R32 - User Manual and Installation Guide

This comprehensive guide provides detailed instructions for the installation, operation, maintenance, and troubleshooting of the ARGO DELUXE series single split air conditioners. It covers safety precautions, system components, remote control usage, Wi-Fi connectivity, and technical specifications for models using R32 refrigerant.



Argo Dorian Local Air Conditioner: Operating Instructions and Safety Guide

Comprehensive operating instructions and safety guidelines for the Argo Dorian local air conditioner, covering setup, modes, maintenance, and troubleshooting.



Cecotec Forceclima Portable Air Conditioner Manual

Comprehensive user manual for Cecotec Forceclima portable air conditioners, covering safety instructions, operation, and maintenance for various models.



COSEC ARGO FACE: Installation and Configuration Guide

A comprehensive guide to installing and configuring the COSEC ARGO FACE device, covering wall and flush mounting, cable connections, and network settings for both COSEC CENTRA and COSEC VYOM systems.

Documents - Argo - ARGO RELAX STYLE



[pdf]

ARGO RELAX STYLE Deutsch 1 Index of description wermuth de |||

Mobiles Klimagert Argo RELAX STYLE 2,60 KW Khlleistung 35C; 80 r.h. argo RELAX style Farbe: wei ,,**Argo Relax Style** ist dank seines vdc Vertical Design Concept * eine effizienteund kompakte Klimaanlage. Der Kontrast zwischen der besonders glnzenden Frontpartie und den matten Seitenteilen, die s...

lang:de score:40 filesize: 1.05 M page_count: 2 document date: 2019-01-16



[pdf] Dimension Guide

ARGO RELAX STYLE CLIMA scheda tecnica climatizzatore portatile schede tecniche it climatizzatori ||| Climatizzatore d aria locale monoblocco Local single duct air conditioner ARGO RELAX STYLE ARGO RELAX STYLE, grazie al VDC Vertical Design Concept il climatizzatore efficace ma compatto. Il contrasto tra la finitura extra-lucida frontale e le fasce extra-opache laterali, piacevoli al tatto, ne fa...

lang:it score:38 filesize: 1.3 M page_count: 2 document date: 2019-02-07



[pdf] Tech Sheet Dimension Guide

Download the technical sheet on this link Relax Style 9000 BTU 2 6KW Argoclima co uk ARGO RELAX STYLE scheda prodotto drive google file d 1wKB6u73mVfcG4mEdeRfX538kdKZ7simq view usp sharing |||

Climatizzatore d aria locale monoblocco Local single duct air conditioner **ARGO RELAX STYLE** ARGO **RELAX STYLE**, grazie al VDC Vertical design concept il climatizzatore efficace ma compatto. Il contrasto tra la finitura extra-lucida frontale e le fasce extra-opache laterali, piacevoli al tatto, ne fa...

lang:it score:34 filesize: 1.24 M page_count: 2 document date: 2019-01-21



[pdf] Dimension Guide

ARGO RELAX STYLE Diametro tubo flessibile interno esterno Flexible exhaust tube diameter inner outer mm 130 142 Lunghezza extended lenght scheda prodotto 5 argoclima 2022 05 |||

03 Climatizzatore d aria locale monoblocco Local single duct air conditioner Pannello comandi digit ... oppio drenaggio condensa Double condensate draining 805 mm 306 mm 362 mm Dimensioni Dimensions **ARGO RELAX STYLE** 398000694 **ARGO**

RELAX STYLE, grazie al VDC Vertical Design Concept il climatizzat...

lang:it score:33 filesize: 1.14 M page_count: 2 document date: 2022-01-26



[pdf] Dimension Guide

ARGO RELAX STYLE Argoclima 805 mm 362 306 Pannello comandi digitale con display a LED Digital control panel with Climatizzatore d aria locale monoblocco 03 Local single duct air conditioner Alette frontali scheda prodotto argoclima 2021 02 |||

03 Climatizzatore d aria locale monoblocco Local single duct air conditioner Pannello comandi digit ... oppio drenaggio condensa Double condensate draining 805 mm 306 mm 362 mm Dimensioni Dimensions **ARGO RELAX STYLE** 398000694 **ARGO RELAX STYLE**, grazie al VDC Vertical Design Concept il climatizzat...

lang:it score:32 filesize: 2.26 M page_count: 2 document date: 2021-02-16



[pdf]

Codenotti Silvano argo relax style trovaprezzi it manuali $\mid\mid\mid$

Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per **Argo Relax Style** o cerca il tuo prodotto tra le migliori offerte di Climatizzazione IT CLIMATIZZATORE PORTATILE LOCALE Relax Style ISTRUZIONI PER L USO Leggere attentamente le istruzioni prima di attivare I appare...

lang:it score:29 filesize: 1.61 M page_count: 18 document date: 2018-12-11



[pdf] User Manual

Microsoft Word RELAX STYLE Manual IT rev05 elisa g Manuale utente Argo Relax Style Climatizzatore Portatile 10000 Btu H 2 6 Kw Bianco 36 x 30 80 5 Cm Amazon it Casa e cucina A1uEvc19ckL m media amazon images I |||

IT CLIMATIZZATORE PORTATILE LOCALE Relax Style ISTRUZIONI PER L USO Leggere attentamente le istruzioni prima di attivare I apparecchio oppure fare manutenzione. Osservare tutte le istruzioni di sicurezza; la mancata osservanza delle istruzioni pu portare a incidenti e/o danni. Conservare queste i...

lang:it score:21 filesize: 1.47 M page_count: 18 document date: 2021-01-18



[pdf] Dimension Guide

DOWNLOAD Dettaglio Prodotto mmo 69574964 1552655050 5861 4397 objects icecat biz ||| Climatizzatore d aria locale monoblocco Local single duct air conditioner **ARGO RELAX STYLE ARGO RELAX STYLE**, grazie al VDC Vertical Design Concept il climatizzatore efficace ma compatto. Il contrasto tra la finitura extra-lucida frontale e le fasce extra-opache laterali, piacevoli al tatto, ne fa...

lang:it score:20 filesize: 1.37 M page_count: 2 document date: 2019-02-07



[pdf]

Ce decl ARGO RELAX STYLE it 2019 argoclima 2021 06 |||

...

lang:it score:19 filesize: 332.8 K page_count: 1 document date: 2019-04-15




ICE SCC-VEATure to gitte 1900 Absorber 611 Opponsonable 1 (HCC) to 1 Development 1 i best the distribute (TEXASDECRE PER MERCOR) (HCC) (HC

[pdf]

Ce decl ARGO RELAX STYLE en 2019 argoclima 2021 06 |||

..

lang:it score:19 filesize: 331.72 K page count: 1 document date: 2019-04-15



[pdf]

raffaella d SCHEDA INFORMATIVA ERP ARGO RELAX STYLE Argo ITA 2019 2 argoclima 2022 09 ||| SCHEDA INFORMATIVA PER CONDIZIONATORI D ARIA A SINGOLO E DOPPIO CONDOTTO ALLEGATO I-p. 3-Tab.2- Reg. 206/2012 SCHEDA PRODOTTO PER CONDIZIONATORI D ARIA A SINGOLO E DOPPIO CONDOTTO ALLEGATO IV Reg. 626/2011 Come da Comunicazione della Commissione EU nell ambito dell attuazione del Regolamento UE...

lang:it score:18 filesize: 136.79 K page count: 2 document date: 2019-02-07



[pdf]

raffaella d SCHEDA INFORMATIVA ERP ARGO RELAX STYLE Argo EN 2019 2 argoclima 2022 09 ||| SCHEDA INFORMATIVA PER CONDIZIONATORI D ARIA A SINGOLO E DOPPIO CONDOTTO ALLEGATO I-p. 3-Tab.2- Reg. 206/2012 SCHEDA PRODOTTO PER CONDIZIONATORI D ARIA A SINGOLO E DOPPIO CONDOTTO ALLEGATO IV Reg. 626/2011 Come da Comunicazione della Commissione EU nell ambito dell' attuazione del Regolamento UE...

lang:it score:18 filesize: 136.07 K page count: 2 document date: 2019-02-07



2022

[pdf] Catalog

Download Cataloghi Argo COLLEZIONE PRIMAVERA ESTATE 2022 low 2 argoclima 07 ||| 2022 primavera estate - spring summer 1 2 Argoclima un azienda storica italiana fondata nel 1 ... oppio drenaggio condensa Double condensate draining 805 mm 306 mm 362 mm Dimensioni Dimensions **ARGO RELAX STYLE** 398000694 **ARGO RELAX STYLE**, grazie al VDC Vertical Design Concept il climatizzat...

lang:it score:15 filesize: 14.53 M page_count: 188 document date: 2022-07-29



2022

[pdf] Catalog

Download Catalogues Argo SPRING SUMMER COLLECTION 2022 low 1 argoclima 07 ||| 2022 primavera estate - spring summer 1 2 Argoclima un azienda storica italiana fondata nel 1 ... oppio drenaggio condensa Double condensate draining 805 mm 306 mm 362 mm Dimensioni Dimensions **ARGO RELAX STYLE** 398000694 **ARGO RELAX STYLE**, grazie al VDC Vertical Design Concept il climatizzat...

lang:it score:15 filesize: 14.89 M page_count: 188 document date: 2022-07-29



2022 primoveral estate - sorina | summer

[pdf]

primavera estate spring summer Argoclima 31 mar 2022 — è un azienda storica italiana fondata nel 1929 Oggi con quasi 100 anni d esperienza alle spalle si afferma settore collection low argoclima 03 ||| 2022 primavera estate - spring summer 1 2 Argoclima un azienda storica italiana fondata nel 1 ... oppio drenaggio condensa Double condensate draining 805 mm 306 mm 362 mm Dimensioni Dimensions **ARGO RELAX STYLE** 398000694 **ARGO RELAX STYLE**, grazie al VDC Vertical Design Concept il climatizzat...

lang:it score:10 filesize: 14.87 M page_count: 188 document date: 2022-03-09



[pdf] User Manual Accessories

SeÅ_iit1 PanGrega Rodil merkandi ch Merkandi B2B Espresso Manual B06WD7Z8GD 8004399331204 De longhi Dedica EC685 R Cafetera de bomba acero inoxidable capuccinatore dep sito 1 3 litros amazon mix products

GL NAME SUBCATDESC ASIN EAN DESCRIPTION QTY UNIT RETAIL Sports Cycling Accessories B07H7FRLNQ 8020775031537 Elite Direto - Rodillo de Entrenamiento - con Bloqueo de Viaje Negro 2019 1 649,74 Software Consumer Monitors WithBo0u1tLTWVJTMuMne1rS 766907845815 ViewSonic XG2703-GS - Monitor...

lang:es score:9 filesize: 651.1 K page_count: 18 document date: 2019-07-16