

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Winco](#) /

› [Winco UC-3019K 3-Shelf Bussing and Utility Cart Instruction Manual](#)

Winco UC-3019K

Winco UC-3019K 3-Shelf Bussing and Utility Cart Instruction Manual

Model: UC-3019K | Brand: Winco

IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before assembling and operating the Winco UC-3019K Bussing and Utility Cart. Retain this manual for future reference.

- Always ensure the cart is assembled correctly and all components are securely fastened before use.
- Do not exceed the maximum weight capacity of 400 pounds (181 kg).
- Distribute weight evenly across the shelves to maintain stability.
- Use caution when moving the cart on uneven surfaces or inclines.
- Keep hands and feet clear of moving wheels.
- This product is intended for commercial utility use.



This product can expose you to the chemical Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information please look up California Proposition 65.

Image Description: A yellow triangular warning symbol with a black exclamation mark inside, above the word "WARNING". Below this, text states: "This product can expose you to the chemical Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information please look up California Proposition 65."

California Proposition 65 Warning: This product may contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, please visit www.P65Warnings.ca.gov.

PRODUCT OVERVIEW

The Winco UC-3019K is a durable and lightweight 3-shelf bussing and utility cart designed for commercial environments. Constructed from high-quality polypropylene and aluminum, it offers reliable performance for transporting various items. Its four swivel casters ensure easy maneuverability, and

the two integrated handles provide comfortable control.



Image Description: A black Winco UC-3019K 3-shelf bussing and utility cart. The cart features three flat shelves, two vertical aluminum support poles on each side, and four black swivel wheels. Two handles are integrated into the top shelf's frame.

Key Features:

- **Three Shelves:** Provides ample storage and transport space.
- **Durable Construction:** Made from polypropylene and aluminum for longevity and light weight.
- **Maneuverable Wheels:** Four swivel casters (4-inch diameter) for smooth movement.
- **Integrated Handles:** Two ergonomic handles for easy pushing and pulling.
- **High Capacity:** Supports a maximum weight of 400 pounds.

PACKAGE CONTENTS

Upon opening the package, verify that all components are present and undamaged. If any parts are missing or damaged, please contact customer support immediately.

- 3 x Shelf Panels (Polypropylene)
- 4 x Vertical Support Poles (Aluminum)
- 4 x Swivel Casters (Wheels)
- 2 x Handle Bars (Integrated into top shelf)
- Necessary Fasteners and Assembly Tools (if included by manufacturer)

SETUP AND ASSEMBLY

Assembly is required for the Winco UC-3019K cart. Follow these steps carefully to ensure proper and safe construction.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, flat surface. Verify against the "Package Contents" list.
2. **Attach Casters:** Insert the stems of the four swivel casters into the designated holes on the underside of the bottom shelf. Ensure they are firmly seated and locked into place if applicable.
3. **Install Bottom Support Poles:** Attach the four vertical aluminum support poles to the corners of

the bottom shelf. Ensure they are oriented correctly to receive the next shelf.

4. **Place Middle Shelf:** Slide the middle shelf down onto the support poles, aligning the holes in the shelf with the top of the poles. Press firmly until it clicks into place or is securely fastened.
5. **Install Top Support Poles:** Attach the remaining four vertical aluminum support poles to the corners of the middle shelf.
6. **Place Top Shelf:** Slide the top shelf down onto the support poles. This shelf includes the integrated handles. Ensure it is firmly seated and all connections are secure.
7. **Final Check:** Once assembled, gently rock the cart to ensure all connections are stable and secure. The cart should not wobble.

Note: Specific fastening mechanisms (e.g., screws, snap-fits) may vary. Refer to any included diagrams or specific instructions provided with your product for precise details.

OPERATING INSTRUCTIONS

Proper operation ensures the longevity and safety of your Winco UC-3019K cart.

- **Loading the Cart:** Distribute items evenly across the three shelves. Place heavier items on the bottom shelf to enhance stability. Do not exceed the maximum weight capacity of 400 pounds (181 kg).
- **Maneuvering:** Use the integrated handles to push or pull the cart. The swivel casters allow for easy navigation in various directions.
- **Braking (if applicable):** If your casters include locking mechanisms, engage them when the cart needs to remain stationary, especially on sloped surfaces.
- **Clear Pathways:** Always ensure your path is clear of obstructions before moving the cart.
- **Avoid Overloading:** Overloading can strain the cart's structure, compromise stability, and lead to damage or injury.

MAINTENANCE

Regular maintenance will help keep your utility cart in optimal condition.

- **Cleaning:** Wipe down shelves and frame with a damp cloth and mild detergent. Avoid abrasive cleaners or solvents that could damage the polypropylene or aluminum finish. Rinse thoroughly and dry.
- **Caster Inspection:** Periodically check the casters for debris (e.g., hair, string) that may impede movement. Clean as necessary. Ensure casters rotate freely and are securely attached.
- **Structural Integrity:** Regularly inspect all connections, screws, and joints to ensure they are tight and secure. Tighten any loose fasteners. Check for cracks or damage to the shelves or frame.
- **Storage:** Store the cart in a clean, dry environment when not in use.

TROUBLESHOOTING

If you encounter issues with your Winco UC-3019K cart, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Cart wobbles or feels unstable.	Loose connections or uneven assembly.	Check all shelf and pole connections. Ensure casters are fully inserted. Verify even weight distribution.
Wheels do not roll smoothly.	Debris in casters or damaged wheels.	Clean any debris from around the caster wheels. Inspect wheels for damage; replace if necessary.
Handles feel loose.	Top shelf not fully seated or damaged.	Ensure the top shelf is pressed down firmly onto the support poles. Inspect for damage to the handle or shelf.
Cart exceeds weight capacity.	Too many or too heavy items loaded.	Remove items until the total weight is below 400 pounds (181 kg). Redistribute weight evenly.

If the problem persists after attempting these solutions, please contact customer support.

SPECIFICATIONS

Model Number	UC-3019K
Brand	Winco
Product Dimensions	40" W x 20" D x 38" H (101.6 cm W x 50.8 cm D x 96.5 cm H)
Material	Aluminum, Polypropylene (PP)
Color	Black
Number of Shelves	3
Weight Limit	400 Pounds (181 kg)
Item Weight	33 Pounds (15 kg)
Number of Wheels	4
Caster Type	Swivel
Assembly Required	Yes
UPC	842169103648

WARRANTY AND SUPPORT

Winco products are manufactured to high standards and are designed for durability in commercial settings. While specific warranty details may vary, Winco typically offers a limited warranty against defects in materials and workmanship.

For warranty claims, technical support, or to inquire about replacement parts, please contact Winco customer service directly. Have your model number (UC-3019K) and purchase information ready when contacting support.


Winco Customer Service:

- Refer to the contact information provided with your purchase or on the official Winco website.

- Website: www.wincous.com

Related Documents - UC-3019K

	<p>WINCO W6010DE/J Generator Parts List and Diagrams</p> <p>Comprehensive parts list and assembly diagrams for the WINCO W6010DE/J portable generator. Includes detailed breakdowns of the engine, generator end, cradle assembly, fuel system, electrical receptacles, and decals, with part numbers and quantities.</p>
	<p>Winco TDAC-8W/TDAC-8K Paper Towel Dispenser Instructions</p> <p>This document provides instructions for mounting, filling, and locking the Winco TDAC-8W and TDAC-8K paper towel dispensers.</p>
	<p>Winco SCAL-D22 Digital Portion Scale Operating Instructions</p> <p>Operating instructions and specifications for the Winco SCAL-D22 digital portion scale, including care, usage, functions, and safety information.</p>
	<p>Winco 18" Pizza/Pretzel Warmer Model 51018 - Operating Manual and Specifications</p> <p>Comprehensive operating manual, safety instructions, parts list, and wiring diagram for the Winco 18" Pizza/Pretzel Warmer, Model 51018. Learn how to safely operate, maintain, and assemble your commercial food warmer.</p>
	<p>Winco Hot Dog Roller Grill User Manual and Operating Instructions</p> <p>This document provides essential safety, operating, and cleaning instructions for the Winco Hot Dog Roller Grill models 62010, 62020, and 62030. It also includes a wiring diagram and a comprehensive parts list.</p>



Documents - Winco – UC-3019K



[\[pdf\] Accessories](#)

Spec Sheet Winco UC 3019K 3 Level Plastic Utility Cart w 400 lb Capacity Raised Ledges Plant Based Pros 080 UC3019K restaurantandmore 2022 05 |||

Bussing Transport Utility Bus Carts UCF-2916K UCF-2916K shown folded Folding 3-TIER ... weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G **UC-3019K** UC-RB UC-SB UC-WH DESCRIPTION 32 L x 16-1/8 W x 36-3/4 H 32 L x 16-1/8 W x 36-3/4 H 40-3/4...

lang:en score:30 filesize: 319.64 K page_count: 1 document date: 2021-04-07



[\[pdf\] Specifications Accessories](#)

Product Specs Winco UC 2415G 32 3 Tier Gray Plastic Utility Cart winco uc 2415g static restaurantsupply media documents specsheets |||

Bussing Transport Utility Bus Carts UC-2415g UC-2415G shown with accessory bins UC-SB UC-... Black Set 1 16-1/8 W x 36-3/4 H UC-3019G 40-3/4 L x 400 Lbs Gray Set 1 19-1/2 W x 37-3/8 H **UC-3019K** 40-3/4 L x 400 Lbs Black Set 1 19-1/2 W x 37-3/8 H UC-RB Refuse Bin Each 3 UC-SB Si...

lang:en score:29 filesize: 514.69 K page_count: 1 document date: 2018-01-09



[\[pdf\] Accessories](#)

Spec Sheet Winco UC 2415G Utility Cart 3 Tier 330 Lb Capacity 481 510 centralrestaurant pub media |||

Bussing Transport Utility Bus Carts UC-2415g UC-2415G shown with accessory bins UC-SB UC-RB ... Black Set 1 16-1/8 W x 36-3/4 H UC-3019G 40-3/4 L x 400 Lbs Gray Set 1 19-1/2 W x 37-3/8 H **UC-3019K** 40-3/4 L x 400 Lbs Black Set 1 19-1/2 W x 37-3/8 H UC-RB Refuse Bin Each 3 UC-SB Si...

lang:en score:28 filesize: 576.84 K page_count: 1 document date: 2019-02-14

[\[pdf\]](#) Accessories

Spec Sheet Winco ALBC 1 Lug Box Cart 16 3 4" W x 25" D 19" H Aluminum Restaurant And More Wholesale Supplies
Foodservice Equipment 080 ALBC1 restaurantandmore 2022 05 |||

Bussing Transport Utility Bus Carts UC-2415g UC-2415G shown with accessory bins UC-SB UC-RB ... Black Set 1 16-1/8 W x 36-3/4 H UC-3019G 40-3/4 L x 400 Lbs Gray Set 1 19-1/2 W x 37-3/8 H **UC-3019K** 40-3/4 L x 400 Lbs Black Set 1 19-1/2 W x 37-3/8 H UC-RB Refuse Bin Each 3 UC-SB Si...

lang:en score:27 filesize: 578.62 K page_count: 1 document date: 2020-02-27

[\[pdf\]](#) Accessories Catalog

CatalogWinco UC RB Refuse Bin for 2415 3019 Utility Carts Plastic Black080 UCRB catalogres katom products 080
catalog Spec SheetCatalogWinco BlackWinco UCRB080 UCRBres B u s in g T r a n p o TSpec SheetCatalogutility BuS
cARtS BOx suC 30 aBBC 6 aLBC 1 uC sB rB ImpROVED 2415K 32 L x 16 8 W 36 3 4 H 330 Lbs Black set 3019g 40
Winco UC3019G080 UC3019G UC3019Gres |||

Bussing Transport Utility Bus Carts UC-2415g UC-2415G shown with accessory bins UC-SB UC-RB ... Black Set 1 16-1/8 W x 36-3/4 H UC-3019G 40-3/4 L x 400 Lbs Gray Set 1 19-1/2 W x 37-3/8 H **UC-3019K** 40-3/4 L x 400 Lbs Black Set 1 19-1/2 W x 37-3/8 H UC-RB Refuse Bin Each 3 UC-SB Si...

lang:en score:26 filesize: 576.84 K page_count: 1 document date: 2019-02-14

[pdf]

2018 Winco Cat1 313 320 BUSSING wincous 80 01 ||

Bussing Transport Flatware Cylinders Holders ITEM FC-PL FC-SS FC-SL FC-4H FC-6H

DESCRIPTION ... Black Set 1 16-1/8 W x 36-3/4 H UC-3019G 40-3/4 L x 400 Lbs Gray Set 1 19-1/2 W x 37-3/8 H **UC-3019K** 40-3/4 L x 400 Lbs Black Set 1 19-1/2 W x 37-3/8 H UC-RB Refuse Bin Each 3 UC-SB Si...


lang:en score:26 filesize: 2.03 M page_count: 8 document date: 2018-01-09

[\[pdf\]](#) Dimension Guide Catalog

Bussing Transport 356 368 Catalogs Winco 2021WincoCat BUSSING 2 wincous 2021 06 |||

B uss i n g Tr a n s p o r t D U A L W E L D M E N T S Y S T E M Winco s exclu1s/i2v e Weld 2 System
features fail- ... weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-
2415G UC-2415K UC-3019G **UC-3019K** UC-RB UC-SB UC-WH DESCRIPTION 32 L x 16-1/8 W
x 36-3/4 H 32 L x 16-1/8 W x 36-3/4 H 40-3/4...

lang:en score:23 filesize: 3.4 M page_count: 13 document date: 2021-06-04




[\[pdf\]](#) Dimension Guide Catalog

Bussing Transport Catalogs Winco 2025WincoCatalog NP 21 v 1738384901 cdn shopify s files 1 0705 4268 8541 |||

BUSSING TRANSPORT DUAL WELDMENT SYSTEM Winco s exclu1s/i2v e Weld 2 System features fail-safe rig ... weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G **UC-3019K** UC-RB UC-SB UC-WH UC-WHB DESCRIPTION 32 L x 16-1/8 W x 36-3/4 H 32 L x 16-1/8 W x 36-3/4 H...

lang:en score:23 filesize: 3.13 M page_count: 13 document date: 2025-02-01



[\[pdf\]](#) Dimension Guide Catalog

Winco Catalog 2024 Bussing Transport Catalogs 2024WincoCatalog NP 21 v 1714423212 cdn shopify s files 1 0705 4268 8541 |||

BUSSING TRANSPORT DUAL WELDMENT SYSTEM Winco s exclu1s/i2v e Weld 2 System features fail-safe rig ... weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G **UC-3019K** UC-RB UC-SB UC-WH UC-WHB DESCRIPTION 32 L x 16-1/8 W x 36-3/4 H 32 L x 16-1/8 W x 36-3/4 H...

lang:en score:22 filesize: 3.05 M page_count: 13 document date: 2024-04-29



lang:en score:22 filesize: 3.17 M page_count: 10 document date: 2019-01-24



[\[pdf\] Specifications Accessories Catalog](#)

Winco Catalog 2024 Bussing n Transport Utility and Bus Carts Index of media wysiwyg SpecSheets jeansrs |||

BUSSING TRANSPORT UTILITY BUS CARTS 4 swivel casters, 2 with brakes UC-2415G 3-TIER UTILITY CARTS WITH BRAKES Easy-clean polypropylene shelves UC-2415 series weighs 17.5 lbs UC-3019 series weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G UC-...

lang:en score:21 filesize: 261.02 K page_count: 1 document date: 2024-10-17



[\[pdf\] Accessories](#)

B U S I N G T R A N P O Vortex Restaurant Equipment 3 TIER UTILITY CARTS WITH BRAKES ◇ Easy clean polypropylene shelves UC-2415 series weighs 17.5 lbs 3019 27 Accessory bins Winco 2415K Spec

Sheetvortexrestaurantequipment ca 2020 06 Winco Sheet srslid AfmB0osDWTYEapfGkUxspPr3O6TaYo2 8rzFTBF9vLFmNGWgMc0P19W |||

BUSSING TRANSPORT UTILITY BUS CARTS UC-2415G 3-TIER UTILITY CARTS WITH BRAKES Easy-clean polypropylene shelves UC-2415 series weighs 17.5 lbs UC-3019 series weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G **UC-3019K** UC-RB UC-SB UC-WH UC-WHB ...

lang:en score:20 filesize: 277.62 K page_count: 1 document date: 2025-05-23



[\[pdf\] Declaration of Conformity Accessories Catalog](#)

Winco Catalog 2024 UC SB 13 W X 9 D 7 H Silverware Bin d11e844ff9174c97caeb599856d d163axztg8am2h cloudfront net static doc a8 81 |||

BUSSING TRANSPORT UTILITY BUS CARTS 4 swivel casters, 2 with brakes UC-2415G 3-TIER UTILITY CARTS WITH BRAKES Easy-clean polypropylene shelves UC-2415 series weighs 17.5 lbs UC-3019 series weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G UC-...

lang:en score:20 filesize: 262.03 K page_count: 1 document date: 2024-09-09



[pdf] Accessories Catalog

Catalog Winco UC 3019G 3 Level Plastic Utility Cart w 400 lb Capacity Raised Ledges Plant Based Pros 080 UC3019G catalog restaurantandmore 2022 05 |||

B ussing T ransport FOLDING UTILITY CARTS UCF-2916K UCF-2916K shown folded Folding Utility Ca ... Black Set 1 16-1/8 W x 36-3/4 H UC-3019G 40-3/4 L x 400 Lbs Gray Set 1 19-1/2 W x 37-3/8 H UC-3019K 40-3/4 L x 400 Lbs Black Set 1 19-1/2 W x 37-3/8 H UC-RB Refuse Bin Each 3 UC-SB Si...

lang:en score:20 filesize: 428.81 K page_count: 1 document date: 2020-07-21



[pdf]

2019WincoCat 335 344 BUSSING1a wincous 80 2019 06 |||

B ussing T ransport Flatware/CUTLERY Cylinders Holders ITEM FC-PL FC-SS FC-SL FC-4H FC-6H DES ... Black Set 1 16-1/8 W x 36-3/4 H UC-3019G 40-3/4 L x 400 Lbs Gray Set 1 19-1/2 W x 37-3/8 H UC-3019K 40-3/4 L x 400 Lbs Black Set 1 19-1/2 W x 37-3/8 H UC-RB Refuse Bin Each 3 UC-SB Si...

lang:en score:18 filesize: 3.11 M page_count: 10 document date: 2019-06-27



[pdf] Accessories Catalog

CatalogWinco SUC 50 3 Level Stainless Steel Utility Cart Marine Ledges080 SUC50 catalogres katom products 080

catalog DownloadmanualCatalogWinco UC 2415K 330 Lb Tier Black Plastic Culinary DepotWinco LedgesWinco 2080


catalogculinarydepot s3 amazonaws Winco 2res ||| Bussing Transport Utility Bus Carts UCF-2916K UCF-2916K

shown folded Folding 3-TIER Utility Carts Add convenient mobility and compact storage in one. Transport stacked

dishes, bus boxes, or meals to serve. Ideal for room service, off-site c

Bussing Transport Utility Bus Carts UCF-2916K UCF-2916K shown folded Folding 3-TIER Utility ... weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G UC-3019K UC-RB UC-SB UC-WH UC-WHB DESCRIPTION 32 L x 16-1/8 W x 36-3/4 H 32 L x 16-1/8 W x 36-3/4 H...

lang:en score:18 filesize: 337.8 K page_count: 1 document date: 2022-03-07



[\[pdf\]](#) Dimension Guide

DUAL WE L D M E N T S Y wincous new item Bussing Transport 356 26 23 1 4 21 5 8 15 Fits a combination of full length pans only two per tier half or third size srK 12 12D StAinleSS Steel SteAm tABle PAn 2022WincoCat 352 364 BUSSING 2022 02 |||

Bussing T transport DUAL WELDMENT SYSTEM Winco's excludes/2ve Weld 2 System features fail-safe r ... weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G **UC-3019K** UC-RB UC-SB UC-WH UC-WHB DESCRIPTION 32 L x 16-1/8 W x 36-3/4 H 32 L x 16-1/8 W x 36-3/4 H...

lang:en score:18 filesize: 3.13 M page_count: 13 document date: 2022-02-28



pdf Accessories

U S I N G T R A N P O T W i n o U C 2415 G Spec Sheet vortex restaurantequipment ca 2020 06 Winco Sheet srslid
AfmBOornT2f1KObsTZgZZ8oiL3HllhytcvVh6Za3UACxS8tn6qSAJhq6 TB SheetWinco
AfmBOornT2f1KObsTZgZZ8oiL3HllhytcvVh6Za3UACxS8tn6qSAJhq6vortex restaurantequipment
AfmBOopyL59TqG8uNyreUN8wb67Zecm o84BZITY5jpTswRyrc4UpaFj Vortex Restaurant EquipmentUC 3019K SUC 30
SB RB 4 swivel casters 2 with brakes ITEM 40 3 L x 19 1 W 37 8 H 400 Lbs Black Set RBWinco AfmBOoq
viLrx777kfV9u cQql94vnUBSPZP7LaavtG7oZnv u8BU6ibvortex restaurantequipment
o84BZITY5jpTswRyrc4UpaFj vortex restaurantequipment AfmBOorFXyM
oryGvDQwVXfnqFZMkTHpe2FJP8YVepy2JFYB2vq0WbG AfmBOopxCysAv3XLwLe QoB IgoJL8tYsclSFfCfQQuorY
FOmsvb2vortex restaurantequipment
AfmBOoqDZ4YL2MNgn8YaHeIRltPDhoJ95ZTMXCWxeRCkB1nfjqcQpxG5vortex restaurantequipment ||| BUSSING
TRANSPORT UTILITY BUS CARTS UC-2415G 3-TIER UTILITY CARTS WITH BRAKES Easy-clean polypropylene
shelves UC-2415 series weighs 17.5 lbs UC-3019 series weighs 27 lbs Accessory bins sold separately Ships knocked
down ITEM UC-2415G UC-24 ||| BUSSING TRANSPORT UTILITY BUS CARTS UC-2415G 3-TIER UTILITY CARTS
WITH BRAKES Easy-clean polypropylene shelves UC-2415 series weighs 17.5 lbs UC-3019 series weighs 27 lbs
Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-24 ||| BUSSING TRANSPORT UTILITY BUS
CARTS UC-2415G 3-TIER UTILITY CARTS WITH BRAKES Easy-clean polypropylene shelves UC-2415 series weighs
17.5 lbs UC-3019 series weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-24 |||
BUSSING TRANSPORT UTILITY BUS CARTS UC-2415G 3-TIER UTILITY CARTS WITH BRAKES Easy-clean
polypropylene shelves UC-2415 series weighs 17.5 lbs UC-3019 series weighs 27 lbs Accessory bins sold separately
Ships knocked down ITEM UC-2415G UC-24 ||| BUSSING TRANSPORT UTILITY BUS CARTS UC-2415G 3-TIER
UTILITY CARTS WITH BRAKES Easy-clean polypropylene shelves UC-2415 series weighs 17.5 lbs UC-3019 series

weights 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G UC-3019K UC-BB UC-SB UC-WH UC-WHB BUSSING TRANSPORT UTILITY BUS CARTS UC-2415G 3-TIER UTILITY CARTS WITH BRAKES Easy-clean polypropylene shelves UC-2415 series weighs 17.5 lbs UC-3019 series weighs 27 lbs Accessory bins sold separately Ships knocked down ITEM UC-2415G UC-2415K UC-3019G UC-3019K UC-BB UC-SB UC-WH UC-WHB

lang:en score:16 filesize:277.61 K page_count: 1 document_date: 2025-05-23



[\[pdf\]](#) Catalog

2018 Winco SPANISH CATALOG MAR 356pg wincous 04

22001188 NNOORMRMAAS SDDE

ELALAININDDUUSTSRTIRAIAGGAASTSRTORONNMIMICACAPRPOROFEFSEISOIONNAAL.L.

LALA ... e Carros multiusos y de camarero UC-2415g UC-2415G se muestra con recipientes
accesorios UC-SB **UC-3019K** UC-RB SUC-30 Carro para cajas Carros multiusos Carro de 3
niveles Polipropileno La ...

lang:es score:14 filesize: 79.35 M page_count: 356 document date: 2018-04-09