

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Jackson](#) /

› [Jackson JS Series Warrior JS32 Electric Guitar User Manual](#)

Jackson Warrior JS32

Jackson JS Series Warrior JS32 Electric Guitar User Manual

Model: Warrior JS32 | Brand: Jackson

1. PRODUCT OVERVIEW

The Jackson JS Series Warrior JS32 is an electric guitar designed for performance. It features an all-poplar body and a bolt-on maple neck with graphite reinforcement for stability. The amaranth fingerboard has 24 jumbo frets and a 12–16-inch compound radius, facilitating both comfortable chording and rapid soloing. The guitar is equipped with two Jackson high-output humbucking pickups with ceramic magnets, providing a clear and powerful sound. Tone shaping is managed by a 3-way pickup selector, master volume, and tone controls.

- Solidbody Electric Guitar with All-poplar Body
- 2 Humbucking Pickups
- Amaranth Fingerboard
- Maple Neck



Image 1: Front view of the Jackson JS Series Warrior JS32 electric guitar, highlighting the body shape, humbucking pickups, and Floyd Rose tremolo system.



Image 2: Detailed view of the guitar's body, showcasing the bridge, fine tuners, pickup selector, and control knobs.

2. SETUP

Upon unboxing, inspect the guitar for any shipping damage. Ensure all components are securely fastened.

2.1 Tuning

The Warrior JS32 features a Floyd Rose Special double-locking tremolo system. Initial tuning requires careful adjustment. Loosen the locking nuts at the headstock, tune the strings using the machine heads, then tighten the locking nuts. Fine-tune using the bridge's fine tuners.



Image 3: Close-up of the Jackson headstock, displaying the tuning machines and locking nut system.

2.2 String Height (Action)

The string height can be adjusted at the bridge. Refer to standard guitar setup guides for preferred action settings.

2.3 Intonation

Proper intonation ensures notes play in tune across the fretboard. This is adjusted at the bridge saddles.

2.4 Neck Relief

The truss rod, accessible at the headstock, allows for neck relief adjustments. This should be performed by an experienced technician if you are unfamiliar with the process.



Image 4: Rear view of the headstock and neck joint, showing the serial number and manufacturing details.

3. OPERATING INSTRUCTIONS

3.1 Pickup Selector

The 3-way toggle switch controls which pickups are active:

- **Position 1 (Up):** Neck pickup only.
- **Position 2 (Middle):** Both neck and bridge pickups.
- **Position 3 (Down):** Bridge pickup only.

3.2 Volume Knob

Controls the overall output volume of the guitar.

3.3 Tone Knob

Adjusts the treble response, from bright (fully clockwise) to warm (fully counter-clockwise).

3.4 Floyd Rose Tremolo System

The tremolo arm allows for pitch modulation (dive bombs, vibrato). Ensure the locking nuts are tightened for stable tuning during use.

4. MAINTENANCE

4.1 Cleaning

Regularly wipe down the guitar body, neck, and strings with a soft, dry cloth after use. For deeper cleaning, use guitar-specific cleaning products.

4.2 String Replacement

Strings should be replaced regularly to maintain tone and playability. When replacing strings on a Floyd Rose system, replace one string at a time to maintain bridge balance.

4.3 Fretboard Conditioning

The amaranth fretboard may benefit from occasional conditioning with a suitable fretboard oil to prevent drying.

4.4 Hardware Inspection

Periodically check all screws, nuts, and bolts for tightness, especially on the bridge and tuning machines.

5. TROUBLESHOOTING

5.1 Tuning Instability

- Ensure locking nuts at the headstock are tight.
- Check string installation at the bridge saddles.
- Verify that the Floyd Rose bridge is balanced and level.
- Old or worn strings can cause tuning issues.

5.2 String Buzz

- Check string height at the bridge.
- Inspect for uneven or worn frets.
- Adjust neck relief if necessary.

5.3 No Sound/Weak Output

- Verify cable connections to the guitar and amplifier.
- Check amplifier settings.
- Inspect pickup selector switch and control knobs for proper function.
- Ensure output jack is secure and clean.

6. SPECIFICATIONS

Feature	Detail
Brand	Jackson
Model Name	Warrior JS32
Model Number	JS Series 2910136576
Color	Snow White

Body Material	Poplar
Neck Material Type	Maple
Fretboard Material Type	Amaranth
Number of Frets	24 Jumbo
Fretboard Radius	12"-16" Compound Radius
Guitar Pickup Configuration	Humbucker (H)
Pickups	Jackson High-Output Humbucking (Ceramic Magnets)
Controls	Master Volume, Master Tone, 3-Position Blade
Guitar Bridge System	Floyd Rose Special Double-Locking Tremolo (Recessed)
String Material Type	Nickel-plated steel
Number of Strings	6
Scale Length	25.5 Inches
Item Dimensions L x W x H	49.49"L x 24.29"W x 5.24"H
Connector Type	1/4" (6.35mm) audio jack
UPC	885978977086

7. WARRANTY INFORMATION

This Jackson JS Series Warrior JS32 electric guitar comes with a 2-year limited warranty. Please retain your proof of purchase for warranty claims. For detailed terms and conditions, refer to the official Jackson Guitars website or contact customer support.

8. SUPPORT

For further assistance, technical support, or service inquiries, please visit the official Jackson Guitars website or contact their customer service department. Online resources, FAQs, and service center locators may be available.