

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [ABLEGRID](#) /

› [ABLEGRID AC DC Adapter Model 2403 User Manual](#)

ABLEGRID 2403

ABLEGRID AC DC Adapter Model 2403 User Manual

For Liteon External DVDRW Drives: SOHW-1213SX, SOHW-1633SX, SOHW-1673SX, SOHW-1693SX, SHW-1635SX, SHM-165P6SX, SOHW-1673SU-1635, SOHW-1673SU, SHW-160P6SU

1. INTRODUCTION

This manual provides essential information for the safe and effective use of your ABLEGRID AC DC Adapter Model 2403. This adapter is designed to provide power to compatible Liteon External DVDRW Drives. Please read this manual thoroughly before use and retain it for future reference.

2. SAFETY INFORMATION

To ensure safe operation and prevent damage, observe the following safety precautions:

- Ensure the adapter's input voltage (100-240VAC, 50/60Hz) matches your local power supply.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not disassemble or attempt to repair the adapter. Refer servicing to qualified personnel.
- This adapter features Overcharge Protection, Overcurrent Protection, Overvoltage Protection, and Short Circuit Protection for enhanced safety.
- The product is certified with CE and RoHS standards.

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

3. SETUP

1. **Unpack the Adapter:** Carefully remove the ABLEGRID AC DC Adapter from its packaging. Inspect it for any visible damage.
2. **Connect to Power Outlet:** Plug the AC input cable of the adapter into a standard wall power outlet (100-240VAC, 50/60Hz).
3. **Connect to DVDRW Drive:** Insert the barrel connector output plug of the adapter into the power input port of your compatible Liteon External DVDRW Drive. Ensure a secure connection.



Figure 1: ABLEGRID AC DC Adapter Model 2403. This image shows the adapter with its label facing up, displaying the model number and input voltage specifications. The output cable with the barrel connector is visible.

4. OPERATING INSTRUCTIONS

Once the adapter is correctly connected to both the power outlet and your Liteon External DVDRW Drive, the drive should receive power. Observe the indicator light on the adapter (if present) or on your DVDRW drive to confirm power is being supplied.



Figure 2: ABLEGRID AC DC Adapter Model 2403. This image displays the adapter from a different angle, highlighting its smooth top surface and the connected output cable with the barrel connector.

5. MAINTENANCE

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid wrapping the cables too tightly.

6. TROUBLESHOOTING

- **No Power to DVDRW Drive:**
 - Ensure the adapter is securely plugged into a working wall outlet.
 - Verify the barrel connector is fully inserted into the DVDRW drive's power port.
 - Check if the wall outlet is functional by plugging in another device.
- **Adapter Feels Warm:** It is normal for the adapter to feel slightly warm during operation. If it becomes

excessively hot or emits a burning smell, disconnect it immediately and cease use.

7. SPECIFICATIONS

Model	2403
Input Voltage	100-240VAC, 50/60Hz
Output Voltage	12 Volts
Current Rating	1.5 Amps
Connector Type	Barrel Connector
Special Features	Short Circuit Protection, Overcharge Protection, Overcurrent Protection, Overvoltage Protection
Compliance	CE, RoHS

8. WARRANTY AND SUPPORT

This ABLEGRID AC DC Adapter comes with a 1-year warranty from the date of purchase. For warranty claims, technical support, or any inquiries regarding your product, please contact ABLEGRID customer service through their official website or the retailer where the product was purchased.