

[manuals.plus](#) /

› [Project Source](#) /

› [Project Source 94931 3.5-inch Cordless White Vinyl Door Vertical Blinds Instruction Manual](#)

Project Source 94931

Project Source 94931 3.5-inch Cordless White Vinyl Door Vertical Blinds

INSTRUCTION MANUAL

Model: 94931 | Brand: Project Source

1. Introduction

These Project Source 3.5-inch Cordless White Vinyl Door Vertical Blinds are designed for easy installation and operation, providing privacy and light control for patio doors and windows. Constructed with anti-static non-leaded vinyl slats and an aluminum track, these blinds offer durability and a clean aesthetic. The child-proof wand controls allow for confident adjustment of vanes and overall blind position.



Image: Project Source 3.5-inch Cordless White Vinyl Vertical Blinds. These blinds are designed to provide privacy and

2. Key Features

- **Perfect Size:** Measures 78 inches wide by 84 inches long, with 3.5-inch vanes for privacy and precise light control.
- **Reversible Headrail:** Offers flexibility with a left or right one-way draw, allowing customization for your space.
- **Aluminum Track:** Engineered for long-lasting durability, ensuring the blinds withstand the test of time.
- **Vinyl Slats:** Features anti-static, non-leaded vinyl formula slats that resist dust and enhance home decor.
- **Wand Controls:** Child and pet-proof wand controls enable confident opening, closing, and adjustment of vanes.

3. Installation Guide

Follow these steps for proper installation of your vertical blinds. Ensure you have the necessary tools including a drill, screwdriver, measuring tape, and pencil.

1. **Measure and Mark:** Determine the desired mounting location (inside or outside the window/door frame). Measure the width and height, ensuring the top of the mounting brackets will be 84.5 inches or more from the floor. Mark the positions for the brackets, typically 5-12 inches from each end of the headrail, and a centered bracket if needed.
2. **Drill Pilot Holes:** Using a drill, create pilot holes at the marked locations for the mounting brackets. Insert wall anchors if drilling into drywall.
3. **Attach Brackets:** Securely fasten the mounting brackets to the wall or frame using screws. Ensure they are level and firmly attached.
4. **Install Headrail:** Carefully place the headrail into the installed brackets. Ensure it clicks securely into place.
5. **Attach Vanes:** Hang each vinyl vane onto the carriers in the headrail. Ensure all vanes are facing the same direction.
6. **Install Valance (if applicable):** Attach the decorative valance to the front of the headrail, if your model includes one.
7. **Attach Wand Control:** Connect the wand control to the designated mechanism on the headrail. The wand can be placed on either the left or right side for flexible operation.

Your browser does not support the video tag.

Video: Installation guide for vertical blinds. This video demonstrates the process of measuring, attaching brackets, installing the headrail, and hanging the vanes for a complete setup.

4. Operating Instructions

Your Project Source vertical blinds are designed for simple and intuitive operation using the attached wand control.

- **Opening/Closing Blinds:** To open or close the blinds, gently pull the wand control horizontally across the track. The vanes will slide along the track, stacking neatly to one side.

- **Adjusting Vane Angle:** To adjust the angle of the vanes and control the amount of light entering the room, twist the wand control. This action rotates the vanes, allowing you to achieve your desired level of privacy and light filtration.
- **Child Safety:** The cordless wand control design enhances child and pet safety by eliminating hazardous cords. If desired, the wand can be easily detached and stored out of reach.

5. Care and Maintenance

To ensure the longevity and appearance of your Project Source vertical blinds, follow these simple care instructions:

- **Cleaning:** Spot clean only. Use a soft, damp cloth with mild soap and water to gently wipe down the vinyl slats. Avoid harsh chemicals or abrasive cleaners.
- **Dusting:** Regularly dust the blinds with a soft cloth or a duster to prevent dust buildup. The anti-static properties of the vinyl help reduce dust accumulation.
- **Avoid Submerging:** Do not submerge the blinds in water or machine wash, as this can damage the material and operating mechanisms.

6. Troubleshooting

If you encounter any issues with your vertical blinds, consider the following common troubleshooting tips:

- **Vanes Not Rotating:** Check if the wand control is properly attached and not obstructed. Ensure no debris is caught in the headrail mechanism.
- **Blinds Not Opening/Closing Smoothly:** Inspect the track for any obstructions or damage. Ensure the vanes are not tangled or misaligned. Gently guide the wand to free any sticking points.
- **Damaged Vanes:** Individual vanes can often be replaced if damaged. Contact customer support for replacement parts.
- **Headrail Issues:** If the headrail appears damaged or the carriers are not functioning, professional assistance may be required.

7. Product Specifications

Attribute	Value
Material	Vinyl
Product Dimensions	84"L x 6"W
Brand	Project Source
Color	White Solid
Opacity	Semi-Sheer
Recommended Uses For Product	Indoor, Outdoor
Specific Uses For Product	Patio

Attribute	Value
Room Type	Any Room
Operation Mode	Cordless
Special Feature	Cordless
Included Components	No
Shape	Rectangular
Number of Items	1
Pattern	Solid
Item Weight	19 Pounds
Product Care Instructions	Spot Clean Only
Closure Type	Cordless
Size	6"W x 84"H
Mounting Type	inside mount; outside mount
Number Of Panels	1
Water Resistance Level	Not Water Resistant
Control Type	Cordless
Fabric Type	100% Vinyl
Number of Packs	1
Style	Solid
Manufacturer	Project Source
UPC	766686949315
Item model number	94931
Date First Available	November 21, 2020

8. Warranty and Support

Specific warranty information for the Project Source 94931 Vertical Blinds is not provided in the available product details. Please refer to the product packaging or the manufacturer's official website for detailed warranty terms and conditions. For customer support, contact Project Source directly through their official channels.

