

[Manuals.plus](#) /

› [Daewoo](#) /

› Daewoo Juicer DJE-5659 Instruction Manual

Daewoo DJE-5659

Daewoo Juicer DJE-5659 Instruction Manual

Model: DJE-5659

IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before using the Daewoo Juicer DJE-5659. Retain this manual for future reference.

- Always ensure the appliance is switched off and unplugged from the power outlet before assembly, disassembly, or cleaning.
- Do not immerse the motor base in water or any other liquid. Clean with a damp cloth only.
- Keep hands and utensils away from moving parts during operation to prevent injury.
- Ensure all parts are correctly assembled and the safety lock is engaged before operating the juicer.
- Do not operate the appliance with a damaged cord or plug, or if the appliance malfunctions or has been damaged in any manner.
- This appliance is for household use only. Do not use outdoors.
- Supervise children closely when the appliance is in use.

PRODUCT OVERVIEW

The Daewoo DJE-5659 Juicer is designed for efficient extraction of juice from citrus fruits. It features a durable stainless steel blade and a safety locking mechanism.



Image 1: Overview of the Daewoo DJE-5659 Juicer. This image displays the assembled juicer, highlighting its compact design and key components such as the motor unit, juice collection jug, and the juicing cone.

Components:

1. Motor Base
2. Juice Collection Jug (1.2 Liter capacity)
3. Pulp Container
4. Stainless Steel Filter/Strainer
5. Juicing Cone
6. Lid
7. Safety Locking Arm

SETUP

Before first use, wash all detachable parts (juice collection jug, pulp container, filter, juicing cone, lid) in warm soapy water, rinse thoroughly, and dry. Wipe the motor base with a damp cloth.

Assembly Steps:

1. Place the motor base on a stable, flat, and dry surface.
2. Position the juice collection jug onto the motor base, ensuring it is seated correctly.

3. Place the pulp container on top of the juice collection jug.
4. Insert the stainless steel filter/strainer into the pulp container.
5. Place the juicing cone onto the filter.
6. Secure the lid onto the assembly.
7. Engage the safety locking arm by lifting it and clamping it securely into place on the lid. The juicer will not operate unless the safety lock is engaged.
8. Plug the power cord into a suitable 220-240V ~ 50/60Hz power outlet.

OPERATING INSTRUCTIONS

The Daewoo DJE-5659 Juicer offers two speed options for optimal juicing.

Juicing Process:

1. Prepare fruits: Wash fruits thoroughly. For citrus fruits, cut them in half. Remove any large seeds.
2. Ensure the juicer is correctly assembled and the safety lock is engaged.
3. Turn on the juicer using the power switch. Select the desired speed setting (Speed 1 or Speed 2) based on the fruit's hardness. Softer fruits may require a lower speed, while harder fruits benefit from a higher speed.
4. Place a fruit half onto the juicing cone and apply gentle, even pressure. The juicer will begin extracting juice.
5. The juice will flow into the juice collection jug, and pulp will accumulate in the pulp container.
6. Continue juicing until all desired fruit is processed or the juice jug is full.
7. Once finished, switch off the juicer and unplug it from the power outlet.

Note: Do not continuously operate the juicer for more than 1 minute. Allow a 2-minute rest period between cycles to prevent overheating.

MAINTENANCE AND CLEANING

Regular cleaning ensures optimal performance and extends the life of your juicer. All detachable parts are dishwasher safe.

Cleaning Steps:

1. Ensure the juicer is switched off and unplugged.
2. Disengage the safety locking arm and remove the lid.
3. Carefully remove the juicing cone, filter, pulp container, and juice collection jug.
4. Empty any remaining pulp from the pulp container and discard.
5. Rinse all detachable parts under running water immediately after use to prevent pulp from drying and sticking.
6. Wash detachable parts in warm, soapy water using a brush for the filter to remove any stubborn pulp. Alternatively, place them in the dishwasher.
7. Wipe the motor base with a damp cloth. Do not immerse the motor base in water.
8. Dry all parts thoroughly before reassembling or storing.

Storage:

Store the assembled juicer in a dry, clean place, away from direct sunlight and out of reach of children.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Juicer does not turn on.	Not plugged in; Safety lock not engaged; Power outage.	Check power connection; Ensure safety lock is fully engaged; Check household circuit breaker.

Problem	Possible Cause	Solution
Motor stops during operation.	Overheating due to continuous use; Too much pressure on fruit; Blockage.	Switch off and unplug, allow to cool for 15-20 minutes; Reduce pressure; Disassemble and clean any blockages.
Low juice yield or excessive pulp in juice.	Filter clogged; Incorrect speed setting for fruit type.	Clean the filter thoroughly; Adjust speed setting (higher speed for harder fruits).
Loud noise or vibration.	Parts not assembled correctly; Juicer not on a stable surface.	Disassemble and reassemble all parts, ensuring they are securely fitted; Place juicer on a flat, stable surface.

SPECIFICATIONS

Brand	Daewoo
Model Number	DJE-5659
Type	Centrifugal Juicer
Power	400 Watts
Voltage	220-240V ~ 50/60Hz
Juice Jug Capacity	1.2 Liters
Pulp Container Capacity	800 ml
Material	Stainless Steel Blades, Plastic Body
Special Features	2 Speed Options, Safety Lock, Detachable Parts, Non-slip Base
Care Instructions	Dishwasher Safe (detachable parts)
Item Weight	12.4 kg (Note: This weight may include packaging)

WARRANTY AND SUPPORT

This Daewoo product is covered by a manufacturer's warranty. Please refer to the warranty card included with your purchase for specific terms and conditions, including warranty period and coverage details.

For technical support, service, or replacement parts, please contact Daewoo customer service. Contact information can typically be found on the product packaging or the official Daewoo website.

Online Support: Visit the official Daewoo website for FAQs and support resources.

Customer Service: Refer to your warranty documentation for regional contact numbers.