

APPASO AP-K149-BN

APPASO AP-K149-BN Kitchen Faucet with Pull-Down Sprayer and Soap Dispenser User Manual

Model: AP-K149-BN

INTRODUCTION

Thank you for choosing the APPASO AP-K149-BN Kitchen Faucet. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new kitchen faucet with a pull-down sprayer and integrated soap dispenser. Please read these instructions thoroughly before installation and keep them for future reference.

APPASO



Anitque Style Patented Design KITCHEN FAUCET & SOAP DISPENSER

Image: APPASO AP-K149-BN Kitchen Faucet with Pull-Down Sprayer and Soap Dispenser in Brushed Nickel finish.

SAFETY INFORMATION

- Always turn off the main water supply before attempting any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- Ensure all connections are tight to prevent leaks, but do not overtighten.
- If you are unsure about any step, consult a qualified plumber.

INCLUDED COMPONENTS

Your APPASO Kitchen Faucet package includes the following items:

- APPASO Kitchen Faucet
- Mounting Accessories
- User Manual
- Weight
- Deck Plate
- Soap Dispenser

APPASO



Image: All components included in the APPASO Kitchen Faucet package, laid out for inspection.

SPECIFICATIONS

Brand	APPASO
Model Name	AP-K149-BN

Finish Type	Stainless Steel (Brushed Nickel)
Material	304 Stainless Steel, PEX Hose, ABS Plastic
Mounting Type	Protruding
Number of Handles	1
Hole Count	3 (1-Hole or 3-Hole with Deck Plate Covering)
Spout Design	Pull-Down
Product Dimensions	9.8"D x 9"W x 15.7"H
Item Weight	5.04 pounds




Fit for **1 to 4** holes sink



3/8" Standard pipe connection



1/2" Adapter included



1. Mounting hole size: **1-1/4"~1-2/5"** (3.2~3.5CM)

2. Max thickness of countertop: **1-3/5"** (4CM).



Image: Technical drawing showing the dimensions of the faucet and soap dispenser, including mounting hole size and countertop thickness requirements.

SETUP AND INSTALLATION

Follow these steps to install your APPASO Kitchen Faucet. For visual guidance, refer to the installation video below.

- 1. Prepare the Sink Area:** Clear the area around the faucet hole(s) on your sink or countertop. Ensure the mounting hole size is 1-1/4" to 1-2/5" (3.2-3.5cm) and the maximum countertop thickness is 1-3/5" (4cm).
- 2. Turn Off Water Supply:** Locate and turn off the hot and cold water supply valves under your sink. Open the existing faucet to relieve any pressure in the lines.

3. **Remove Old Faucet:** Disconnect the hot and cold water lines from the old faucet. Unscrew any mounting nuts or clamps holding the old faucet in place and remove it.
4. **Install Deck Plate (Optional):** If your sink has multiple holes and you prefer a single-hole installation, place the deck plate over the holes.
5. **Mount the Faucet:** Insert the faucet body through the main hole in the sink or deck plate. From underneath the sink, secure the faucet using the provided mounting accessories (gasket, washer, and mounting nut). Tighten securely but do not overtighten.
6. **Connect Water Lines:** Connect the hot and cold water supply lines from the faucet to your home's hot and cold water supply valves. Use the included 1/2" adapter if necessary. Ensure all connections are hand-tight, then use a wrench for a final quarter-turn.
7. **Install Weight:** Attach the weight to the pull-down hose beneath the sink. This ensures the sprayer head retracts smoothly.
8. **Install Soap Dispenser:** Insert the soap dispenser into its designated hole (if applicable) and secure it from underneath the sink.
9. **Test for Leaks:** Slowly turn on the hot and cold water supply valves. Check all connections for leaks. Operate the faucet to ensure proper function.

Video: Official APPASO installation guide for a pull-down kitchen faucet, demonstrating the step-by-step process.

OPERATING INSTRUCTIONS

Your APPASO Kitchen Faucet is designed for ease of use and versatility.

- **Handle Operation:** The single handle controls both water temperature and flow. Move the handle left for hot water, right for cold water, and up/down to adjust flow intensity.
- **Pull-Down Sprayer:** Gently pull down the sprayer head from the spout. The flexible PEX hose extends up to 20 inches, providing ample reach for various tasks.
- **3-Setting Modes:** The sprayer head features three distinct modes:
 - STREAM:** For filling pots and general use.
 - SPRAY:** For powerful cleaning and rinsing.
 - PAUSE:** Temporarily stops water flow to prevent splashing while moving the sprayer.
- **Automatic Retraction:** Thanks to counterweight technology, the sprayer head automatically retracts smoothly back into the spout when released.
- **360° Swivel:** The faucet spout can swivel 360 degrees, making it suitable for both single and double bowl kitchen sinks.

APPASO

ORDINARY



**BRASS +
ZINC AOLLY**

Solid construction,
built for last



**POOR
MATERIAL**

Easily corroded and
rusted



COPPER CORE

Durable without
dripping



PLASTIC MATERIAL

Easy to burst,
short service life



**ANTI-
FINGERPRINT**

Resistant to stains
and easy to clean



EASILY SOILED

Normal material is
prone to fingerprints
and dirt

Image: A hand demonstrating the three spray modes (Stream, Spray, Pause) of the pull-down kitchen faucet.

- PULL DOWN TECHNOLOGY
- 20-IN LONG REACH HOSE
- STRONG CLEANING



STREAM

SPRAY

PAUSE



Image: A woman using the APPASO kitchen faucet to fill a glass of water, highlighting its ergonomic design.

MAINTENANCE

Proper care and maintenance will ensure the longevity and optimal performance of your APPASO Kitchen Faucet.

- **Cleaning:** Clean the faucet regularly with a soft cloth and mild soap. Avoid abrasive cleaners, steel wool, or harsh chemicals, as these can damage the finish. The easy-clean rubber nozzles can be wiped to remove mineral buildup.

- **Finish Care:** The 7-layer nano and PVD coating technology provides an anti-fingerprint and easy-to-clean surface.
- **Ceramic Cartridge:** The high-quality ceramic cartridge is tested for 500,000 cycles, ensuring durability and drip-free performance for over 10 years.
- **Hose Inspection:** Periodically check the PEX hose for any signs of wear or damage.

WATER-SAVING

Easy-Clean
Rubber Nozzles



HOT & COLD

Easy to Operate With Just
A Handle



SURFACE UPGRADE TECHNOLOGY

≥8um Nickel layer

30~50% Corrosion Resistance



Image: Infographic detailing water-saving features, hot and cold water control, and surface upgrade technology for enhanced durability.

3-FUNCTION WATER



Image: Diagram illustrating the 7-layer Nano and PVD coating technology, highlighting lead-free, anti-fingerprint, and easy-to-clean properties.

TROUBLESHOOTING

If you encounter any issues with your APPASO Kitchen Faucet, refer to the common problems and solutions below.

- **Low Water Pressure:**

Check: Ensure water supply valves are fully open. Inspect the aerator for mineral buildup and clean if necessary.

- **Leaking from Spout:**

Check: The ceramic cartridge may need inspection or replacement. Contact support if the issue persists.

- **Sprayer Not Retracting:**

Check: Ensure the weight on the pull-down hose is positioned correctly and not obstructed.

- **Difficulty Changing Spray Modes:**

Check: Clean the spray head nozzles to remove any debris that might be hindering the button mechanism.

Video: Official APPASO guide on removing a kitchen faucet, which can be helpful for troubleshooting or replacement.

WARRANTY AND SUPPORT

APPASO provides a limited warranty for the AP-K149-BN Kitchen Faucet. For specific warranty details, please refer to the documentation included with your product or visit the official APPASO website.

We offer comprehensive support services, ongoing parts replacement, and dedicated technical support. If you have any questions, require assistance, or need to claim warranty service, please reach out to our customer support team.



Image: Certificate of Authenticity for APPASO products, ensuring quality and compliance.




Image: Display of certified core components, including the ceramic cartridge and hoses, emphasizing durability.