

## CASTLECREEK B07PMPXFLP

# CASTLECREEK 8' Window Door Awning User Manual

Model: B07PMPXFLP

Brand: CASTLECREEK

## 1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your CASTLECREEK 8' Window Door Awning. Designed to provide shade and protection, this awning helps keep your home cooler and can contribute to reduced energy consumption. Please read this manual thoroughly before installation and use to ensure safety and optimal performance.

## 2. SAFETY INFORMATION

### WARNING:

- Always ensure proper anchoring to the surface.
- Do not install in areas prone to high winds or heavy snow loads.
- Keep clear of moving parts during operation.
- Consult professional help if unsure about installation or maintenance.

## 3. PRODUCT OVERVIEW AND FEATURES

The CASTLECREEK 8' Window Door Awning is designed to fit windows and doors ranging from 73" to 96" in width. It features a 6" decorative valance, a 2'2" projection, and a 2'2" drop, providing ample shade and protection from the elements.



Figure 3.1: Black CASTLECREEK 8' Window Door Awning.



Figure 3.2: Linen colored CASTLECREEK 8' Window Door Awning.

### Key Features:

- **Blocks Out Sun's Rays:** Helps keep your home cooler and can reduce energy bills.
- **Keeps Dirt and Water Away:** The polyester fabric is designed to repel dirt and water, maintaining its appearance.
- **Quality Polyester Fabric:** Available in various shades to complement home aesthetics.
- **Versatile Use:** Suitable for both residential and commercial applications.

- **Durable Construction:** Features a sturdy stainless steel frame.
- **DIY Installation:** Includes necessary hardware for installation on wood, vinyl, aluminum, or concrete/brick surfaces with proper anchors.

## Product Video:

Your browser does not support the video tag.

Video 3.1: Overview of the Castlecreek 8' Window and Door Awning, highlighting its features and benefits.

## 4. SETUP AND INSTALLATION

The CASTLECREEK Awning is designed for DIY installation. Ensure you have the correct anchors for your specific mounting surface (wood, vinyl, aluminum, or concrete/brick).

### Required Tools (Not Included):

- Drill
- Measuring Tape
- Level
- Pencil/Marker
- Appropriate Anchors for your wall type

### Installation Steps:

1. **Unpack Components:** Carefully remove all parts from the packaging and verify against the parts list (refer to included diagram in physical manual).
2. **Choose Location:** Select a suitable location above your window or door, ensuring sufficient clearance (minimum 13 inches) and a stable mounting surface. Avoid areas prone to extreme weather conditions.
3. **Assemble Frame:** Follow the assembly instructions provided with the hardware to construct the stainless steel frame. Ensure all connections are secure.
4. **Attach Fabric:** Securely attach the polyester awning fabric to the assembled frame.
5. **Mark Mounting Points:** Hold the assembled awning in place and use a level to mark the drilling points for the mounting brackets on your wall.
6. **Drill Pilot Holes:** Drill pilot holes at the marked locations, using a drill bit appropriate for your chosen anchors and wall material.
7. **Install Anchors:** Insert the appropriate anchors into the pilot holes.
8. **Mount Awning:** Secure the awning to the wall using the provided hardware and installed anchors. Ensure it is firmly attached and level.
9. **Final Check:** Double-check all connections and mounting points for stability before use.



Figure 4.1: Sturdy Stainless Steel Frame.



Figure 4.2: Included Hardware for DIY Installation.

## 5. OPERATING INSTRUCTIONS

The CASTLECREEK Awning operates manually. Once installed, it provides continuous shade and protection. There are no moving parts for daily operation beyond initial setup.

- Ensure the awning is securely mounted before relying on its shade or protection.
- Periodically check mounting points for any loosening, especially after strong winds.

## 6. MAINTENANCE

Regular maintenance will extend the life and appearance of your CASTLECREEK Awning.

- **Cleaning:** The polyester fabric is designed to repel dirt and water. For general cleaning, simply rinse with water. For more stubborn dirt, use a mild soap solution and a soft brush, then rinse thoroughly. Avoid harsh chemicals or abrasive cleaners.
- **Fabric Care:** While the fabric is UV-treated, prolonged exposure to direct sunlight can lead to fading over time. Consider removing the fabric cover during extended periods of non-use or harsh weather conditions to preserve its color and integrity.
- **Frame Inspection:** Annually inspect the stainless steel frame for any signs of rust, damage, or loose connections. Tighten any loose bolts or screws.
- **Winter Storage (Optional):** In areas with heavy snow or ice, it is recommended to remove the fabric cover during winter months to prevent damage from snow accumulation and freezing temperatures. Store the fabric

in a clean, dry place.




Figure 6.1: UV-Treated Polyester Fabric.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Awning appears loose or unstable.	Improper installation; loose mounting hardware; unsuitable mounting surface.	Verify all mounting bolts are tightened. Ensure appropriate anchors were used for your wall type. If necessary, re-install with stronger anchors or on a more stable section of the wall.
Fabric fading prematurely.	Prolonged exposure to direct sunlight; harsh environmental conditions.	While UV-treated, all outdoor fabrics will eventually fade. Consider removing the fabric during peak sun exposure or off-season. Regular cleaning can help maintain appearance.
Water pooling on awning.	Incorrect angle during installation; debris accumulation on fabric.	Ensure the awning is installed with a slight downward slope to allow water runoff. Clear any leaves or debris from the fabric surface regularly.

8. SPECIFICATIONS

Attribute	Detail
Brand	CASTLECREEK
Model Number	B07PMPXFLP
Material	Polyester (Fabric) / Stainless Steel (Frame)
Color	Black (as per current product)
Size	8' Wide
Product Dimensions	4"D x 44.5"W x 4"H (Packaged)
Item Weight	9.5 Pounds

Attribute	Detail
Projection Distance	2' 2" (2.17 Feet)
Drop	2' 2"
Decorative Valance	6"
Minimum Clearance	13 Inches
Operation Mode	Manual
Assembly Required	Yes
UPC	885344836207


## 9. WARRANTY AND SUPPORT

For information regarding warranty coverage, returns, or technical support for your CASTLECREEK 8' Window Door Awning, please contact the retailer or manufacturer directly. Refer to your purchase receipt or the product packaging for specific contact details.

Manufacturer: Castlecreek  
Seller: The Sportsman's Guide

© 2025 CASTLECREEK. All rights reserved.

### Related Documents - B07PMPXFLP



[CASTLECREEK 4FT Window and Door Awning Installation Guide \(Item #581816\)](#)

Comprehensive guide for installing and caring for your CASTLECREEK 4FT Window and Door Awning. Includes parts list, step-by-step instructions, and maintenance tips.