

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Vogue](#) /
- › [Vogue Basic Design Pattern 7754 Misses' Shirt Instruction Manual](#)

Vogue 7754

Vogue Basic Design Pattern 7754 Misses' Shirt Instruction Manual

INTRODUCTION

This instruction manual provides detailed guidance for constructing the Vogue Basic Design Pattern 7754 Misses' Shirt. This pattern is designed for a very loose-fitting shirt with various collar options, dropped shoulders, shoulder pads, low armholes, and a back pleated into a yoke with forward shoulder seams. It includes options for pockets with mock bands and button trim, and sleeves with stitched hems or long sleeves with pleats and button cuffs. A narrow hem is specified.

PATTERN DETAILS

- **Pattern Number:** 7754
- **Difficulty Level:** Very Easy
- **Pattern Year:** 2003
- **Languages:** English and French
- **Pattern Series:** Vogue Basic Design Pattern Series

MATERIALS REQUIRED

Notions:

- 1/2" Covered Raglan Shoulder Pads or Vogue #9723
- 1/2" Buttons: Twelve for A, Fourteen for B, Seven for C, D and Eleven for E
- Snaps for D, E

Fabrics:

Crepe de Chine, Tissue Faille, Silk-like Jacquard, Lightweight Crepe and Handkerchief Linen. Unsuitable for obvious diagonals. Allow extra fabric to match plaids or stripes. Use nap yardages/layouts for pile, shaded or one-way design fabrics. *with nap. **without nap.

SIZING INFORMATION

Refer to the table below for body measurements corresponding to each pattern size.

| SIZE/TAILLE | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 |
|----------------|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|
| Bust | 30½ | 31½ | 32½ | 34 | 36 | 38 | 40 | 42 | 44 | 46 |
| Waist | 23 | 24 | 25 | 26½ | 28 | 30 | 32 | 34 | 37 | 39 |
| Hip | 32½ | 33½ | 34½ | 36 | 38 | 40 | 42 | 44 | 46 | 48 |
| T. de poitrine | 78 | 80 | 83 | 87 | 92 | 97 | 102 | 107 | 112 | 117 |
| T. de taille | 58 | 61 | 64 | 67 | 71 | 76 | 81 | 87 | 94 | 99 |
| T. de hanches | 83 | 85 | 88 | 92 | 97 | 102 | 107 | 112 | 117 | 122 |

7754
SIZE/TAILLE

| SIZE/TAILLE | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 |
|----------------|--------|--------|--------|--------|----|-----|-----|-----|-----|-----|
| Bust | 30 1/2 | 31 1/2 | 32 1/2 | 34 | 36 | 38 | 40 | 42 | 44 | 46 |
| Waist | 23 | 24 | 25 | 26 1/2 | 28 | 30 | 32 | 34 | 37 | 39 |
| Hip | 32 1/2 | 33 1/2 | 34 1/2 | 36 | 38 | 40 | 42 | 44 | 46 | 48 |
| T. de poitrine | 78 | 80 | 83 | 87 | 92 | 97 | 102 | 107 | 112 | 117 |
| T. de taille | 58 | 61 | 64 | 67 | 71 | 76 | 81 | 87 | 94 | 99 |
| T. de hanches | 83 | 85 | 88 | 92 | 97 | 102 | 107 | 112 | 117 | 122 |

VOGUE PATTERNS

7754

VERY EASY/TRÈS FACILE

MISSES' SHIRT Very loose-fitting shirt has collar variations, dropped shoulders, shoulder pads, low armholes, back pleated into yoke with forward shoulder seams, with or without pockets with mock bands and button trim and above elbow sleeves with stitched hems or long sleeves with pleats and button cuffs. Narrow hem.

NOTIONS: 1/2" Covered Raglan Shoulder Pads or Vogue #9723 and 1/2" Buttons: Twelve for A, Fourteen for B, Seven for C, D and Eleven for E, also Snaps for D, E.

FABRICS: Crepe de Chine, Tissue Faille, Silk-like Jacquard, Lightweight Crepe and Handkerchief Linen. Unsuitable for obvious diagonals. Allow extra fabric to match plaids or stripes. Use nap yardages/layouts for pile, shaded or one-way design fabrics. *with nap. **with-out nap.

CHEMISIER (J. femme) Chemisier très ample, avec variations de cols, carrure élargie, épaulettes et manches montées dans entournures profondes, au-dessus des coudes à ourlets piqués ou longues à poignets boutonnées, dos plissé dans empècement à coutures d'épaules surbaissées, avec ou sans poches plaquées à bandes simulées garnies de boutons. Ourlet étroit.

MERCERIE: Epauletttes recouvertes de 13mm (raglan), ou faites avec le patron Vogue #9723, Boutons (13mm): 12 pour A, 14 pour B, 7 pour C, D, 11 pour E, plus boutons-pression pour D, E.

TISSUS: Crêpe de Chine, Faille (poids plume), Jacquard (simili soie), Crêpe léger, Lin à mouchoir. Grandes diagonales ne conviennent pas. Compte non tenu des raccords de rayures/carreaux. *avec sens. **sans sens.

VOGUE PATTERN, 11 PENN PLAZA, NEW YORK 10001 © 2003 The McCall Pattern Co. • www.voguepatterns.com
PRINTED IN U.S.A. ALL RIGHTS RESERVED. SOLD FOR INDIVIDUAL HOME USE ONLY AND NOT FOR COMMERCIAL OR MANUFACTURING PURPOSES./RESERVE A UN USAGE PERSONNEL

| SIZE | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SHIRT A | | | | | | | | | |
| 35**/** | 2 5/8 | 2 5/8 | 2 3/4 | 3 | 3 1/8 | 3 3/8 | 3 3/8 | 3 3/8 | 3 1/2 |
| 45**/** | 2 3/8 | 2 3/8 | 2 3/8 | 2 3/8 | 2 1/2 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 |
| 60**/** | 1 5/8 | 1 5/8 | 1 3/4 | 1 7/8 | 1 7/8 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/8 |
| INTERFACING A | | | | | | | | | |
| 18", 25" | 3/4 | 3/4 | 3/4 | 3/4 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 |
| 36", 45" | 3/8 | 3/8 | 3/8 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |

| | | | | | | | | | |
|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SHIRT B | | | | | | | | | |
| 35**/** | 2 5/8 | 2 5/8 | 2 3/4 | 2 7/8 | 3 | 3 3/8 | 3 3/8 | 3 3/8 | 3 1/2 |
| 45**/** | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/2 | 2 5/8 | 2 5/8 | 2 5/8 | 2 3/4 | 2 3/4 |
| 60**/** | 1 5/8 | 1 5/8 | 1 3/4 | 1 3/4 | 2 | 2 | 2 1/8 | 2 1/8 | 2 1/8 |
| SHIRT C | | | | | | | | | |
| 35**/** | 2 1/4 | 2 1/4 | 2 3/8 | 2 3/8 | 2 3/4 | 2 7/8 | 2 7/8 | 2 7/8 | 2 7/8 |
| 45**/** | 1 7/8 | 1 7/8 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/4 | 2 3/8 | 2 1/2 |
| 60**/** | 1 1/2 | 1 1/2 | 1 1/2 | 1 5/8 | 1 5/8 | 1 5/8 | 1 7/8 | 1 7/8 | 1 7/8 |

| | | | | | | | | | |
|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SHIRT D | | | | | | | | | |
| 35**/** | 2 1/4 | 2 1/4 | 2 3/8 | 2 3/8 | 2 3/4 | 2 3/4 | 2 7/8 | 2 7/8 | 2 7/8 |
| 45**/** | 1 3/4 | 1 7/8 | 2 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/4 | 2 3/8 | 2 1/2 |
| 60**/** | 1 3/8 | 1 3/8 | 1 1/2 | 1 1/2 | 1 1/2 | 1 5/8 | 1 5/8 | 1 7/8 | 1 7/8 |
| SHIRT E | | | | | | | | | |
| 35**/** | 2 5/8 | 2 5/8 | 2 3/4 | 2 3/4 | 2 7/8 | 3 | 3 3/8 | 3 3/8 | 3 1/2 |
| 45**/** | 2 1/8 | 2 1/8 | 2 1/8 | 2 3/8 | 2 1/2 | 2 5/8 | 2 3/4 | 2 3/4 | 2 3/4 |
| 60**/** | 1 5/8 | 1 5/8 | 1 5/8 | 1 3/4 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/8 |

| INTERFACING B, C, D, E | | | | | | | | | |
|-------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 18", 25" | 3/4 | 3/4 | 3/4 | 3/4 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 |
| 36", 45" | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 |

| WIDTHS Lower edge | | | | | | | | | |
|--------------------------|----|----|----|----|----|----|----|----|----|
| Shirt | 41 | 42 | 43 | 45 | 47 | 49 | 51 | 53 | 55 |

| LENGTHS Finished back from base of your neck | | | | | | | | | |
|---|--------|----|--------|--------|--------|----|--------|--------|--------|
| Shirt | 23 3/4 | 24 | 24 1/4 | 24 1/2 | 24 3/4 | 25 | 25 1/4 | 25 1/2 | 25 3/4 |

| TAILLE | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|--------------------|-----|------|------|------|------|------|------|------|------|
| CHEMISIER A | | | | | | | | | |
| 90cm*/** | 2.4 | 2.4 | 2.6 | 2.8 | 2.9 | 3.1 | 3.1 | 3.1 | 3.2 |
| 115cm*/** | 2.2 | 2.2 | 2.2 | 2.2 | 2.3 | 2.6 | 2.6 | 2.6 | 2.6 |
| 150cm*/** | 1.5 | 1.5 | 1.6 | 1.8 | 1.8 | 2.0 | 2.0 | 2.0 | 2.0 |
| ENTOILAGE A | | | | | | | | | |
| 46, 64cm | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 90, 115cm | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |

| | | | | | | | | | |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHEMISIER B | | | | | | | | | |
| 90cm*/** | 2.4 | 2.4 | 2.6 | 2.7 | 2.8 | 3.1 | 3.1 | 3.1 | 3.2 |
| 115cm*/** | 2.0 | 2.0 | 2.0 | 2.2 | 2.3 | 2.4 | 2.4 | 2.6 | 2.6 |
| 150cm*/** | 1.5 | 1.5 | 1.5 | 1.6 | 1.6 | 1.9 | 1.9 | 2.0 | 2.0 |

| | | | | | | | | | |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHEMISIER C | | | | | | | | | |
| 90cm*/** | 2.1 | 2.1 | 2.2 | 2.2 | 2.6 | 2.7 | 2.7 | 2.7 | 2.7 |
| 115cm*/** | 1.8 | 1.8 | 2.0 | 2.0 | 2.0 | 2.0 | 2.1 | 2.2 | 2.3 |
| 150cm*/** | 1.4 | 1.4 | 1.4 | 1.5 | 1.5 | 1.5 | 1.8 | 1.8 | 1.8 |


| | | | | | | | | | |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHEMISIER D | | | | | | | | | |
| 90cm*/** | 2.1 | 2.1 | 2.2 | 2.2 | 2.6 | 2.7 | 2.7 | 2.7 | 2.7 |
| 115cm*/** | 1.6 | 1.8 | 1.9 | 2.0 | 2.0 | 2.0 | 2.1 | 2.2 | 2.3 |
| 150cm*/** | 1.3 | 1.3 | 1.4 | 1.4 | 1.4 | 1.5 | 1.5 | 1.8 | 1.8 |

| | | | | | | | | | |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CHEMISIER E | | | | | | | | | |
| 90cm*/** | 2.4 | 2.4 | 2.6 | 2.6 | 2.7 | 2.8 | 3.1 | 3.1 | 3.2 |
| 115cm*/** | 2.0 | 2.0 | 2.0 | 2.2 | 2.3 | 2.4 | 2.6 | 2.6 | 2.6 |
| 150cm*/** | 1.5 | 1.5 | 1.5 | 1.5 | 1.6 | 2.0 | 2.0 | 2.0 | 2.0 |

| ENTOILAGE B, C, D, E | | | | | | | | | |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 46, 64cm | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 90, 115cm | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |

| LARGEURS à l'ourlet | | | | | | | | | |
|----------------------------|-----|-------|-----|-------|-------|-------|-----|-----|-----|
| Chemisier | 104 | 106.5 | 109 | 114.5 | 119.5 | 124.5 | 130 | 135 | 140 |

| LONGUEURS dos, votre nuque à l'ourlet | | | | | | | | | |
|--|------|----|------|----|----|------|----|----|------|
| Chemisier | 60.5 | 61 | 61.5 | 62 | 63 | 63.5 | 64 | 65 | 65.5 |



This image displays the sizing chart for Vogue Basic Design Pattern 7754, showing bust, waist, and hip measurements in both inches and centimeters across various sizes. It also includes fabric yardage and layout information.

FABRIC YARDAGE AND LAYOUTS

The following tables detail the fabric requirements for each shirt variation (A, B, C, D, E) and interfacing, based on fabric width and whether the fabric has a nap. All measurements are in yards for English and meters for French.

SHIRT A / CHEMISIER A

| Fabric Width | SIZE (8 10 12) (14 16 18) (20 22 24) | | | | | TAILLE (8 10 12) (14 16 18) (20 22 24) | | | | | | | | | | | | | |
|--------------|--------------------------------------|-----------------|-----------------|-----------------|-----------------|--|-----------------|-----------------|-----------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|--|
| | 2 $\frac{5}{8}$ | 2 $\frac{5}{8}$ | 2 $\frac{3}{4}$ | 3 | 3 $\frac{1}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{1}{2}$ | 90cm*/** | 2.4 | 2.4 | 2.6 | 2.8 | 2.9 | 3.1 | 3.1 | 3.1 | |
| 35"/** | 2 $\frac{5}{8}$ | 2 $\frac{5}{8}$ | 2 $\frac{3}{4}$ | 3 | 3 $\frac{1}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{1}{2}$ | 90cm*/** | 2.4 | 2.4 | 2.6 | 2.8 | 2.9 | 3.1 | 3.1 | 3.1 | |
| 45"/** | 2 $\frac{3}{8}$ | 2 $\frac{3}{8}$ | 2 $\frac{3}{8}$ | 2 $\frac{3}{8}$ | 2 $\frac{1}{2}$ | 2 $\frac{3}{4}$ | 2 $\frac{3}{4}$ | 2 $\frac{3}{4}$ | 2 $\frac{3}{4}$ | 115cm*/** | 2.2 | 2.2 | 2.2 | 2.2 | 2.3 | 2.6 | 2.6 | 2.6 | |
| 60"/** | 1 $\frac{5}{8}$ | 1 $\frac{5}{8}$ | 1 $\frac{3}{4}$ | 1 $\frac{7}{8}$ | 1 $\frac{7}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 150cm*/** | 1.5 | 1.5 | 1.6 | 1.8 | 1.8 | 2.0 | 2.0 | 2.0 | |

INTERFACING A / ENTOILAGE A

| Fabric Width | SIZE (8 10 12) (14 16 18) (20 22 24) | | | | | TAILLE (8 10 12) (14 16 18) (20 22 24) | | | | | | | | | | | | | |
|--------------|--------------------------------------|-----|-----|-----|-----|--|-----|-----|-----|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | 3/4 | 3/4 | 3/4 | 3/4 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 | 46, 64cm | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 18", 25" | 3/4 | 3/4 | 3/4 | 3/4 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 | 46, 64cm | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 36", 45" | 3/8 | 3/8 | 3/8 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 90, 115cm | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |

SHIRT B / CHEMISIER B

| Fabric Width | SIZE (8 10 12) (14 16 18) (20 22 24) | | | | | TAILLE (8 10 12) (14 16 18) (20 22 24) | | | | | | | | | | | | | |
|--------------|--------------------------------------|-----------------|-----------------|-----------------|-----------------|--|-----------------|-----------------|-----------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|--|
| | 2 $\frac{5}{8}$ | 2 $\frac{5}{8}$ | 2 $\frac{3}{4}$ | 2 $\frac{7}{8}$ | 3 | 3 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{1}{2}$ | 90cm*/** | 2.4 | 2.4 | 2.6 | 2.7 | 2.8 | 3.1 | 3.1 | 3.1 | |
| 35"/** | 2 $\frac{5}{8}$ | 2 $\frac{5}{8}$ | 2 $\frac{3}{4}$ | 2 $\frac{7}{8}$ | 3 | 3 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{3}{8}$ | 3 $\frac{1}{2}$ | 90cm*/** | 2.4 | 2.4 | 2.6 | 2.7 | 2.8 | 3.1 | 3.1 | 3.1 | |
| 45"/** | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{3}{8}$ | 2 $\frac{1}{2}$ | 2 $\frac{5}{8}$ | 2 $\frac{5}{8}$ | 2 $\frac{3}{4}$ | 2 $\frac{3}{4}$ | 115cm*/** | 2.0 | 2.0 | 2.0 | 2.2 | 2.3 | 2.4 | 2.4 | 2.6 | |
| 60"/** | 1 $\frac{5}{8}$ | 1 $\frac{5}{8}$ | 1 $\frac{5}{8}$ | 1 $\frac{3}{4}$ | 1 $\frac{3}{4}$ | 2 | 2 | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 150cm*/** | 1.5 | 1.5 | 1.5 | 1.6 | 1.6 | 1.9 | 1.9 | 2.0 | |

SHIRT C / CHEMISIER C

| Fabric Width | SIZE (8 10 12) (14 16 18) (20 22 24) | | | | | TAILLE (8 10 12) (14 16 18) (20 22 24) | | | | | | | | | | | | | |
|--------------|--------------------------------------|-----------------|-----------------|-----------------|-----------------|--|-----------------|-----------------|-----------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|--|
| | 2 $\frac{1}{4}$ | 2 $\frac{1}{4}$ | 2 $\frac{3}{8}$ | 2 $\frac{3}{8}$ | 2 $\frac{3}{4}$ | 2 $\frac{7}{8}$ | 2 $\frac{7}{8}$ | 2 $\frac{7}{8}$ | 2 $\frac{7}{8}$ | 90cm*/** | 2.1 | 2.1 | 2.2 | 2.2 | 2.6 | 2.7 | 2.7 | 2.7 | |
| 35"/** | 2 $\frac{1}{4}$ | 2 $\frac{1}{4}$ | 2 $\frac{3}{8}$ | 2 $\frac{3}{8}$ | 2 $\frac{3}{4}$ | 2 $\frac{7}{8}$ | 2 $\frac{7}{8}$ | 2 $\frac{7}{8}$ | 2 $\frac{7}{8}$ | 90cm*/** | 2.1 | 2.1 | 2.2 | 2.2 | 2.6 | 2.7 | 2.7 | 2.7 | |
| 45"/** | 1 $\frac{7}{8}$ | 1 $\frac{7}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{1}{8}$ | 2 $\frac{1}{4}$ | 2 $\frac{3}{8}$ | 2 $\frac{1}{2}$ | 115cm*/** | 1.8 | 1.8 | 2.0 | 2.0 | 2.0 | 2.1 | 2.2 | 2.3 | |
| 60"/** | 1 $\frac{1}{2}$ | 1 $\frac{1}{2}$ | 1 $\frac{1}{2}$ | 1 $\frac{5}{8}$ | 1 $\frac{5}{8}$ | 1 $\frac{5}{8}$ | 1 $\frac{7}{8}$ | 1 $\frac{7}{8}$ | 1 $\frac{7}{8}$ | 150cm*/** | 1.4 | 1.4 | 1.4 | 1.5 | 1.5 | 1.5 | 1.8 | 1.8 | |

SHIRT D / CHEMISIER D

| Fabric Width | SIZE (8 10 12) (14 16 18) (20 22 24) | | | | | TAILLE (8 10 12) (14 16 18) (20 22 24) | | | | | | | | | | | | | |
|--------------|--------------------------------------|----|----|----|----|--|----|----|----|----|-----------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | | | | | | | | | |
| 35"/** | 2¼ | 2¼ | 2¾ | 2¾ | 2¾ | 2¾ | 2¾ | 2¾ | 2¾ | 2¾ | 90cm*/** | 2.1 | 2.1 | 2.2 | 2.2 | 2.6 | 2.7 | 2.7 | 2.7 |
| 45"/** | 1¾ | 1¾ | 2 | 2½ | 2½ | 2½ | 2¼ | 2¾ | 2½ | 2½ | 115cm*/** | 1.6 | 1.8 | 1.9 | 2.0 | 2.0 | 2.0 | 2.1 | 2.2 |
| 60"/** | 1¾ | 1¾ | 1½ | 1½ | 1½ | 1½ | 1½ | 1¾ | 1¾ | 1¾ | 150cm*/** | 1.3 | 1.3 | 1.4 | 1.4 | 1.4 | 1.5 | 1.5 | 1.8 |

SHIRT E / CHEMISIER E

| Fabric Width | SIZE (8 10 12) (14 16 18) (20 22 24) | | | | | TAILLE (8 10 12) (14 16 18) (20 22 24) | | | | | | | | | | | | | |
|--------------|--------------------------------------|----|----|----|----|--|----|----|----|----|-----------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | | | | | | | | | |
| 35"/** | 2½ | 2½ | 2¾ | 2¾ | 2¾ | 3 | 3¾ | 3¾ | 3½ | 3½ | 90cm*/** | 2.4 | 2.4 | 2.6 | 2.6 | 2.7 | 2.8 | 3.1 | 3.1 |
| 45"/** | 2½ | 2½ | 2½ | 2¾ | 2½ | 2½ | 2¾ | 2¾ | 2¾ | 2¾ | 115cm*/** | 2.0 | 2.0 | 2.0 | 2.2 | 2.3 | 2.4 | 2.6 | 2.6 |
| 60"/** | 1½ | 1½ | 1½ | 1½ | 1¾ | 2½ | 2½ | 2½ | 2½ | 2½ | 150cm*/** | 1.5 | 1.5 | 1.5 | 1.5 | 1.6 | 2.0 | 2.0 | 2.0 |

INTERFACING B, C, D, E / ENTOILAGE B, C, D, E

| Fabric Width | SIZE (8 10 12) (14 16 18) (20 22 24) | | | | | TAILLE (8 10 12) (14 16 18) (20 22 24) | | | | | | | | | | | | | |
|--------------|--------------------------------------|---|---|---|-----|--|-----|-----|-----|-----|-----------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | | | | | | | | | |
| 18", 25" | ¾ | ¾ | ¾ | ¾ | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 | 46, 64cm | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 |
| 36", 45" | ¾ | ¾ | ¾ | ¾ | ¾ | ¾ | ¾ | ¾ | ¾ | ¾ | 90, 115cm | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |

FINISHED MEASUREMENTS

These tables provide the finished garment measurements for the lower edge width and back length from the base of the neck.

WIDTHS Lower edge / LARGEURS à l'ourlet

| Garment | 41 | 42 | 43 | 45 | 47 | 49 | 51 | 53 | 55 |
|---------|-----|-------|-----|-------|-------|-------|-----|-----|-----|
| Shirt | 104 | 106.5 | 109 | 114.5 | 119.5 | 124.5 | 130 | 135 | 140 |

LENGTHS Finished back from base of your neck / LONGUEURS dos, votre nuque à l'ourlet

| Garment | 23¾ | 24 | 24¼ | 24½ | 24¾ | 25 | 25¼ | 25½ | 25¾ |
|---------|------|----|------|-----|-----|------|-----|-----|------|
| Shirt | 60.5 | 61 | 61.5 | 62 | 63 | 63.5 | 64 | 65 | 65.5 |

PATTERN PIECES

The pattern includes pieces for variations A, B, C, D, and E. Refer to the diagram below for a visual representation of the main pattern pieces.

7754
SIZE/TAILLE

| SIZE/TAILLE | 6 | 8 | 10 | 12 | 14 | 16 | 18 | 20 | 22 | 24 |
|----------------|--------|--------|--------|--------|----|-----|-----|-----|-----|-----|
| Bust | 30 1/2 | 31 1/2 | 32 1/2 | 34 | 36 | 38 | 40 | 42 | 44 | 46 |
| Waist | 23 | 24 | 25 | 26 1/2 | 28 | 30 | 32 | 34 | 37 | 39 |
| Hip | 32 1/2 | 33 1/2 | 34 1/2 | 36 | 38 | 40 | 42 | 44 | 46 | 48 |
| T. de poitrine | 78 | 80 | 83 | 87 | 92 | 97 | 102 | 107 | 112 | 117 |
| T. de taille | 58 | 61 | 64 | 67 | 71 | 76 | 81 | 87 | 94 | 99 |
| T. de hanches | 83 | 85 | 88 | 92 | 97 | 102 | 107 | 112 | 117 | 122 |

VOGUE PATTERNS

7754

VERY EASY/TRÈS FACILE

MISSES' SHIRT Very loose-fitting shirt has collar variations, dropped shoulders, shoulder pads, low armholes, back pleated into yoke with forward shoulder seams, with or without pockets with mock bands and button trim and above elbow sleeves with stitched hems or long sleeves with pleats and button cuffs. Narrow hem.

NOTIONS: 1/2" Covered Raglan Shoulder Pads or Vogue #9723 and 1/2" Buttons: Twelve for A, Fourteen for B, Seven for C, D and Eleven for E, also Snaps for D, E.

FABRICS: Crepe de Chine, Tissue Faille, Silk-like Jacquard, Lightweight Crepe and Handkerchief Linen. Unsuitable for obvious diagonals. Allow extra fabric to match plaids or stripes. Use nap yardages/layouts for pile, shaded or one-way design fabrics. *with nap. **with-out nap.

CHEMISIER (J. femme) Chemisier très ample, avec variations de cols, carrure élargie, épaulettes et manches montées dans entournures profondes, au-dessus des coudes à ourlets piqués ou longues à poignets boutonnées, dos plissé dans empècement à coutures d'épaules surbaissées, avec ou sans poches plaquées à bandes simulées garnies de boutons. Ourlet étroit.

MERCERIE: Epaulettes recouvertes de 13mm (raglan), ou faites avec le patron Vogue #9723, Boutons (13mm): 12 pour A, 14 pour B, 7 pour C, D, 11 pour E, plus boutons-pression pour D, E.

TISSUS: Crêpe de Chine, Faille (poids plume), Jacquard (simili soie), Crêpe léger, Lin à mouchoir. Grandes diagonales ne conviennent pas. Compte non tenu des raccords de rayures/carreaux. *avec sens. **sans sens.

| SIZE | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|------|-----|------|------|------|------|------|------|------|------|
|------|-----|------|------|------|------|------|------|------|------|

| SHIRT A | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 35**/*** | 2 5/8 | 2 5/8 | 2 3/4 | 3 | 3 1/8 | 3 3/8 | 3 3/8 | 3 3/8 | 3 1/2 |
| 45**/*** | 2 3/8 | 2 3/8 | 2 3/8 | 2 3/8 | 2 1/2 | 2 3/4 | 2 3/4 | 2 3/4 | 2 3/4 |
| 60**/*** | 1 5/8 | 1 5/8 | 1 3/4 | 1 7/8 | 1 7/8 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/8 |

| INTERFACING A | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|---------------|-----|------|------|------|------|------|------|------|------|
| 18", 25" | 3/4 | 3/4 | 3/4 | 3/4 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 |
| 36", 45" | 3/8 | 3/8 | 3/8 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |

| SHIRT B | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 35**/*** | 2 5/8 | 2 5/8 | 2 3/4 | 2 7/8 | 3 | 3 3/8 | 3 3/8 | 3 3/8 | 3 1/2 |
| 45**/*** | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/2 | 2 1/2 | 2 5/8 | 2 5/8 | 2 3/4 | 2 3/4 |
| 60**/*** | 1 5/8 | 1 5/8 | 1 5/8 | 1 3/4 | 1 3/4 | 2 | 2 | 2 1/8 | 2 1/8 |

| SHIRT C | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 35**/*** | 2 1/4 | 2 1/4 | 2 3/8 | 2 3/8 | 2 3/4 | 2 7/8 | 2 7/8 | 2 7/8 | 2 7/8 |
| 45**/*** | 1 7/8 | 1 7/8 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/4 | 2 3/8 | 2 1/2 |
| 60**/*** | 1 1/2 | 1 1/2 | 1 1/2 | 1 5/8 | 1 5/8 | 1 5/8 | 1 7/8 | 1 7/8 | 1 7/8 |

| SHIRT D | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 35**/*** | 2 1/4 | 2 1/4 | 2 3/8 | 2 3/8 | 2 3/4 | 2 7/8 | 2 7/8 | 2 7/8 | 2 7/8 |
| 45**/*** | 1 3/4 | 1 7/8 | 2 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/4 | 2 3/8 | 2 1/2 |
| 60**/*** | 1 3/8 | 1 3/8 | 1 1/2 | 1 1/2 | 1 1/2 | 1 5/8 | 1 5/8 | 1 7/8 | 1 7/8 |

| SHIRT E | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 35**/*** | 2 5/8 | 2 5/8 | 2 3/4 | 2 3/4 | 2 7/8 | 3 | 3 3/8 | 3 3/8 | 3 1/2 |
| 45**/*** | 2 1/8 | 2 1/8 | 2 1/8 | 2 3/8 | 2 1/2 | 2 5/8 | 2 3/4 | 2 3/4 | 2 3/4 |
| 60**/*** | 1 5/8 | 1 5/8 | 1 5/8 | 1 3/4 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/8 | 2 1/8 |

| INTERFACING B, C, D, E | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|------------------------|-----|------|------|------|------|------|------|------|------|
| 18", 25" | 3/4 | 3/4 | 3/4 | 3/4 | 7/8 | 7/8 | 7/8 | 7/8 | 7/8 |
| 36", 45" | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 | 3/8 |

| WIDTHS Lower edge | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|-------------------|-----|------|------|------|------|------|------|------|------|
| Shirt | 41 | 42 | 43 | 45 | 47 | 49 | 51 | 53 | 55 |

| LENGTHS Finished back from base of your neck | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|--|--------|------|--------|--------|--------|------|--------|--------|--------|
| Shirt | 23 3/4 | 24 | 24 1/4 | 24 1/2 | 24 3/4 | 25 | 25 1/4 | 25 1/2 | 25 3/4 |

| TAILLE | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|--------|-----|------|------|------|------|------|------|------|------|
|--------|-----|------|------|------|------|------|------|------|------|

| CHEMISIER A | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|-------------|-----|------|------|------|------|------|------|------|------|
| 90cm*/** | 2.4 | 2.4 | 2.6 | 2.8 | 2.9 | 3.1 | 3.1 | 3.1 | 3.2 |
| 115cm*/** | 2.2 | 2.2 | 2.2 | 2.2 | 2.3 | 2.6 | 2.6 | 2.6 | 2.6 |
| 150cm*/** | 1.5 | 1.5 | 1.6 | 1.8 | 1.8 | 2.0 | 2.0 | 2.0 | 2.0 |

| ENTOILAGE A | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|-------------|-----|------|------|------|------|------|------|------|------|
| 46, 64cm | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 90, 115cm | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |

| CHEMISIER B | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|-------------|-----|------|------|------|------|------|------|------|------|
| 90cm*/** | 2.4 | 2.4 | 2.6 | 2.7 | 2.8 | 3.1 | 3.1 | 3.1 | 3.2 |
| 115cm*/** | 2.0 | 2.0 | 2.0 | 2.2 | 2.3 | 2.4 | 2.4 | 2.6 | 2.6 |
| 150cm*/** | 1.5 | 1.5 | 1.5 | 1.6 | 1.6 | 1.9 | 1.9 | 2.0 | 2.0 |

| CHEMISIER C | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|-------------|-----|------|------|------|------|------|------|------|------|
| 90cm*/** | 2.1 | 2.1 | 2.2 | 2.2 | 2.6 | 2.7 | 2.7 | 2.7 | 2.7 |
| 115cm*/** | 1.8 | 1.8 | 2.0 | 2.0 | 2.0 | 2.0 | 2.1 | 2.2 | 2.3 |
| 150cm*/** | 1.4 | 1.4 | 1.4 | 1.5 | 1.5 | 1.5 | 1.8 | 1.8 | 1.8 |

| CHEMISIER D | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|-------------|-----|------|------|------|------|------|------|------|------|
| 90cm*/** | 2.1 | 2.1 | 2.2 | 2.2 | 2.6 | 2.7 | 2.7 | 2.7 | 2.7 |
| 115cm*/** | 1.6 | 1.8 | 1.9 | 2.0 | 2.0 | 2.0 | 2.1 | 2.2 | 2.3 |
| 150cm*/** | 1.3 | 1.3 | 1.4 | 1.4 | 1.4 | 1.5 | 1.5 | 1.8 | 1.8 |

| CHEMISIER E | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|-------------|-----|------|------|------|------|------|------|------|------|
| 90cm*/** | 2.4 | 2.4 | 2.6 | 2.6 | 2.7 | 2.8 | 3.1 | 3.1 | 3.2 |
| 115cm*/** | 2.0 | 2.0 | 2.0 | 2.2 | 2.3 | 2.4 | 2.6 | 2.6 | 2.6 |
| 150cm*/** | 1.5 | 1.5 | 1.5 | 1.5 | 1.6 | 2.0 | 2.0 | 2.0 | 2.0 |

| ENTOILAGE B, C, D, E | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|----------------------|-----|------|------|------|------|------|------|------|------|
| 46, 64cm | 0.7 | 0.7 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 |
| 90, 115cm | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |

| LARGEURS à l'ourlet | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|---------------------|-----|-------|------|-------|-------|-------|------|------|------|
| Chemisier | 104 | 106.5 | 109 | 114.5 | 119.5 | 124.5 | 130 | 135 | 140 |

| LONGUEURS dos, votre nuque à l'ourlet | (8) | (10) | (12) | (14) | (16) | (18) | (20) | (22) | (24) |
|---------------------------------------|------|------|------|------|------|------|------|------|------|
| Chemisier | 60.5 | 61 | 61.5 | 62 | 63 | 63.5 | 64 | 65 | 65.5 |



VOGUE PATTERN, 11 PENN PLAZA, NEW YORK 10001 © 2003 The McCall Pattern Co. • www.voguepatterns.com
 PRINTED IN U.S.A. ALL RIGHTS RESERVED. SOLD FOR INDIVIDUAL HOME USE ONLY AND NOT FOR COMMERCIAL OR MANUFACTURING PURPOSES./RESERVE A UN USAGE PERSONNEL

This image shows small diagrams at the bottom representing the different pattern pieces for variations A, B, C, D, and E of the Vogue Basic Design Pattern 7754.

SETUP

Preparation:

- **Pre-wash Fabric:** Always pre-wash and dry your fabric according to its care instructions to prevent shrinkage after the garment is made.

- **Press Pattern Pieces:** Gently press pattern pieces with a dry iron on a low setting if they are wrinkled, avoiding steam which can distort paper.
- **Identify Pattern Pieces:** Match each pattern piece to its corresponding number or letter on the instruction sheet. Cut out the required pieces carefully.
- **Check Sizing:** Compare your body measurements to the pattern's finished garment measurements to determine if any adjustments are needed before cutting fabric.

Cutting Layout:

- Follow the cutting layouts provided in the pattern instructions for your specific fabric width and whether your fabric has a nap. This ensures efficient use of fabric and correct grainline.
- Pin pattern pieces securely to the fabric, ensuring the grainline arrows are parallel to the selvage.
- Cut fabric accurately using sharp fabric shears or a rotary cutter.

OPERATING INSTRUCTIONS

General Sewing Guidelines:

- **Seam Allowances:** Unless otherwise specified, use the standard 5/8 inch (1.5 cm) seam allowance included in the pattern.
- **Pressing:** Press seams as you sew. This creates crisp, professional-looking results. Press seams open or to one side as indicated in the pattern.
- **Staystitching:** Apply staystitching to curved or bias edges immediately after cutting to prevent stretching.
- **Notches and Markings:** Transfer all notches, dots, and other pattern markings accurately to your fabric. These are crucial for correct assembly.

Assembly Steps (General):

- **Shoulder Seams:** Join front and back shoulder seams, pressing open.
- **Collar:** Construct the collar according to instructions, attaching it to the neckline.
- **Sleeves:** Prepare and insert sleeves. For variations with cuffs, attach cuffs as directed.
- **Side Seams:** Stitch side seams, ensuring proper alignment.
- **Hemming:** Finish the garment with a narrow hem as specified.
- **Buttonholes and Buttons:** Create buttonholes and attach buttons as indicated for your chosen shirt variation.
- **Shoulder Pads:** Insert shoulder pads if desired or required by the pattern.

MAINTENANCE AND CARE

Care instructions for your finished garment will depend on the fabric you choose. Always follow the care recommendations for your specific fabric type.

- **Washing:** Hand wash or machine wash on a gentle cycle with cold water for delicate fabrics like Crepe de Chine or Silk-like Jacquard. For more durable fabrics, follow their specific washing instructions.
- **Drying:** Air dry flat or hang to dry to prevent distortion. Avoid high heat in a dryer, especially for delicate materials.
- **Ironing:** Iron on a low to medium setting, using a pressing cloth if necessary, to avoid scorching or shining the fabric. Always test on a scrap piece first.

- **Storage:** Store garments on hangers to maintain their shape, or folded neatly for knits and delicate items.

TROUBLESHOOTING COMMON SEWING ISSUES

Fit Adjustments:

- **Garment too tight/loose:** Check your measurements against the pattern's finished measurements. Adjust side seams or add/remove width at the pattern stage for future projects.
- **Sleeves don't fit:** Ensure the sleeve cap is eased correctly into the armhole. Check for proper grainline when cutting.

Fabric Handling:

- **Fabric shifting:** Use plenty of pins. Consider using a walking foot on your sewing machine for slippery fabrics.
- **Seams puckering:** Adjust tension on your sewing machine. Use a smaller stitch length for fine fabrics. Ensure you are not stretching the fabric while sewing.

General Issues:

- **Buttons/Buttonholes:** Practice buttonholes on scrap fabric first. Ensure buttonholes are correctly sized for your chosen buttons.
- **Uneven Hem:** Ensure the garment hangs evenly before marking and pressing the hem. Use a hem gauge for consistent width.

SPECIFICATIONS

- **ASIN:** B07PP24MV9
- **Manufacturer:** Vogue Pattern Service
- **Date First Available:** July 12, 2013

WARRANTY AND SUPPORT

This product is a sewing pattern. For specific support regarding pattern pieces or instructions, please refer to the contact information provided directly on the physical pattern envelope or the manufacturer's website. Warranty information is not applicable for sewing patterns in the traditional sense; however, ensure all pattern pieces are present upon purchase.