

AFX LENF2332LAJD1WH

AFX Lenox LED 23-inch Flush Mount Ceiling Light Instruction Manual

Model: LENF2332LAJD1WH

[Introduction](#) [Product Overview](#) [Setup & Installation](#) [Operating](#)
[Instructions](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. INTRODUCTION

This manual provides detailed instructions for the safe installation, operation, and maintenance of the AFX Lenox LED 23-inch Flush Mount Ceiling Light, model LENF2332LAJD1WH. Please read all instructions carefully before beginning installation and retain this manual for future reference.

Important Safety Information

- **WARNING:** Risk of electric shock. Disconnect power at the circuit breaker or fuse box before installation or servicing.
- All electrical connections must be in accordance with local codes, ordinances, or the National Electric Code (NEC). Consult a qualified electrician if you are unfamiliar with proper electrical wiring connections.
- Do not install this fixture in wet locations. It is designed for indoor use only.
- Ensure the mounting surface can support the weight of the fixture.
- Do not attempt to modify the fixture. Any modifications may void the warranty and create a safety hazard.

2. PRODUCT OVERVIEW

The AFX Lenox LED 23-inch Flush Mount Ceiling Light is a contemporary lighting fixture designed for various indoor applications. It features an integrated LED light source with adjustable color temperature settings.

Key Features:

- Integrated 45-watt LED light source.
- 3-in-1 adjustable color temperature system (3000K, 3500K, 4000K).
- Dimmable functionality (requires compatible dimmer switch, sold separately).
- Die-formed steel housing with a white acrylic diffuser.

- Suitable for indoor use in areas such as corridors, bathrooms, laundry rooms, and kitchens.

Product Components:

Familiarize yourself with the main components of your new light fixture.



Figure 2.1: Full view of the AFX Lenox LED 23-inch Flush Mount Ceiling Light. This image shows the complete fixture, highlighting its sleek, circular design and white finish, suitable for modern interiors.



Figure 2.2: Close-up view of the light diffuser. This image details the white acrylic diffuser and the layered design of the fixture's housing, which provides even light distribution.

3. SETUP & INSTALLATION

Professional installation by a qualified electrician is recommended for all electrical wiring. Ensure power is disconnected before proceeding.

Tools and Materials Required (Not Included):

- Screwdriver (Phillips and/or flathead)
- Wire strippers
- Electrical tape
- Pliers
- Safety glasses
- Ladder

Installation Steps:

1. **Turn Off Power:** Locate the circuit breaker or fuse box controlling the light fixture's power supply. Turn off the power completely to prevent electrical shock.
2. **Prepare Mounting Surface:** Ensure the junction box is securely mounted and capable of supporting the fixture's weight (approximately 12 pounds).
3. **Attach Mounting Bracket:** Secure the fixture's mounting bracket to the junction box using the provided screws.
4. **Make Electrical Connections:** Connect the fixture's wires to the corresponding household wires. Typically, black to black (live), white to white (neutral), and bare copper or green to green (ground). Use approved wire connectors and secure with electrical tape.

5. **Select Color Temperature:** Before mounting the fixture flush to the ceiling, locate the 3-in-1 color temperature switch on the fixture. Select your desired color temperature (3000K, 3500K, or 4000K). This setting cannot be changed easily after installation.
6. **Mount the Fixture:** Carefully align the fixture with the mounting bracket and secure it in place according to the specific design of the fixture. Ensure all wires are tucked safely into the junction box.
7. **Restore Power:** Once the fixture is securely installed, restore power at the circuit breaker.




Figure 3.1: Dimensional diagram of the AFX Lenox LED Flush Mount Ceiling Light. This diagram illustrates the diameter (DIA) and height (H) of the fixture, which are approximately 23 inches and 3.37 inches respectively, aiding in pre-installation planning.

4. OPERATING INSTRUCTIONS

Once installed, the AFX Lenox LED Flush Mount Ceiling Light is ready for operation.

Turning On/Off:

Operate the light using a standard wall switch connected to the fixture's power supply.

Adjusting Color Temperature:

The color temperature (3000K, 3500K, or 4000K) is selected via a switch on the fixture during installation. This setting is fixed once the fixture is mounted. To change it, power must be disconnected, and the fixture may need to be partially unmounted to access the switch.

Dimming Functionality:

This fixture is dimmable. To utilize the dimming feature, ensure you have installed a compatible LED dimmer switch (sold separately) in place of a standard wall switch. Refer to the dimmer switch manufacturer's instructions for proper operation.

App Control (If Applicable):

The product specifications mention 'App' as a control method. If your specific model includes smart features, refer to the separate instructions provided with the smart control module or consult the manufacturer's website for compatible apps and setup procedures. This feature typically requires additional hardware or a smart home system integration.

5. MAINTENANCE

The AFX Lenox LED Flush Mount Ceiling Light requires minimal maintenance.

Cleaning:

- Always disconnect power before cleaning.
- Wipe the fixture with a soft, dry, or slightly damp cloth.
- Do not use abrasive cleaners, solvents, or polishes, as these can damage the finish or electrical components.

LED Light Source:

The integrated LED light source is designed for long life and is not user-replaceable. Do not attempt to open or service the LED module.

6. TROUBLESHOOTING

If you experience issues with your AFX Lenox LED Flush Mount Ceiling Light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	No power to the fixture. Loose wire connections. Faulty switch.	Check circuit breaker/fuse. Verify all wire connections are secure (with power off). Test the wall switch.
Light flickers or dims inconsistently.	Incompatible dimmer switch. Loose wiring.	Ensure an LED-compatible dimmer is used. Consult dimmer manufacturer for compatibility. Check all wire connections (with power off).
Incorrect color temperature.	Color temperature switch set incorrectly during installation.	Disconnect power, carefully unmount the fixture, and adjust the CCT switch to the desired setting. Re-mount and restore power.

If these steps do not resolve the issue, contact a qualified electrician or AFX customer support.

7. SPECIFICATIONS

Feature	Detail
Model Number	LENF2332LAJD1WH
Brand	AFX
Type	LED Flush Mount Ceiling Light
Dimensions (L x W x H)	23 x 23 x 3.37 inches
Item Weight	12 pounds
Power Source	Corded Electric
Voltage	120 Volts
Wattage	45 Watts (Integrated LED)
Brightness	3200 Lumens
Color Temperature	3000K / 3500K / 4000K (Selectable)
Dimmable	Yes (with compatible dimmer)
Material	Acrylic, Alloy Steel
Finish	White
Indoor/Outdoor Usage	Indoor Only

Feature	Detail
Certification	ETL Listed

8. WARRANTY INFORMATION

This AFX Lenox LED Flush Mount Ceiling Light (Model LENF2332LAJD1WH) is covered by a **5-year limited warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from improper installation, accident, misuse, abuse, or unauthorized modifications. For specific warranty terms and conditions, please refer to the documentation included with your purchase or visit the official AFX website.

9. CUSTOMER SUPPORT

If you have any questions regarding the installation, operation, or maintenance of your AFX Lenox LED Flush Mount Ceiling Light, or if you require technical assistance, please contact AFX customer support. Please have your model number (LENF2332LAJD1WH) and date of purchase available when contacting support.

© 2023 AFX Inc. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

