

AmLuxx PRIMO-8-60

Primo 8mm Tempered Glass Sliding Shower Door User Manual

Model: PRIMO-8-60

1. INTRODUCTION

This user manual provides essential information for the installation, operation, maintenance, and troubleshooting of your AmLuxx Primo 8mm Tempered Glass Sliding Shower Door. Designed for modern bathrooms, this 2-panel frameless shower door features a smooth roller system and a reversible design for flexible installation. Please read this manual thoroughly before beginning installation or use to ensure safe and proper operation.

2. SAFETY INFORMATION

Always prioritize safety during installation and use. Failure to follow these instructions may result in injury or product damage.

- **Professional Installation Recommended:** Due to the weight and fragility of tempered glass, professional installation is highly recommended.
- **Wear Safety Gear:** Always wear safety glasses, gloves, and appropriate footwear during installation.
- **Handle Glass with Care:** Tempered glass, while strong, can shatter into small pieces if its edges are struck or damaged. Avoid impacts to the glass edges.
- **Two-Person Lift:** Always lift and position glass panels with at least two people.
- **Secure Mounting:** Ensure all mounting hardware is securely fastened to structural supports. Do not install into drywall alone.
- **Proper Sealing:** Ensure all seals are correctly installed to prevent water leakage.
- **Children and Pets:** Keep children and pets away from the installation area.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, please contact AmLuxx customer support.

Item	Description	Quantity
------	-------------	----------

Item	Description	Quantity
Tempered Glass Panels	Two 8mm thick frameless glass panels.	2
Top Rail	Main support rail for sliding mechanism.	1
Roller System	Premium rollers for smooth door glide.	1 set
Bar Handle	Ergonomic handle for door operation.	1
Side Mounts	Components for securing the door to the wall.	1 set
Waterproof Magnetic Close	Ensures a tight seal when the door is closed.	1 set
Hardware Kit	Screws, anchors, and other fasteners.	1 set
Installation Manual (PDF)	Detailed step-by-step instructions.	1

4. SETUP AND INSTALLATION

For detailed, step-by-step installation instructions, please refer to the official [Installation Manual \(PDF\)](#) provided with your product. This section provides an overview of key features and considerations during setup.

4.1 Key Features for Installation

- **Reversible Door Design:** The door can be installed for either left or right opening, offering flexibility for your bathroom layout.
- **Smooth Roller System:** The premium roller system ensures a silent and smooth glide for effortless opening and closing.
- **Frameless Design:** The 8mm tempered glass panels provide a sleek, modern aesthetic.
- **Alcove Installation:** This 2-panel sliding door is designed for alcove installations.

4.2 Visual Guide to Components



Figure 1: Full view of the AmLuxx Primo 8mm Tempered Glass Sliding Shower Door.

This image shows the complete shower door assembly, highlighting its frameless design and the sleek chrome finish of the hardware. The door is designed for alcove installations, providing a modern and spacious feel to the bathroom.



Figure 2: Detail of the top rail and roller system.

This close-up illustrates the precision-engineered roller system and the robust top rail, which are crucial for the smooth and silent operation of the sliding door. The rollers are designed for durability and ease of movement.



Figure 3: Detail of the bottom guide and sealing.

This image highlights the bottom guide mechanism and the waterproof sealing strip, which work together to ensure the door glides smoothly and prevents water from escaping the shower area. Proper installation of these components is vital for water containment.

4.3 Installation Video Overview



This video provides a visual overview of AmLuxx Euro Style Shower Doors, showcasing various models and their key features, including the smooth operation of the sliding mechanisms and the quality of the hardware. While not a step-by-step installation guide, it offers insight into the product's design and functionality.

5. OPERATING INSTRUCTIONS

Your AmLuxx Primo shower door is designed for simple and reliable operation.

- **Opening the Door:** Gently grasp the bar handle and slide the door along the top rail. The premium roller system ensures a smooth and quiet movement.
- **Closing the Door:** Slide the door back until it meets the fixed panel and the magnetic seal engages, ensuring a watertight closure.

- **Ventilation:** After showering, it is recommended to leave the shower door slightly ajar for a period to allow for proper ventilation and reduce moisture buildup.

6. MAINTENANCE AND CARE

Regular cleaning and maintenance will preserve the appearance and functionality of your shower door.

- **Daily Cleaning:** After each use, wipe down the glass panels with a soft cloth or squeegee to prevent water spots and soap scum buildup.
- **Weekly Cleaning:** Use a mild, non-abrasive glass cleaner or a solution of white vinegar and water to clean the glass. Apply with a soft cloth or sponge, then rinse thoroughly and dry.
- **Hardware Care:** Clean metal components (chrome finish) with a soft, damp cloth. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the finish.
- **Seals:** Periodically check the waterproof magnetic close and other seals for wear or damage. Replace if necessary to maintain water containment.
- **Roller System:** Keep the top rail and rollers free of debris. A small amount of silicone-based lubricant can be applied to the rollers if movement becomes stiff, but avoid oil-based lubricants.

7. TROUBLESHOOTING

If you encounter issues with your shower door, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Door does not slide smoothly.	Debris in the track or rollers, dry rollers.	Clean the top rail and rollers. Apply a small amount of silicone lubricant to the rollers.
Water leaks from the bottom or sides.	Improperly installed seals, damaged seals, incorrect alignment.	Check all seals for proper placement and condition. Ensure the door is correctly aligned and the magnetic close engages fully. Replace damaged seals.
Door does not close completely.	Obstruction in the track, misaligned panels, worn magnetic strip.	Inspect the track for obstructions. Verify panels are aligned. Check the magnetic strip for wear and replace if necessary.
Glass appears cloudy or stained.	Hard water spots or soap scum buildup.	Clean with a vinegar solution or specialized glass cleaner. Ensure daily wiping after use.

8. SPECIFICATIONS

Attribute	Detail
Brand	AmLuxx
Model Number	PRIMO-8-60
Size	60"x72"
Color/Finish	Chrome
Material	8mm Tempered Glass, Metal (Chrome)

Attribute	Detail
Style	Modern
Assembly Required	Yes
Number of Handles	1
GTIN (UPC)	00850002731071

9. WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please refer to the official [Installation Manual \(PDF\)](#) or contact AmLuxx customer service directly. Contact details are typically found on the product packaging or the official AmLuxx website.

© 2023 AmLuxx. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B07PTRPKQ6>

More documents and user manuals: <https://manuals.plus/>