Passion-Electro SR5

Passion-Electro Replacement Remote Control for NAD SR5

Model: SR5

Introduction

This manual provides essential information for the setup, operation, and maintenance of your Passion-Electro replacement remote control for NAD SR5. This remote is designed to function similarly to the original NAD SR5 remote without requiring any programming.

Setup

1. Battery Installation

The remote control requires two AAA (LR03) 1.5V batteries. Batteries are not included with the product.

1. Locate the battery compartment on the back of the remote control.
2. Slide the battery compartment cover downwards or in the direction indicated by an arrow to open it.
3. Insert two AAA batteries, ensuring the positive (+) and negative (-) terminals align correctly with the markings inside the compartment.
4. Close the battery compartment cover by sliding it back into place until it clicks securely.



Image: Bottom view of the remote control, highlighting the battery compartment cover. This is where the two AAA batteries are inserted.

2. Initial Use

This replacement remote control is pre-programmed for NAD SR5 compatible devices. No additional programming or setup is required. Once batteries are installed, the remote is ready for use.

Operating Instructions

The remote control operates via infrared (IR) technology. Ensure a clear line of sight between the remote control and your device (e.g., set-top box, stereo system, television) for optimal performance. The maximum effective range is approximately 10 meters.



Image: Front view of the remote control, displaying the layout of buttons such as Power, Mute, numerical keys, and navigation controls.

Basic Functions:

- **Power Button:** Located at the top right (often red), this button turns your device on or off.
- **Number Buttons (0-9):** Used for direct channel selection or inputting numerical values.

- **Volume Up/Down:** Adjusts the audio volume.
- **Mute Button:** Silences the audio output.
- **Channel Up/Down:** Navigates through channels or menu options.
- **Navigation Pad (Arrow Keys & OK):** Used to navigate menus and confirm selections.
- **Menu/Settings:** Accesses the device's main menu or settings.
- **Source/Input:** Switches between different input sources (e.g., HDMI 1, HDMI 2).



Image: Angled front view of the remote control, focusing on the upper section with navigation buttons, colored function keys, and the 'Passion-Electro' branding.

Maintenance

Battery Replacement

If the remote control's performance degrades or it stops responding, replace both AAA batteries. Always replace both batteries at the same time with new ones of the same type.

Cleaning

To clean the remote control, use a soft, dry cloth. For stubborn dirt, slightly dampen the cloth with water or a mild cleaning solution. Avoid using abrasive cleaners, solvents, or harsh chemicals, as these can damage the remote's surface or internal components.

Storage

When not in use for extended periods, it is recommended to remove the batteries to prevent leakage and potential damage to the remote control.

Troubleshooting

- **Remote not responding:**
  - Check if the batteries are correctly inserted with the correct polarity.
  - Replace the batteries with new ones.
  - Ensure there is a clear line of sight between the remote control and the device. Obstacles can block the infrared signal.
  - Make sure the remote is pointed directly at the device's IR receiver.
- **Limited functionality:**
  - While this remote is designed for NAD SR5 compatibility, some advanced or device-specific functions might not be fully supported if they differ significantly from the original remote's standard layout.
  - Verify that your device is indeed a NAD SR5 compatible model.

Specifications

Brand	Passion-Electro
Model	SR5
Compatible Devices	Set-top box, Stereo system, Television
Special Features	No programming required
Battery Type	2 x AAA (LR03) 1.5V
Batteries Included	No
Connectivity Technology	Infrared (IR)
Maximum Range	10 meters
Item Weight	100 g

This manual is for informational purposes only. Product specifications are subject to change without notice.