Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

CKPSMS #12463

CKPSMS #12463 Hinged Right & Left Raising Presser Foot Instruction Manual

Model: #12463 (1/4") | Brand: CKPSMS

1. Product Overview

The CKPSMS #12463 Hinged Right & Left Raising Presser Foot with Guide is designed for industrial single needle sewing machines. This set includes both a right and a left hinged raising foot, specifically engineered for precise top-stitching and edge stitching applications. The hinged design facilitates smooth sewing over seams and uneven fabric surfaces, ensuring consistent stitch quality. Each foot features a solid bottom for stability during operation.

2. Features

- Set includes one right and one left hinged raising presser foot.
- Equipped with a guide for accurate top-stitching and edge stitching.
- Hinged mechanism allows the foot to smoothly glide over seams and uneven surfaces.
- Solid bottom construction provides stability during sewing.
- Designed for industrial single needle sewing machines.
- This specific model is 1/4 inch in size.

3. Compatibility

This presser foot set is compatible with most single needle industrial sewing machines that utilize a high shank presser foot system. It is suitable for a wide range of brands and models, including but not limited to:

- **ARTISAN:** 196R, 5550N, 8500N
- **BROTHER:** B705, B707, B715, B716, B735, B737, B738, B745, B755, B757, B758, B767, B781, S7100, S7200, PQ1300, PQ1500
- **CONSEW:** 30, 98, 99, 102, 103, 105, 210, 217, 218, 219, 220, 230, 290, 310, 2230, 7360R-1
- **GEMSY:** 8700
- **JANOME:** 1600P-DB, 1600P-DBX

- **JUKI:** DDL-127, DDL-227, DDL-500, DDL-552, DDL-553, DDL-555, DDL-5550, DDL-5600, DDL-8300, DDL-8500, DDL-8700, DDL-9000, TL98E, TL98Q
- **MITSUBISHI:** DB-120, DB-121, DB-122, DB-126, DB-130, DB-170, DB-189, DB-199, LS2-130, LS2-150, LS2-180, LS2-190, LS2-1130
- **RELIABLE:** MSK-8800, MSK-8550M, MSK-8870M
- **REX:** RX8500
- **SINGER:** 95, 96, 120U, 121C, 121D, 188K, 191D, 195K, 196K, 241, 251, 281, 366K, 400W, 402W, 451K, 491D, 591D, 600W, 660A, 691D, 770D, 771D, 2191, 2491D
- **SUNSTAR:** KM-123A, KM-123B, KM-137A, KM-137B, KM-146BL, KM-250
- **TACSEW:** 5550, T8700
- **TAIKO:** TK-505, TK-510
- **YAMATA:** FY8500, FY8700

This foot will also fit many other household and industrial sewing machines with a high shank presser foot system.

4. Installation & Usage

Proper installation and usage of the hinged raising presser foot are crucial for optimal performance in top-stitching and edge stitching.



Image 1: The CKPSMS #12463 hinged right and left raising presser feet, highlighting the size measurement area. This image illustrates the physical appearance of the two feet included in the set.



Image 2: A view of the CKPSMS #12463 hinged right and left raising presser feet, accompanied by technical diagrams illustrating their function and how they interact with fabric for precise stitching.



Image 3: An alternative perspective of the CKPSMS #12463 hinged right and left raising presser feet, with additional diagrams detailing their application in top-stitching and edge stitching operations.

Installation:

1. Ensure your sewing machine is powered off and the needle is in the up position.
2. Loosen the presser foot screw on your machine's presser bar.
3. Remove the existing presser foot.
4. Align the new hinged raising presser foot with the presser bar and secure it by tightening the screw. Ensure the foot is firmly attached but not overtightened.

Usage for Top-Stitching and Edge Stitching:

- Select the appropriate foot (right or left) based on the desired stitching direction and fabric edge.
- Position the fabric under the foot, aligning the fabric edge with the guide on the presser foot. The guide helps maintain a consistent distance from the edge.
- The hinged design will allow the foot to smoothly glide over seams and uneven surfaces, ensuring a uniform stitch line.
- Adjust stitch length and tension according to your fabric type and desired finish.

5. Specifications

- **Package Dimensions:** 8.31 x 5.47 x 0.16 inches
- **Item Weight:** 1.48 ounces
- **Manufacturer:** CKPSMS
- **Material:** Metal
- **Size:** 1/4"

6. Maintenance

To ensure the longevity and optimal performance of your CKPSMS hinged raising presser foot, follow these maintenance guidelines:

- **Cleaning:** Regularly clean the presser foot to remove lint, dust, and fabric fibers that may accumulate. Use a small brush or lint-free cloth.
- **Inspection:** Periodically inspect the foot for any signs of wear, damage, or bending. A damaged foot can affect stitch quality.
- **Storage:** Store the presser foot in a dry, clean place when not in use to prevent rust or damage.

7. Troubleshooting

If you encounter issues while using the hinged raising presser foot, consider the following:

- **Uneven Stitching:** Ensure the presser foot is securely attached and the fabric is properly aligned with the guide. Check your machine's tension settings.
- **Fabric Dragging/Bunching:** Verify that the presser foot is clean and free of obstructions. Adjust presser foot pressure if your machine allows.
- **Skipped Stitches:** This can sometimes be related to the needle. Ensure you are using the correct needle type and size for your fabric and that it is inserted correctly and not bent or dull.

8. Warranty and Support

For warranty information or technical support, please refer to the official CKPSMS website or contact their customer service directly. Keep your purchase receipt for any warranty claims.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07PWZ6GWL

More documents and user manuals: **https://manuals.plus/**